



5WD-543

MICROORGANISM CONTROL CHEMICAL

ACTIVE INGREDIENTS

alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chloride	17.5%
Bis(tri-n-butyltin) oxide	2.5%
INERT INGREDIENTS	85.0%
Total	100.0%

Weight/gallon = 8.38 lbs
EPA Registration No. 1706-146

EPA est. 1706-11-1

NALCO CHEMICAL COMPANY

6216 WEST 66TH PLACE

CHICAGO, ILLINOIS 60638

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

D.O.T. SHIPPING NAME: WATER TREATMENT COMPOUND, LIQUID

DIRECTIONS: For bacterial and fungal slime and algae control in industrial recirculating cooling water towers use 2-4 gallons Nalco 5WD-543 per 10,000 gallons system water (200-400 ppm) initially. Repeat as needed to achieve control. Badly fouled systems must be pre-cleaned. Once the desired degree of control has been achieved, apply 0.4-2.0 gallons Nalco 5WD-543 per 10,000 gallons system water (40-200 ppm) weekly or as needed to maintain control.

Feed Nalco 5WD-543 directly from the drum to a point in the system where it will be evenly mixed and uniformly distributed.

NOTE: NALCO 5WD-543 INTENDED FOR INDUSTRIAL USE ONLY.
Do not apply to potable or domestic water systems.

This product is toxic to fish and wildlife. Do not discharge treated effluent where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of waste.

Do not reuse this container. Destroy when empty. Use this product only as specified on this label.

DANGER: KEEP OUT OF REACH OF CHILDREN. CORROSIVE. CAUSES EYE AND SKIN DAMAGE. MAY BE HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN.

Do not get in eyes, on skin or on clothing. Keep container closed when not in use. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

FIRST AID: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician. Wash skin with soap and water. Remove contaminated clothing and wash before reuse. Discard contaminated shoes.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician at once. Never give an unconscious person anything by mouth.

NOTE TO PHYSICIAN: Probably, mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

ACCEPTED
1375
706-146



NALCO®

2532

MICROORGANISM CONTROL CHEMICAL

ACTIVE INGREDIENTS

n-alky (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium Chloride	12.5%
Bis(tri-n-butyltin) oxide	2.5%

INERT INGREDIENTS	85.0%
--------------------------	--------------

Total	100.0%
-------	--------

Weight/gallon = 8.38 lbs
EPA Registration No. 1706-146

NALCO CHEMICAL COMPANY

6216 WEST 66TH PLACE

CHICAGO, ILLINOIS 60638

EPA est. 1706-IL-1

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

D.O.T. SHIPPING NAME: WATER TREATMENT COMPOUND, LIQUID

DIRECTIONS: For bacterial and fungal slime and algae control in industrial recirculating cooling water towers use 2-4 gallons Nalco 2532 per 10,000 gallons system water (200-400 ppm) initially. Repeat as needed to achieve control. Badly fouled systems must be precleaned. Once the desired degree of control has been achieved, apply 0.4-2.0 gallons Nalco 2532 per 10,000 gallons system water (40-200 ppm) weekly or as needed to maintain control.

Feed Nalco 2532 directly from the drum to a point in the system where it will be evenly mixed and uniformly distributed.

NOTE: NALCO 2532 INTENDED FOR INDUSTRIAL USE ONLY.
Do not apply to potable or domestic water systems.

This product is toxic to fish and wildlife. Do not discharge treated effluent where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of waste.

Do not reuse this container. Destroy when empty. Use this product only as specified on this label.

DANGER: KEEP OUT OF REACH OF CHILDREN. CORROSIVE. CAUSES EYE AND SKIN DAMAGE. MAY BE HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN.

Do not get in eyes, on skin or on clothing. Keep container closed when not in use. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling.

FIRST AID: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician. Wash skin with soap and water. Remove contaminated clothing and wash before reuse. Discard contaminated shoes.

if swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician at once. Never give an unconscious person anything by mouth.

NOTE TO PHYSICIAN: Probably, mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.