

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER: CORROSIVE. CAUSES EYE AND SKIN DAMAGE. MAY BE HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. Do not get in eyes, on skin or on clothing. Keep container closed when not in use. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly after handling. See statement of practical treatment.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge treated water into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance contact your Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture, or residue that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Completely empty fiber drum by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of drums in a sanitary landfill or by incineration if allowed by state and local authorities. Consult federal, state or local disposal authorities for approved alternative procedures.



**NALCO.
1 RM-608**

**BALL BRIQUETTE
MICRO-ORGANISM CONTROL CHEMICAL
FOR DISTILLATE
STORAGE TANK BOTTOM WATER**

ACTIVE INGREDIENT:
Methylene bis(thiocyanate) 10.0%
INERT INGREDIENTS 90.0%
Average ball weight = 17 oz. Total 100.0%

KEEP OUT OF REACH OF CHILDREN

**DANGER:
STATEMENT OF PRACTICAL TREATMENT**

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician at once. NEVER give an unconscious person anything by mouth.

If on skin: Immediately flush contacted area with copious quantities of water for at least 15 minutes. Remove and wash contaminated clothing.

If in eyes: Immediately flush with plenty of water for at least 15 minutes. Call a physician.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For control of bacterial and fungal growth in distillate fuel oil storage tank bottom water add a slug dose of 50-100 ppm NALCO 1RM-608 (4-8 balls per 10,000 gallons water in the tank). Repeat as needed to gain control.

To maintain control feed 25-50 ppm (2-4 balls per 10,000 gallons water in the tank) once a month or as needed.

Feeding is best accomplished by dropping the required number of NALCO 1RM-608 balls directly into the tank through a top manway or other convenient access opening.

Should disposal of tank bottom water become necessary wait at least 48 hours after last NALCO 1RM-608 treatment before draining tank. Do not discharge water directly to ground where it can enter streams, lakes or ponds.

EPA Registration No. 1706-161
EPA Est. No. 1706-IL-1

ACCEPTED
OCT 25 1982
Under the Federal Insecticide, Fungicide, and Rodenticide Act, provided for the pesticide registered under EPA Reg. No. 1706-161

NALCO CHEMICAL COMPANY
6216 WEST 86TH PLACE NET CONTENTS SHOWN CHICAGO, ILLINOIS 60638
ELSEWHERE ON CONTAINER

SEE SIDE PANEL AT LEFT FOR ADDITIONAL PRECAUTIONARY STATEMENTS