

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. MAY CAUSE SEVERE SKIN AND EYE IRRITATION OR CHEMICAL BURNS TO BROKEN SKIN. CAUSES EYE DAMAGE. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves (PVC or Nitrile) when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc. or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes.

STORAGE AND DISPOSAL

Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return empty container to manufacturer or bury in an approved landfill. Product or rinsate that cannot be used should be diluted with water and disposed of in a sanitary sewer. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water, food, or feed by storage, or disposal.

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER

ONLY FOR SALE TO, USE OR STORAGE BY SERVICE PERSONS OR INDUSTRIAL USERS

ACCEPTED
JUN 3 2003
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 1706-20002

Rev.: 3/20/2003



92WT004

ACTIVE INGREDIENT:
Sodium hypochlorite.....10%
INERT INGREDIENTS:.....90%
TOTAL:.....100%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

- **IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
- **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor.
- **IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or ambulances, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Have the MSDS with you when calling a poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA REG. NO. 1706-20002 EPA EST. NO. 8576-GA-1

ONDEO Nalco Company
ONDEO Nalco Center
Naperville, IL 60563
EMERGENCY PHONE NO. (800) 424-9300

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

COOLING TOWER/ EVAPORATIVE CONDENSER WATER

A. SLUG FEED METHOD

Initial Dose: When the system is noticeably fouled, add appropriate amount of 92WT004 per 10,000 gallons of water in the system to obtain from 5 to 10 ppm available chlorine. Repeat until control is achieved.

Subsequent Dose: When microbial control is evident, add appropriate amount of 92WT004 per 10,000 gallons of water in the system daily, or as needed to maintain control and keep the chlorine residual at 1 ppm. Badly fouled systems must be cleaned before treatment is begun.

B. INTERMITTENT FEED METHOD

Initial Dose: When the system is noticeably fouled, add appropriate amount of 92WT004 per 10,000 gallons of water in the system to obtain from 5 to 10 ppm available chlorine. Apply half (or 1/3, 1/4, or 1/5) of this initial dose when half (or 1/3, 1/4, or 1/5) of the water in the system has been lost by blowdown.

Subsequent Dose: When microbial control is evident, add appropriate amount of 92WT004 per 10,000 gallons of water in the system to obtain a 1 ppm residual. Apply half (or 1/3, 1/4, or 1/5) of this initial dose when half (or 1/3, 1/4, or 1/5) of the water in the system has been lost by blowdown. Badly fouled systems must be cleaned before treatment is begun.

C. CONTINUOUS FEED METHOD

Initial Dose: When the system is noticeably fouled, add appropriate amount of 92WT004 per 10,000 gallons of water in the system to obtain from 5 to 10 ppm available chlorine.

Subsequent Dose: Maintain this treatment level by starting a continuous feed of 1 oz. of 92WT004 per 1,000 gallons water lost by blowdown to maintain a 1.0 ppm residual. Badly fouled systems must be cleaned before treatment is begun.

D. COOLING TOWER

EVAPORATIVE CONDENSER WATER TREATMENT CHART

METHOD	Ounce 92WT004 per 10,000 Gallons Water
Slug Feed to obtain 5-10 ppm	68-135
Subsequent Dose	13
Maintain 1 ppm residual	68-135
Intermittent Feed to obtain 5-10 ppm	
Subsequent Dose	13
Maintain 1 ppm residual	68-135
Continuous Feed To obtain 5-10 ppm	
Subsequent Dose (per 1000 gallons)	1.5
Maintain 1 ppm residual	

1706-20002

6-3-2003

SVEZ

11

HYPOCHLORITE SOLUTION (CONTAINS SODIUM HYPOCHLORITE), 8. UN 1791, III