

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
& DOMESTIC ANIMALS**

**DANGER**

Hazardous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Do not get in eyes or on skin. Avoid inhalation and skin contact. Wear protective clothing, natural rubber gloves and goggles. Wear an effective toxic dust respirator of a type passed by the U.S. Bureau of Mines for parathion protection. Wash thoroughly with soap and warm water after exposure. Wash all contaminated clothing with soap and hot water before reuse. Do not keep poisons where food is handled or stored. Avoid contamination of feed and foodstuffs. Keep all persons out of operating area or vicinity where there may be danger of drift.

**ANTIDOTE FOR PARATHION:** Call A Physician At Once. (Note: For Physician Only: Therapeutic doses of atropine appear to be effective as an antidote.

**INTERNAL:** Give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Have patient lie down and keep warm.

**EXTERNAL:** If the skin is contaminated, wash thoroughly with soap and water.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish and wildlife. Keep out of lakes, ponds or streams. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift or dust from treated areas. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. Birds feeding on treated areas may be killed.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**RE-ENTRY STATEMENT**

Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated.

**RESTRICTED USE PESTICIDE**

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

**2% Parathion Dust**

**ACTIVE INGREDIENTS:**

Parathion (O, O-diethyl O-p-nitrophenyl Thiophosphate) ..... 2.00%

**INERT INGREDIENTS:** ..... 98.00%

**TOTAL** ..... 100.00%

**BEST DOCUMENT AVAILABLE**

**KEEP OUT OF REACH OF CHILDREN  
DANGER — POISON**



**ACCEPTED**  
SEP 20 1978  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, 185-99

**STATEMENT OF PRACTICAL TREATMENT**

If swallowed, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear

If on skin, wash thoroughly with soap and water.

If in eyes, flush eyes with water for at least 15 minutes.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Manufactured by  
**GRIFFIN CORPORATION**  
VALDOSTA, GEORGIA 31601

EPA EST. NO 1812 GA-1

EPA REG. NO. 1812-99

**NET CONTENTS 50 POUNDS**

**CATEGORY OF APPLICATOR**

Certified applicators or persons under their direct supervision.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that can not be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place. Consult Federal, State or Local Disposal Authorities for approved alternative procedures, such as limited open burning.

**TOBACCO:** Aphids — apply at rate of 20 to 25 lbs. per acre, depending on the size of the plants. Do not apply within 5 days of priming or 15 days of cutting. Avoid contact with plant juices when handling crop.

**BEANS, CUCUMBERS, CANTALOUPES, SQUASH, WATERMELONS:** For the control of bean beetles, leaf minor, stink bug, melon and pickle worm. Use at rate of 20-25 lbs. per acre depending upon size of plants. Do not use on mature crops or in any case for 15 days before harvest. Do not use on mature crops or in any case for 15 days before harvest. Do not apply to cucurbits before the plants start to vine or when plants are wet. Wash all fruits and vegetables before marketing or using.

**WARRANTY STATEMENT**

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

