

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
& DOMESTIC ANIMALS
DANGER**

Poisonous if swallowed, inhaled or absorbed through the skin. Rapidly absorbed through the skin. Repeated contact with the skin may, without symptoms, progressively cause intolerance to Parathion poisoning. Do not swallow or get on eyes, skin or on clothing. Do not breathe dust or vapors. Wear clean natural rubber gloves, clean water proof protective clothing and goggles. Replace rubber gloves frequently and destroy used gloves. Wear a mask or respirator of a type approved by the U.S. Bureau of Mines for Parathion protection. Wash thoroughly with soap and water after handling and before eating or smoking. Wash clothing that is contaminated with soap and water before reuse. In case of spillage wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent and flush with water.

NOTE TO PHYSICIAN: Warning Symptoms: Symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pH point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic antagonist of choice against para-sympathetic nervous stimulation. If there are signs of para-sympathetic stimulation, atropine sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural draining. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitor may, without warning, cause prolonged susceptibility to very small doses of cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

ANTIDOTE AND FIRST AID TREATMENT. Atropine is the emergency antidote for Parathion poisoning. Consult your physician about an adequate supply of 1-100 grain atropine tablets for emergency use. **CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.** If internal if the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). **Never Give Anything By Mouth To An Unconscious Person.** External: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing and wash with soap and running water. If the material gets in the eyes, wash immediately with running water for at least 10 minutes. If warning symptoms appear, administer two 1-100 grain atropine tablets immediately. **NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR.** Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wild life. Keep out of lakes, streams and ponds. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from treated areas. Do not feed treated forage to any animal or to animals being finished for slaughter.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

10% PARATHION GRANULES

FOR PEANUT SOIL TREATMENT

ACTIVE INGREDIENTS:

Parathion (O, O-diethyl O-p-nitrophenyl Thiophosphate) 10.0%

INERT INGREDIENTS: 90.00%

TOTAL 100.00%

**ACCEPTED FOR KEEP OUT OF REACH OF CHILDREN
DANGER — POISON**

SEP 15 1978

U.S. Federal Insecticide, Fungicide, and Rodenticide Act

1812-124

STATEMENT OF PRACTICAL TREATMENT

If swallowed induce vomiting immediately. Get medical attention.

If in eyes immediately flush with water for at least 10 minutes and get medical attention.

If on skin remove all contaminated clothing and wash skin with soap and water.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

BEST DOCUMENT AVAILABLE

Manufactured by
GRIFFIN CORPORATION
VALDOSTA, GEORGIA 31601

EPA EST NO 1812 GA 1

EPA REG NO 1812 124

NET CONTENTS 50 LBS.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not re-enter treated fields until drifting insecticides and volatile residues have dissipated.

CATEGORY OF APPLICATOR

Certified applicators or persons under their direct supervision.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that can not be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place. Consult Federal, State or Local Disposal Authorities for approved alternative procedures such as limited open burning.

Use this product for recommended purposes and at recommended rates. For the control of the southern corn rootworm and the larvae, spotted cucumber beetle found in peanut seed apply 20 to 30 pounds per acre. For band application at planting time, use 15 to 20 pounds per acre. Plow into the soil for better control. **DO NOT APPLY THIS PRODUCT AFTER PEAKING TIME.**

WARRANTY STATEMENT

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

