



7 1/2% SEVIN*

COPPER - SULPHUR



1872-1441

ACCEPTED

JUN 25 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND MITICIDE ACT
FOR THE CONTROL OF PESTS
ED UNDER NO. 1812-194
NO. ATTACHED TO THE PRODUCT

ACTIVE INGREDIENT(S):	
*Carbaryl [1-naphthyl N-methylcarbamate]	7.5%
**Copper as metallic	3.4%
Sulphur	75.0%
INERT INGREDIENT(S)	14.1%
TOTAL	100.0%

*Trademark of Union Carbide Corp. for Carbaryl.
**From Oxides of Copper
Sulphur Fineness: 937 passing No. 325 USS Sieve.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful to flowers and birds. Do not take more than 1/2 oz. in 24 hours. Avoid contact with skin. Wash hands after handling. Change and laundered clothing daily. Do not use near foodstuffs, feed, feeding troughs or animal pens.

FOR PROTECTION OF HONEY BEES. This product is highly toxic to bees exposed to direct treatment or residue on crop. Protective information may be obtained from your Co-operative Agricultural Extension Service.

DIRECTIONS: Use sufficient amount of dust to obtain full coverage. Apply when insects or their signs appear. Repeat at 5 to 7 day intervals or as necessary for good control. Use in accordance with label directions and cautions. Sevin may be applied up to time of harvest.

COTTON: To control Boll Weevils, Boll Worms, Thrips, Flea Beetles, Fall Army Worms, Stink Bugs, dust at rate of 25-30 lbs. per acre according to infestation.

BEANS: Mexican Bean Beetle, dust at rate of 10 lbs. per acre according to infestation.

PEANUTS: Velvet Bean Caterpillar (Peanut Worm), the Fall Army Worm and Thrips. Apply 20 lbs. per acre depending upon size of plant and infestation. Repeat as often as needed.

Do not reuse crop containers for any other purpose. Wash thoroughly before reuse. Do not feed to livestock.

PARRAMORE & GRIFFIN

E.P.A. Reg. No. 1812-194

Valdosta, Georgia