

# DANGER—POISON—PRECAUTIONS



### POISONOUS IF SWALLOWED

the contract of an elementary of and wedleven in The second of th



# POISONOUS BY SKIN CONTACT

Figure 3. \* \* \* \* \* \* \* \* piny him to crist hed or splashed nikkin in eye is too of thing diquid goes through



### POISONOUS IF BREATHED

or the contract of the may be fatal

#### POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treat and areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of waster. Apply this product only as appointed on this onel.

# USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

oge Wear water proof pant, most hat robber hist or turner and the color was a safety a decision Wear of a recommon attraction and a the U.S. Hoteau on March Comparathern protection of the first trace. A CONTRACTOR STATE

the action also be a specific for a approved to a problem of section to de 24 to after our continue to men, a set for standing of the

The second of th the second secon employed and parging of a safe page agenPARRAMORE

X **GRIFFIN** 

Valdosta, Ga.

5 18 14 18 1 1 1 h 21 203

# POISON

See Side Panels for Antidote & **Precautions** 



# DANGER

Keep Out of Reach of

ED INDER NO. .... SUBJECT

Contains: 5 lbs. Toxaphene 2 lbs. Ethyl Parathic

<b>ACTIVE</b>	INGREDIENT(S)
*Toyan	hene

\*\*Methyl Parathion

*Toxaphene	TO ATTACHED COMMENT	MS.
Parathion [O,O-diethyl O-p-nitrophenyl phosphorothioate]  **O,O-dimethyl O-p-nitrophenyl phosphorothioate  Xylene		
		20.07%
INERT INGREDIENT(S)		5.55%
*Technical Chlorinated Camphene (67%-69% Chlorine)		100.00%

# **DIRECTIONS FOR USE**

This product should be applied by trained personnel using approved protective equipment Fill spray tank one-half with water then pour in specified anicunt of BLASTER. Keep agitator running while filling tank and during spray application. For best control with ground equipment apply recommended amount of insecticide in 3 to 7 gallons of water per acre on cotton.

COTTON: For control of Catton Leafworms, Fleahoppers, Lygus Bug, Red Spider Mites, Thrips and Garden Webeyoems, use 1 to 2 pints per acre at 4 to 5 day intervals until control is obtained. Do not hand pick or harvest within 7 days of application. Workers entering fields within 24 hours after application should is at protective clothing.

Do not graze dairy animals or animals being finished for sunighter on late treated cotton

SOYBEANS. For control of Two Spotted Mites, Steel Bugs, Bollworms, Half Army worms, Green Cloverworms, Velvet Bean Caterplians and W bworms, u.e. 27 to 3 pints per acre. 20 Days limitation prior to harvest.

Do not apply more than two expergrowing ware s

# NOT FOR HOME USE

the engineering that the second of the secon Service of prositive black or exercise 14 65166

DO NOT USE POUR SPEC OR STORE NEAR HEAT OR OPEN FLAME

## WORK SAFETY N

Keep all unprotected persons and c treated area or where there is dan Do not rub eyes or mouth with han

in any way, STOP work and get he

a doctor (physician), clinic or hospi Explain that the victim has been thion and describe his condition. given (see First Aid Treatment Sec tor cannot come, take victim to cli IMPORTANT! Before removing gl with soap and water. Always was arms with soap and water before s drinking.

AFTER WORK, take off all work c Shower, using soap and water. clothes when leaving job. Do not w clothing. Wash protective clothing equipment with soap and water aff pirator should be cleaned and filter ing to instructions included with re WARNING-Flamable! Keep a or open flame.

Y POISON SIGNS (S

deratheon is a very dangerous poil ters the body on contact with ail! eyes. Clothing wet with this mat moved immediately. Exposed per prompt medical treatment or they Symple crisis, right and symptoms Heada be causea 🕠 miting 👊 blurred velon pin point pupils, t labored breathoug nervoluness, \$ at eyes drooten, or firstlang of muscle casm and coma-

distinger dimensional resparathi in of the control dies to everting effects that is, admiration of i patriothi i a si a si aystemi. Po**i** the of hear ted promperly w the contact the section color ., ptomaind a reprove char 2 PAM may be administered!

CAN CAUEL
DEATH ACCEPTED

CHARLES ACCEPTED

CHAR