

# TURCOSAN

## Sanitizer • Disinfectant • Deodorant

Turcosan is an "activated" chlorine bactericidal development. Greater and more dependable germicidal-power is released in solution because of its mildly acidic characteristic, which "activates" the chlorine present, to give speedier, more powerful action, and longer life.

Turcosan makes up into a crystal clear solution, leaves no films, streaks, or residues — retains its effective bactericidal action in hot or cold solutions.

Recommended Sanitizing Use Concentration: 1½ ounces to 15 gallons water = 150 p.p.m. available chlorine.

**KEEP CONTAINER CLOSED — STORE IN COOL, DRY PLACE**

**WARNING:** Keep Out of Reach of Children. Causes eye or skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before use.

If swallowed, drink promptly a large quantity of water. Avoid alcohol. Call a physician immediately.

Information and recommendations contained herein are based upon our laboratory tests and field use experience. However, since conditions of actual use are beyond our control, no guarantee, express or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. Manufacturer's and seller's sole obligation shall be to replace that portion of any product shown to be defective. Neither shall be liable for any loss, damage or injury, direct or consequential, arising out of the misuse of this product, either alone or in combination with other materials.

### TURCO PRODUCTS


A DIVISION OF PUREX CORPORATION, LTD.

Chicago • Houston • Los Angeles • Philadelphia

Home Office: 24600 So. Main St., Carson, Calif. 90745

OFFICES IN PRINCIPAL CITIES

**CLEANING  
COMPOUNDS  
FOR THE  
FOOD  
INDUSTRY**



**NET CONTENTS:**

EPA Reg. No. 1816-8-AA

FOR INDUSTRIAL USE ONLY



**WARNING**  
KEEP OUT OF THE REACH OF CHILDREN  
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS

# TURCOSAN

Active Ingredient: Sodium Dichloro-s-triazinetriene ..... 33.9 %  
Inert Ingredients: ..... 66.1 %

## TURCOSAN

### Sanitizer • Disinfectant • Deodorant

Turcosan is an "activated" chlorine bactericidal development. Greater and more dependable germicidal-power is released in solution because of its mildly acidic characteristic, which "activates" the chlorine present, to give speedier, more powerful action, and longer life.

Turcosan makes up into a crystal clear solution, leaves no films, streaks, or residues — retains its effective bactericidal action in hot or cold solutions.

Recommended Sanitizing Use Concentration: 1½ ounces to 15 gallons water = 150 p.p.m. available chlorine.

KEEP CONTAINER CLOSED — STORE IN COOL, DRY PLACE

**WARNING:** Keep Out of Reach of Children. Causes eye or skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before use.

If swallowed, drink promptly a large quantity of water. Avoid alcohol. Call a physician immediately.

Information and recommendations contained herein are based upon our laboratory tests and field use experience. However, since conditions of actual use are beyond our control, no guarantee, express or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. Manufacturer's and seller's sole obligation shall be to replace that portion of any product shown to be defective. Neither shall be liable for any loss, damage or injury, direct or consequential, arising out of the misuse of this product, either alone or in combination with other materials.

#### TURCO PRODUCTS

A DIVISION OF PUREX CORPORATION, LTD.  
Chicago • Houston • Los Angeles • Philadelphia  
Home Office: 24600 So. Main St., Carson, Calif. 90745  
OFFICES IN PRINCIPAL CITIES

FOR INDUSTRIAL USE ONLY

CLEANING  
COMPOUNDS  
FOR THE  
FOOD  
INDUSTRY



NET CONTENTS:

EPA Reg. No. 1816-8-AA



**WARNING**  
KEEP OUT OF THE REACH OF CHILDREN  
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS

# TURCOSAN

Active Ingredient: Sodium Dichloro-s-triazinetrione.....33.9 %  
Inert Ingredients: .....66.1 %

FOR INDUSTRIAL USE ONLY



**WARNING**  
OUT OF THE REACH OF CHILDREN  
SEE PANEL FOR ADDITIONAL PRECAUTIONS

**TURCOSAN**

Ingredient: Sodium Dichloro-s-triazinetriene.....33.9%  
Inerts:.....66.1%



## DIRECTIONS FOR USE

DAIRY AND MILK PROCESSING PLANTS—CREAMERY, ICE CREAM,  
CHEESE PLANTS, BREWERIES—CARBONATED BEVERAGE—  
FOOD PROCESSING PLANTS

1. FLUSH utensils and equipment with clean water. 2. WASH with recommended Turco product. 3. RINSE with clean water. 4. SANITIZE immediately with Turcosan, 150 p.p.m., by immersion or flow contact for 2 minutes, or as required by governing sanitary code. Rinse with potable water before using.

### EATING and DRINKING ESTABLISHMENTS

1. SCRAPE and PREFLUSH all articles to be washed.
2. WASH with suitable Turco product.
3. RINSE thoroughly with clean water.
4. SANITIZE by immersion in Turcosan solution containing 1 1/2 oz. of Turcosan for each 15 gals. of water (provides 150 p.p.m. available chlorine), for 2 min., or as otherwise specified in the governing sanitary code.
5. AIR-DRY on clean drain board.

### MAINTENANCE — SANITATION — DEODORIZING

FOR DEODORIZING and DISINFECTING Floors, Walls, Cold Storage Rooms, Refrigerators, General Storage Areas, Refuse Containers, Baths, Showers. 1. WASH all surfaces with recommended Turco product. 2. RINSE well with clean water. 3. DISINFECT with Turcosan solution, 400 p.p.m., by thoroughly rinsing or spraying all surfaces with solution.

Rinse container well with water when empty. Do not re-use container.

STRENGTH OF SANITIZING SOLUTION SHOULD NOT FALL BELOW 150 P.P.M. AT ANY TIME. IF TEST METHOD IS NOT AVAILABLE, STRENGTH FOR SANITIZING SHOULD BE DOUBLED.

ACCEPTED

Apr 18, 1973

UNDER

1816-8

LDV-563 Class VII Printed in U.S.A. JM 3-73 EPCO B 5529 R-2/73

FOR INDUSTRIAL USE ONLY



®

### WARNING

KEEP OUT OF THE REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS

# TURCOSAN

Active Ingredient: Sodium Dichloro-s-triazinetrione	33.9%
Inert Ingredients	66.1%



DAIRY A  
CHEE

1. FLUSH  
mended T  
diately wi  
minutes, o  
water befo

EATING a

1. SCRAPE
2. WASH
3. RINSE
4. SANITIZ  
san for  
for 2 m
5. AIR-DRY

MAINTENA

FOR DEOD  
Rooms, Re  
Showers.  
RINSE wel  
p.p.m., by

Rinse cont

STRENGTH  
P.P.M. AT  
FOR SANIT

100% TURCOSAN