


RESTRICTED

For retail sale to and used by applicators or persons under contract for those uses where applicator's certification is required.

DANGER — POISON — PRECAUTIONS**POISONOUS IF SWALLOWED**

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

DANGER

Poisonous if swallowed, inhaled or absorbed through the skin. Rapidly absorbed through the skin or eyes. Do not get in eyes, on skin or on clothing. Do not breathe the spray mist or vapor. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to methyl parathion poisoning. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical attention or they may die. Do not contaminate food and foodstuffs. DO NOT EXPOSE THIS PRODUCT TO SUN, STONE, NEAR HEAT OR OPEN FLAME.

POISONOUS TO FISH, WILDLIFE & BEES

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear clean natural rubber gloves, waterproof pants, coat, hat, rubber boots or rubber overshoes and safety goggles when handling, mixing or applying this product. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U. S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT: Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK: take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

CONTAINER DISPOSAL

Do not reuse empty containers.

Decontaminate empty containers by rinsing with a solution prepared by mixing 5 gallons of water, 2 pounds of caustic soda (household lye) and 1 cup detergent. Close container openings and rotate container repeatedly until all inner surfaces are thoroughly wet. Bury rinse solution at least 18 inches deep in isolated areas of noncropland away from water surfaces. Crush or perforate container to prevent further use and dispose of by burying with wastes or by burning (keep out of smoke).

25% M PARATHION

STOP — READ LABEL

POISON

Keep Out
Of Children
See Safe
for Application
Not Harmful
USI
Stock

ACTIVE INGREDIENTS:

*O,O-dimethyl O-para-	25.0%
phosphoryl thionophosphate
Xylene	75.0%
TOTAL	100.0%

*Methyl Parathion
Contains 2 lbs. Methyl
Parathion per gallon

Manufactured by

TRIANGLE C

BEST DOCUMENT AVAILABLE

Rev. 8501

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

ACTIVE INGREDIENTS:

25.0-Dimethyl O-p-nitrophenyl thiophosphate	25.0%
Xylene	70.0%
INERT	
Emulsifiers.....	5.0%
	100.0%

25% Methyl Parathion E.C.
Contains 2 lbs. Methyl Parathion per gallon.

STOP — READ LABEL BEFORE USING

POISON

DANGER



Keep Out Of Reach

Of Children

See Side Panels
for Antidote &
Precautions

NOT FOR
HOME
USE OR
STORAGE

**DO NOT USE, POUR OR SPILL
NEAR HEAT OR OPEN FLAME.**

NET CONTENTS

BEST

MENT AVAILABLE

Manufactured by **TRIANGLE CHEMICAL COMPANY** Macon, Ga.

PESTICIDE

by Certified Applicator
supervision and
by the certified



THYL ON E.C.

BEFORE USING
DANGER

**DO NOT USE, POUR OR SPILL
ON HOT SURFACE OR HEAT OR SPARKS**

If Reach
Bren
Dene
ste &
pm
R
SE

NET CONTENTS

PESTICIDE COMPANY Mccorm. Co.

EPA-PR

POISON POISON

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.
FIRST AID PROCEDURES, ANTIDOTES AND PHYSICIAN'S INSTRUCTIONS.

POISON SIGNS (Symptoms)

WARNING SYMPTOMS include weakness, headache, tightness in the chest, labored respiration, blurred vision, nausea, abdominal cramps, diarrhea, sweating, vomiting, salivation and nonreactive pinpoint pupils.

FIRST AID TREATMENT

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pain. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

PHYSICIANS NOTE: Methyl Parathion exerts muscarine-like effects—i.e., stimulation of the para sympathetic nervous system. Repeated use of a para-sympathetic depressant such as atropine to the limit of patients tolerance, is indicated to relieve symptoms. The administration of oxygen is helpful. Never give morphine to patients suspected of Parathion poisoning. Refer to "Clinical Handbook On Economic Poisons".

DIRECTIONS FOR USE

For ground application use at least 2 gals. of water per acre. For plane application use 3-10 gals. of water per acre.

Application should be made only by experienced personnel using approved protection equipment.

MIXING DIRECTIONS

1. Add about one-half total amount of water to be used.
2. Start agitation and add 25 ml. Methyl Parathion.
3. Continue stirring and add remaining water.

DIRECTIONS FOR USE

This product is an emulsifiable concentrate that mixes readily with water for use in the control of certain insects attacking cotton.

COTTON: For control of aphids, red spider mites, boll weevils, cotton leaf worm, fleahopper and thrips apply at a rate of 1 to 2 pints per acre with sufficient water to give uniform coverage.

Do not apply within 15 days of hand picking. Workers entering treated fields within 5 days after application should wear protective clothing. Do not use on forage crops to be fed to or grazed by dairy animals or animals being finished for slaughter. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals.

NOTICE OF WARRANTY

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

BEST DOCUMENT AVAILABLE

EPA Est. No. 1842-GA-1
EPA Reg. No. 1842-114