

TERMINIX DIAZINON® 4S

4 Pound Per Gallon Diazinon Oil Solution

For use by pest control operators only • For dilution with insecticide base oils • For control of cockroaches and certain other household pests.

Active Ingredients:

O,O-diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate 50.9%
Deodorized kerosene 41.5%


Inert Ingredients: 7.6%
Total 100.0%

*Diazinon® trademark of CIBA-GEIGY Corporation
Terminix Diazinon® 4S contains 4 lbs. Diazinon per gallon.



Distributed By

Terminix/Division of Cook Industries, Inc.
Memphis, Tennessee 38112



WARNING: Keep out of reach of children

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place. Minimum flash point: 105°F. Do not use, pour, spill, or store near heat or open flame.

Do not allow children in treated areas until surfaces are dry.

GENERAL INFORMATION

Terminix Diazinon® 4S is an oil solution containing 4 lbs. of Diazinon per gallon. It is intended for use by pest control operators after dilution with insecticidal base oils for the control of those insects listed below. Terminix Diazinon® 4S is not intended for use in the manufacture of finished products for resale.

Note: The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber, and asphalt materials such as tiles and floor coverings. Do not treat such materials. When used in dwellings, care should be taken to avoid deposits which could be frequently contacted by children. Do not allow children in treated areas until surfaces are dry. Do not contaminate food, food containers, or cooking utensils.

Net contents _____

EPA Reg. No. 1927-51
EPA Est. 977-MS-1

DIRECTIONS FOR USE:

To control Household Insects:**

Dilute Terminix Diazinon® 4S with deodorized kerosene or other suitable base oil to make a ½% or 1% Diazinon spray and apply as indicated below. Repeat application as necessary.

Spray Dilution Chart

Gals of finished spray	Amount of Terminix Diazinon® 4S to use for ½% spray	1% spray
1	1.0 fl. oz.*	2.0 fl. oz.
2	2.0 fl. oz.	4.0 fl. oz.
3	3.0 fl. oz.	6.0 fl. oz.
10	10.0 fl. oz.	20.0 fl. oz. (1.25 pts.)
25	25.0 fl. oz. (1.8 pts.)	50.0 fl. oz. (3.1 pts.)

*2 tablespoons = 1 fl. oz.

Cockroaches (Waterbugs), Ants, and Silverfish:

Make spot applications of ½% Diazinon as a coarse spray or apply with a paint brush to baseboards, areas around water-pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar areas where these insects hide.

For heavy cockroach infestations, make the first application at a strength of 1% Diazinon, followed by monthly applications of ½% Diazinon.

Carpet Beetles:

Apply a ½% Diazinon spray in spot applications along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

Spiders and Scorpions:

Apply a ½% Diazinon spray around windows, doors, and along baseboards. Make spot applications to other areas over which these pests may crawl.

Pantry Pests—exposed stages (Saw-Toothed Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian-Meal Moth):

Apply a ½% Diazinon spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

Brown Dog Ticks in buildings:

Make thorough application of a ½% Diazinon spray to infested areas around baseboards, windows and door frames, wall cracks, sleeping quarters and household pets, and localized areas of floors and floor covering. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

Applications Within Food Areas of Food Handling Establishments

Limited to Crack and Crevice Treatment Only — Apply a small amount of material by pin stream directly into cracks and crevices, such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where resistant and non-resistant Cockroaches (waterbugs), Ants, Spiders, and Silverfish hide. Also aids in the control of Pantry Pests — exposed stages (Sawtooth Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian Meal Moth). Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

U.S. Patent No. 2,754,243