

**ANTIDOTES**

(1) Methyl Parathion is a cholinesterase inhibitor and treatment of severe poisoning should include the use of Atropine; (2) Toxaphene produce(s) central nervous system excitation which responds to the barbituric acid derivatives. A physician with the information listed above, and especially if he has the information contained in the booklet entitled "Clinical Handbook on Economic Poisons," should be able to treat a patient suffering simultaneously from both Methyl Parathion and Toxaphene poisoning. This booklet was prepared by the U. S. Department of Health, Education, and Welfare, Public Health Service, Communicable Disease Center, Atlanta, Georgia.

**PHYSICIAN'S NOTE** — Warning symptoms include weakness, headache, tightness in the chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

Do not contaminate food or feed products.

Do not store at temperatures below 32° F.

This product is poisonous to fish and wildlife. Wildlife in treated areas may be killed. Keep out of lakes, streams, and ponds. Do not apply when weather conditions favor drift of spray from areas treated. Rinse equipment and containers with a caustic solution before disposal of containers. Dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes.

**DIRECTIONS FOR USE**

Applications should be made by experienced personnel using approved safety equipment. Prepare a spray mixture of NACO SUPER TEN as follows:

1. Add about half the total amount of water to be used to the spray tank.
2. Start agitator or pump bypass and add proper amount of NACO SUPER TEN.
3. Continue mixing and add remaining water.

NACO SUPER TEN may be applied by either ground equipment or aircraft. For ground application dilute in not less than 5 gals. water per acre. For aerial application dilute in 3 to 4 gallons of water per acre.

ACCLE  
 2, 1, 1  
 READ THE LABEL  
 NACO SUPER TEN  
 2, 1, 1

**NACO SUPER TEN**

**ACTIVE INGREDIENTS:**

Toxaphene (Technical Chlorinated Camphene Containing 67-69% Chlorine)	67.11%
O, O-dimethyl O-p-nitrophenyl thiophosphate*	16.78%
Xylene	7.46%

**INERT INGREDIENTS**

TOTAL	8.65%
	100.00%

\* Known as Methyl Parathion

**DANGER!**

**KEEP OUT OF REACH OF CHILDREN**

(See side panels for Antidote and additional cautions and directions)



POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN! RAPIDLY ABSORBED THROUGH SKIN! REPEATED EXPOSURE MAY, WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS. DO NOT GET ON SKIN, IN EYES, OR ON CLOTHING. DO NOT BREATHE SOLUTION, VAPOR OR MIST. Wear clean heavy natural rubber gloves and clean waterproof or freshly laundered protective clothing (coveralls, rubber boots and cap). Destroy and replace gloves frequently. Wear protective goggles. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before re-use. Wash hands, arms and face thoroughly with soap and warm water before eating or smoking.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and water; for eyes, flush with water for 15 minutes. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Parathion protection. In case of spillage, cover solution with an absorbent such as soda ash, lime, clay or sawdust. Sweep up and bury. Wash area thoroughly with strong lye solution.

Keep all persons out of the operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until the drifting insecticides and volatile residues have dissipated.

CALL A PHYSICIAN IN ALL CASES OF SUSPECTED PARATHION POISONING.

**W. R. GRACE & CO.**

**AGRICULTURAL CHEMICALS**

**MEMPHIS, TENNESSEE**

Baltimore, Md. • Cary, N.C. • Columbus, Ohio • Charleston, S.C. • Fort Pierce, Fla. • Lansing, Mich. • New Albany, Ind. • Nashville, Tenn. • Ames, Iowa •

Joplin, Mo. • Henry, Ill. • Amarillo, Tex.

**DIRECTIONS (continued)**

**COTTON: Early Season Program** — To control plant hoppers, use 1 to 1.25 pints NACO SUPER TEN per acre. Make two or three applications at 7 day intervals starting at the two-leaf stage. For thrip control only, use 0.75 to 1 pint per acre and for cutworms use 2 pints per acre.

**Mid Season Insects** — Overwintering boll weevils, aphids, and cotton leafworms are controlled with 1 pint NACO SUPER TEN per acre. Make repeat treatments at 7 day intervals as insect counts indicate they are necessary.

**Late Season Control** — Use 2 to 4 pints per acre to control weevils, bollworms and aphids. Use the higher rate for worm outbreaks. Repeat applications at 5 to 7 day intervals as insect counts indicate they are necessary.

Do not apply within 5 days of hand picking. Workers in fields within 24 hours after application should wear protective clothing.

Do not graze dairy animals or animals being slaughtered in treated fields.

**SOYBEANS:** Apply 2 pints of NACO SUPER TEN per acre to control aphids, armyworms, bean leaf beetles, corn earworms, green cloverworms, stink bugs, and weevils. Apply suitably diluted with water. For aerial application, apply diluted insecticide at 3 to 4 gallons per acre.

Do not apply less than 3 weeks before harvest.

Do not feed treated plants or ensilage made from treated plants to poultry, dairy animals or animals being finished for slaughter. Do not feed soybean mill trash to livestock or poultry.

**SMALL GRAINS (Wheat, Oats, Barley and Rice):** Apply 1 pint per acre to control armyworms. Apply suitably diluted with water. With aerial application, apply in a volume of 3 to 4 gallons per acre.

Do not apply this product within 15 days of harvest.

Do not feed treated forage to dairy animals or animals being finished for slaughter.

**NOTICE:** Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other instructions in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of material not in strict accordance with directions given.



