

GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE  
GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE  
GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE  
GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE

# NACO

GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE  
GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE  
GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE  
GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE GRACE

# NACO

USDA Reg. No. 2124-762

2124-762  
ACCEPTED  
Aug 17 1971



## TOXAPHENE-PARATHION 20-2 DUST

Wash thoroughly with soap and water after handling and before eating or smoking. If the material gets into the eyes, immediately flush with water for at least 15 minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before reuse. In case of spillage, wash down with large amounts of water. Decontaminate areas and equipment by washing with a concentrated solution of alkali and detergent, and rinse with water. Keep all persons out of the operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until the drifting insecticides and volatile residues have dissipated.

### FIRST AID TREATMENT

Atropine and 2-PAM are the emergency antidotes for parathion poisoning. Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

**Internal:** If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). Repeat until vomit fluid is clear. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

**External:** If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes. Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient to the nearest physician.

**NOTE TO PHYSICIAN:** Parathion is a cholinesterase inhibitor and treatment of poisoning should include the use of atropine

Not for use or storage in or around the home  
Do not contaminate feed and foodstuffs.

### ACTIVE INGREDIENTS:

Toxaphene (Technical Chlorinated Camphene — Containing 67% to 69% Chlorine) . . . . .	20.00%
Parathion (O, O-diethyl O-p-nitrophenyl thiophosphate) . . . . .	2.00%

### INERT INGREDIENTS

TOTAL . . . . .	100.00%
-----------------	---------

This product will kill fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, and ponds. Apply this product only as specified on this label. Do not apply when weather conditions favor drift of dust from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by burying with wastes.

### DIRECTIONS FOR USE

Apply with adequate dusting equipment when the wind is still at the suggested dosage below. The average amount to use on each application is dependent on the size of the plant, but be sure to cover thoroughly both sides of the leaves. Confer with your State Agricultural Experiment Station or your State Agricultural Extension Service for additional information consistent with this label precautions and directions.

**BROCCOLI, BRUSSELS SPROUTS AND CAULIFLOWER:** To control Aphids, Armyworms, Cabbage Looper, Imported Cabbage Worm, Corn Earworm, Cutworms (climbing and surface feeding), Serpentine Leaf Miner and Thrips use at the rate of 20-25 lbs. per acre. Do not apply after edible parts begin to form or within 30 days of harvest.

**TOMATOES:** To control Aphids, Cutworms (climbing and surface feeding), Stinkbugs and Tomato Hornworm use at the rate of 20-25 lbs. per acre. Do not apply closer than 10 days of harvest.

**NOTICE:** Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**DANGER!**  
**KEEP OUT OF REACH OF CHILDREN**  
(See side panels for additional cautions and directions)



POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN! RAPIDLY ABSORBED THROUGH SKIN! REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO PARATHION POISONING. DO NOT SWALLOW OR GET IN EYES, ON SKIN OR ON CLOTHING. DO NOT BREATHE VAPORS. WEAR CLEAN RUBBER GLOVES, CLEAN WATERPROOF PROTECTIVE CLOTHING, AND GOGGLES. REPLACE GLOVES FREQUENTLY AND DESTROY USED GLOVES. WEAR A MASK OR RESPIRATOR OR A TYPE PASSED BY THE U.S. DEPARTMENT OF AGRICULTURE FOR PARATHION PROTECTION.

**W. R. GRACE & CO.**  
AGRICULTURAL CHEMICALS  
MEMPHIS, TENNESSEE

Baltimore, Md. • Cary, N.C. • Columbus, Ohio • Charleston, S.C. • Fort Pierce, Fla. • Lansing, Mich. • New Albany, Ind. • Nashville, Tenn. • Ames, Iowa • Joplin, Mo. • Henry, Ill. • Amarillo, Tex.

NET WEIGHT      POUND(S)

