

# NACO

# NACO

EPA REG. NO. 2194-775



ACCEPTED  
Aug 10, 1972  
FEDERAL INSECTICIDE  
ACT  
224-775

## TOXAPHENE 8-E

(Contains 8 pounds of Toxaphene per Gallon)

### GENERAL DIRECTIONS

Toxaphene 8-E (8 pounds per gallon) is especially formulated for the preparation of a stable emulsion upon mixing with water by agitation; agitate the mixture while spraying. If allowed to stand re-agitate before use. Conventional hydraulic sprayers or low-volume applicators may be used to apply the required amounts of Toxaphene 8-E in sufficient water to give uniform coverage. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Wear synthetic rubber gloves and a mask or respirator of a type found suitable by the U. S. Bureau of Mines for protection against toxaphene during prolonged exposure in spray-mixing and loading operations. Use this material only for recommended purposes and at recommended dosages. Confer with your State Agricultural Experiment Station or your State Agricultural Extension Service for additional information consistent with this label cautions and directions.

### DIRECTIONS FOR USE

Dosages are given in terms of pints of Toxaphene 8-E in sufficient water to cover one acre.

**BEANS:** To control Bean Leaf Beetle, Bliester Beetle, corn earworm, cowpea curculio, cutworms (climbing and surface feeding), flea beetle, grasshopper, lygus bugs, serpentine leaf miner use 2 to 4 pints. To control bean leaf skeletonizer, darkling ground beetle, garden webworm and pea weevil use 3 pints. To control bean leafhopper, bean leaf roller and thrips use 1 1/2 pints.

Do not apply sprays to green or snap beans after pods begin to form.

Do not feed treated vines to dairy animals or animals being finished for slaughter.

**CELERY:** To control Cabbageworm, Fall Armyworm, Serpentine Leaf Miner and Thrips use 1 1/2 to 2 pints. To control Celery Leaf Tier and Vegetable Weevil use 4 to 5 pints.

Do not apply after plants start to bunch or after plants are half mature.

### ACTIVE INGREDIENTS:

Toxaphene (Technical Chlorinated Camphene Containing 67 to 69% Chlorine) 70.67%  
Xylene 15.98%

### INERT INGREDIENTS

TOTAL 100.00%

## WARNING!

### KEEP OUT OF REACH OF CHILDREN

MAY BE FATAL IF SWALLOWED. DO NOT BREATHE SPRAY MIST. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing. In case of spillage on person or on clothing, immediately remove clothing and flush skin or eyes with plenty of water; for eyes, get medical attention.

Not for use or storage in or around the home.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Do not store near feed or foodstuffs.

This product is poisonous to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, and ponds. Apply this product only as specified on this label. Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes. Do not apply when weather conditions favor drift from areas treated.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

W. R. GRACE & CO.

AGRICULTURAL CHEMICALS  
MEMPHIS, TENNESSEE

Amarillo, Tex. • Baltimore, Md. • Cary, N.C. • Charleston, S.C. • Columbus, Ohio • Ft. Pierce, Fla. • Henry, Mo. • Lansing, Mich. • Nashville, Tenn. • New Albany, Ind.

NET CONTENTS GALLON(S)