

NALE-UM is suitable for use in Flint Guns, Microsol Foggers, Heat Generating Foggers, Dairy Barn Foggers, Hydro-Guns or suitable automatic atomizing application equipment

USE UNDILUTED — Apply as a finely atomized space spray using applicator adjusted to produce particle sizes not smaller than 30 microns.

POULTRY PROCESSING AND PACKING PLANTS Around Outside and in Edible Product Areas Inside Buildings — Direct spray throughout the fly infested areas. Repeat as necessary. Exposed food products and packaging materials must be removed from the room or protected. After using this material, equipment and utensils must be thoroughly rinsed with potable water before operations are resumed

WINERIES, CANNERIES, CIDER MILLS, FOOD PROCESSING PLANTS, LOADING DOCKS, CULL PILES, REFUSE AREAS, Drosophila (Fruit Fly) Spray as necessary contacting walls, floors, doorways, windows, refuse piles and cull piles except those for stock feed. Avoid contamination of feeds, food-stuffs and food processing machinery. Foods should be removed or covered during treatment. Do not apply in the edible products areas of food processing plants.

ROACHES (Water Bugs), Spot Application Only. For Control of All Species of Resistant and Non-Resistant Cock-roaches, including German, Brown-Banded, Oriental and American Roaches in and around Dwellings, Dairies, Barns and Other Buildings where Roaches Exist — Apply as a coarse spray to areas infested by roaches to contact insects as much as possible. Repeat daily or as necessary applying to cracks, crevices, hiding places and adjacent exposed surfaces where insects may be contacted. Do not apply in the edible products areas of food processing plants.

GENERAL USE — In and Around Dwellings, Open Air Theaters, Restaurants, Drive-Ins, also in and around Dairy Barns, Livestock Barns, Pig Pens, Poultry Houses, Feed Lots, Cattle Pens, Horse Stables, Garbage Dumps, Outside Meat Packing Establishments (including Federally Inspected) for control of Resistant and Non-Resistant Houseflies, Lesser Houseflies, Mosquitoes, Gnats: Direct spray throughout the fly infested areas, spraying around and above animals but not directly at animals. Repeat as necessary. Do not use in milk processing rooms. Do not use fog applications in dwellings and restaurants

DAIRY BARN FOGGERS — Resistant and Non-Resistant Houseflies, Lesser Houseflies, Mosquitoes, Gnats: Use approximately 1 ounce of NALE-UM to 3000 cubic feet of space. Close all doors and windows where possible before fogging. Cows may be in barn during fogging operations. Apply around and above animals but not directly at animals. Do not apply in milk rooms

NALE-UM

INSECTICIDE

Active Ingredients

*Naled 96 %
Petroleum Distillates 3 %

Inert Ingredients

Total 100 %

*1,2-dibromo-2,2-dichloroethyl dimethyl phosphate

U.S. Pat. No. 2,971,882

FOR USE IN

Dwellings - Dairies - Canneries - Wineries and Livestock Barns

CAUTION: KEEP OUT OF REACH OF CHILDREN

See Side Panels For Additional Precautions


READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE FEDERAL AND STATE REGULATIONS

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT INTO FOOD OR DRINK CONTAINERS.

STORE IN COOL, DRY PLACE

WASH AND DESTROY CONTAINER WHEN EMPTY. NEVER REUSE.

Sold by



NALE - UM

INSECTICIDE

ACCEPTED
 MAY 03 1973
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 2155-70 SUBJECT

CAUTION Concentrate may cause skin damage. Do not get on skin, eyes or clothing. May cause irritation of eyes, nose, and throat. Use waterproof gloves and face shield or goggles when handling concentrate. Harmful if swallowed. Avoid breathing spray mist. In case of contact, immediately remove contaminated clothing and flush skin or eyes with plenty of water; for eyes, get medical attention. Keep children and animals off treated areas until dry.

Avoid contamination of feeds, foodstuff, drinking water, milk, milk handling equipment, and food processing machinery. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift of spray from areas treated. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. May corrode metal spray equipment. Wash equipment thoroughly after use. When container is empty immediately wash thoroughly and destroy. Never reuse.

CONDITIONS OF SALE 1. The manufacturer warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. It neither makes, nor authorizes any agent or representative to make any other warranty of FITNESS or of MERCHANTABILITY, guarantee or representation, express or implied, concerning this material. 2. Critical and unforeseeable factors beyond the manufacturer's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the use stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by the manufacturer under 1. above) resulting from handling, storage, and use of this material.

CONTROL
NUMBER

CONT.
GALLONS

E.P.A. Reg. No. 2155-70

Active Ingredients

*Naled 96 %
 Petroleum Distillates 3 %

Inert Ingredients

Total 100 %

*1,2-dibromo-2,2-dichloroethyl dimethyl phosphate

U.S. Pat. No. 2,971,882

FOR USE IN

Dwellings - Dairies - Canneries - Wineries and Livestock Barns

CAUTION: KEEP OUT OF REACH OF CHILDREN

See Side Panels For Additional Precautions

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE FEDERAL AND STATE REGULATIONS.

KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT INTO FOOD OR DRINK CONTAINERS.

STORE IN COOL, DRY PLACE

REUSE AND DESTROY CONTAINER WHEN EMPTY. NEVER REUSE.

Sold by

NALE-UM is suitable for use in Flint Guns, Micro-Foggers, Heat Generating Foggers, Dairy Barn Foggers, Hydro-Guns or suitable automatic atomizing application equipment.

USE UNDILUTED - Apply as a finely atomized space spray using applicator adjusted to produce particle sizes not smaller than 30 microns.

POULTRY PROCESSING AND PACKING PLANTS - Around Outside and in Inside Product Areas Inside Buildings - Direct spray throughout the fly infested areas. Repeat as necessary. Exposed food products and packaging materials must be removed from the room or protected. After using this material, equipment and utensils must be thoroughly rinsed with potable water before operations are resumed.

WINERIES, CANNERIES, CIDER MILLS, FOOD PROCESSING PLANTS, LOADING DOCKS, CULL PILES, REFUSE AREAS - Direct spray as necessary contacting walls, floors, doorways, windows, refuse piles and cull piles except those for stock feed. Avoid contamination of feeds, food stuffs and food processing machinery. Foods should be removed or covered during treatment. Do not apply in the edible products areas of food processing plants.

ROACHES (Water Based, Spot Application Only) For Control of All Species of Resistant and Non-Resistant Cock-roaches including German, Brown Banded, Oriental and American Roaches in and around Loading Docks, Bams and Other Buildings where Roaches Egg - Apply a 1/2 gallon spray to areas infested by roaches to contact insects as much as possible - repeat daily or as necessary applying to cracks, crevices, hiding places and all exposed surfaces where insects may be contacted. Do not apply in the edible products areas of food processing plants.

GENERAL USE - In and Around Dwellings, Open Air Theaters, Restaurants, Drive-ins, and around Dairy Barns, Livestock Bams, Pig Pens, Poultry Houses, Feed Lots, Cattle Pens, Horse Stables, Garbage Dumps, Outdoor Meat Packing Establishments (including Federally Inspected) for control of Resistant and Non-Resistant Houseflies, Lesser Houseflies, Mosquitoes, Gnats. Direct spray throughout the fly infested areas - spraying around and above animals but not directly at animals. Repeat as necessary. Do not use in milk processing rooms. Do not use fog applications in dairies and restaurants.

DAIRY BARN FOGGERS - Resistant and Non-Resistant Houseflies, Lesser Houseflies, Mosquitoes, Gnats. Use approximately 1 ounce of NALE-UM per 1000 cubic feet of space. Close all doors and windows when possible during fogging. Care may be taken during fogging to avoid spraying around and above animals but not directly at animals. Do not apply in milk rooms.

8110-373

NALE-UM

INSECTICIDE

Active Ingredients	
Name	Petroleum Distillates
Amount	96%
Total	100%
1,2-dibromo-2,2-dichloroethyl dimethyl phosphate	
U.S. Pat. No. 2,771,882	

FOR USE IN
Dwellings - Dairies - Canneries - Wineries and Livestock Barns

CAUTION: KEEP OUT OF REACH OF CHILDREN
See Side Panels For Additional Precautions
READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS AND DIRECTIONS, AND WITH APPLICABLE FEDERAL AND STATE REGULATIONS.
KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT INTO FOOD OR DRINK CONTAINERS.
STORE IN COOL, DRY PLACE
WASH AND DESTROY CONTAINER WHEN EMPTY. NEVER REUSE.

Sold by
I. SCHNEID, INC.
1429 FAIRMONT AVE., N.W.
ATLANTA, GEORGIA 30318

ACCEPTED
MAY 03 1973
UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND MITICIDE ACT FOR ECONOMIC PESTICIDE REGISTERED UNDER NO. 2155-70

CAUTION: Concentrate may irritate clothing. May cause irritation to eyes and face shield or goggles swallowed. Avoid breathing spray contaminated clothing and dust. Get medical attention. Keep child

Avoid contamination of feeds, food equipment and food processing areas covered during treatment. At the end of treatment or thoroughly in these areas, apply only when

This product is toxic to fish and may be killed. Keep out of lakes, ponds, streams, rivers, etc. under conditions favor drift of spray if toxic to bees exposed to direct information may be obtained from Service

DO NOT USE, POUR, SPILL OR CORRODE metal spray equipment. If container is empty immediately

CONDITIONS OF SALE - The material conforms to the chemical description as directed herein. It neither warrants nor represents to make any other warranty, guarantee or representation, express or implied, and the user is responsible for the results of its use. Such risks include, but are not limited to, drift to other plants or crops, or damage to property. The user is responsible for the results of its use. Buyer and user assume all liability except those assumed by the manufacturer, seller, and user of this

CONTROL NUMBER
EPA Reg. No. 2155-70



NALE-UM

INSECTICIDE

ACCEPTED
MAY 03 1973
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 2155-70

Active Ingredients
Naled
Petroleum Distillates
Inert Ingredients
Total
96%
3%
100%
1 2-dibromo-2,2-dichloroethyl dimethyl phosphate
U.S. Pat. No. 2,911,832
FOR USE IN
Dwellings - Dairies - Canneries - Wineries and Livestock Barns

CAUTION: KEEP OUT OF REACH OF CHILDREN
See Side Panels For Additional Precautions
READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE
WITH LABEL CAUTIONS AND DIRECTIONS. AND WITH
APPLICABLE FEDERAL AND STATE REGULATIONS
KEEP PESTICIDE IN ORIGINAL CONTAINER. DO NOT PUT
INTO FOOD OR DRINK CONTAINERS.
STORE IN COOL, DRY PLACE
WASH AND DESTROY CONTAINER WHEN EMPTY. NEVER REUSE.

Sold by
I. SCHNEID, INC.
1429 FAIRMONT AVE., N.W.
ATLANTA, GEORGIA 30318

CAUTION: Concentrate may cause skin damage. Do not get on skin, eyes or clothing. May cause irritation of eyes, nose and throat. Use waterproof gloves and face shield or goggles when handling concentrate. Harmful if swallowed. Avoid breathing spray mist. In case of contact immediately remove contaminated clothing and flush skin or eyes with plenty of water. For eyes, get medical attention. Keep children and animals off treated areas until dry.

Avoid contamination of feeds, foodstuff, drinking water, milk, milk handling equipment and food processing machinery. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift of spray from areas treated. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. May corrode metal spray equipment. Wash equipment thoroughly after use. When container is empty, immediately wash thoroughly and destroy. Never reuse.

CONDITIONS OF SALE: 1. The manufacturer warrants that this material conforms to the chemical description on the label and is reasonably fit for use as directed hereon. It neither makes nor authorizes any agent or representative to make any other warranty of FITNESS or MERCHANTABILITY, guarantee or representation, express or implied, concerning this material. 2. Critical and unforeseeable factors beyond the manufacturer's control prevent it from eliminating all risks in connection with the use of chemicals. Such risks include, but are not limited to, damage to plants and crops to which the material is applied, lack of complete control, and damage caused by drift to other plants or crops. Such risks occur even though the product is reasonably fit for the use, stated hereon and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by the manufacturer under 1 above) resulting from handling, storage, and use of this material.

CONTROL NUMBER
E.P.A. Reg. No. 2155-70

CONT GALLONS

Foggers Heat Generating
suitable automatic atomizing

space spray using applicator
or than 30 microns.

ANTS: Around Outside and in
Direct spray throughout the fly
food products and packaging
or protected. After using this
thoroughly rinsed with potable

FOOD PROCESSING PLANTS
(AS Directed on Label) Spray
ays, windows, refuse piles and
contamination of feeds. Food-
s should be removed or covered
oducts areas of food processing

Only For Control of All species
ies, including German
and around dwelling. Use
1961 - Apply 2-3 coarse
cts as much as possible. Treat
ces hiding place and ad-
nted. Do not apply in the visible

pen Air Threatens Restaurants,
lock Barns, Pig Pens, Poultry
ies, Garbage Dumps. (Outside
erally Inspected) for control of
lar Houseflies, Mosquitoes
ed areas spraying around and
peat as necessary. Do not use
cations in dwellings and restau-

n-Resistant Houseflies. 1. Apply
sately 1 quart of NALE-UM to
strains when possible before
g. 2. Apply around and
nd apply in milk rooms