

APPLICATION

This product is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime and other deposits. An initial slug application of 4.09 to 10.21 fluid ounces of concentrate per 1000 gallons of water to provide a concentration of 5 to 12 parts per million of the active ingredient based on the total weight of water in the system is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 1.02 to 10.21 fluid ounces of concentrate per 1000 gallons of water (1 to 12 parts per million of active ingredient) should be employed every 2 to 5 days as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

E.P.A. Reg. No. 2155 - 87 -
E.P.A. EST. No. 2155 - GA. - 1

TOWERGIDE 15

ACTIVE INGREDIENT

Poly [oxyethylene (dimethyliminio) ethylene (dimethyliminio) ethylene dichloride]

Percent by weight

15.0 %

INERT INGREDIENT

85.0 %

Total

100.0 %

Weight per gallon

8.62 lbs.

Weight of active ingredient per gallon

1.29 lbs.

CAUTION:

KEEP OUT OF THE REACH OF CHILDREN.
See Other Precautions and First Aid on Side Panel.

FOR INDUSTRIAL or INSTITUTIONAL USE ONLY

ACCEPTED
2155-87
DEC 4 1975

8027 1175 UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO.

SOLD BY
I. SCHNEID, INC.
P. O. BOX 93188
MARTECH STATION
ATLANTA, GEORGIA 30318

TOWERGIDE 15

	Percent by weight
ACTIVE INGREDIENT	
Poly [oxyethylene (dimethyliminio) ethylene (dimethyliminio) ethylene dichloride]	15.0 %
INERT INGREDIENT	85.0 %
	<hr/>
	Total 100.0 %
Weight per gallon	8.62 lbs.
Weight of active ingredient per gallon	1.29 lbs.

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.
See Other Precautions and First Aid on Side Panel.

FOR INDUSTRIAL or INSTITUTIONAL USE ONLY

ACCEPTED
155-87
DEC 4 1975
THE FEDERAL INSECTICIDE
ACT AND RODENTICIDE ACT
ECONOMIC POISON REGISTER-
DER NO.

SOLD BY
I. SCHNEID, INC.
P. O. BOX 91188
MORTECH STATION
ATLANTA, GEORGIA 30318

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

Harmful if swallowed. Do not get in eyes. Avoid contact with skin. If swallowed induce vomiting by giving 1 or 2 tablespoons of salt in warm water and sticking finger in back of throat. In case of contact with eyes flush with plenty of water for at least 15 minutes. If eye irritation persists call a physician. Avoid contamination of food.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Apply this product only as specified on the label.

Rinse empty container thoroughly with water before discarding or returning drum to drum reconditioner.

CONTROL
NUMBER

NET CONTENTS
GALLONS