

DIRECTIONS: READ AND HEED INSTRUCTIONS ON THIS PACKAGE.

FIRST AID TREATMENT: Atropine is antidotal—Consult physician for emergency supply. **CALL A PHYSICIAN AT ONCE IN CASES OF SUSPECTED METHYL PARATHION POISONING.** If symptoms or signs of poisoning include blurred vision, abdominal cramps and tightness in the chest, don't wait for a doctor but have patient swallow two atropine tablets (each 1 100 grain) at once. Remove contaminated clothing and wash the skin clean with copious application of soap and water to remove all traces of Methyl Parathion. Remove patient immediately from the areas where Methyl Parathion is present. If swallowed, induce vomiting by giving warm salty or soapy water. **HAVE VICTIM LIE DOWN AND KEEP QUIET. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PATIENT.**


NOTE TO PHYSICIAN: Warning symptoms include weakness, sweating, nausea, vomiting, diarrhea and abdominal cramps. Treatment: Give atropine, preferably by injection, grains 1 100 two or three tablets at once and parentally or orally as required as to 10 mg. to 15 mg. in 4-hourly doses. **NEVER GIVE MORPHINE.** Clear chest by postural drainage. Artificial respiration and oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, with a warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

WARNING: Before using study safety directions. Consult your physician about obtaining an adequate supply of 1 100 grain atropine tablets for emergency use. Extremely hazardous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to methyl parathion poisoning. If you suspect exposure see a doctor. Do not breathe dust or vapor, wear a mask or respirator of a type passed by the U.S. Department of Agriculture for methyl parathion protection. Do not get on skin, in eyes or on clothing. If spilled on skin immediately wash thoroughly with soap and water. Do not store near food or feed products. Do not contaminate feed and feedstuffs.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment, will vary, Seller makes no claims other than those stated on this label.



BEST DOCUMENT AVAILABLE



RESTRICTED USE PESTICIDE
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

ACCEPTED
APR 21 1972
Under the Federal Insecticide, Fungicide, and Plant Disease Act, registered under EPA Reg. No. 2217-471

METHYL PARATHION CONCENTRATE NO. 4

ACTIVE INGREDIENTS:	
O, O-dimethyl O-p-nitrophenyl thiophosphate*	44.0%
Xylene	51.0%
INERT INGREDIENTS:	
	5.0%
Total 100.0%	

*Methyl Parathion
CONTAINS 4 LBS. METHYL PARATHION PER GALLON
FOR USE IN WATER AS AN INSECTICIDAL SPRAY

DANGER! POISON!

KEEP OUT OF REACH OF CHILDREN
See Side Panels for other Warning Statements.
Read All Directions carefully before using.

NET CONTENTS ONE GALLON

READ ALL DIRECTIONS CAREFULLY BEFORE USING

WARNING: Whenever handling or applying Methyl Parathion wear clean natural rubber gloves, goggles, and clean waterproof or freshly laundered protective clothing (coveralls, cap, etc.) covering exposed surfaces. Clothing must not get wet through. Destroy and replace gloves frequently. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for Methyl Parathion protection. Airplane pilots should wear a full-face canvas-type mask. For any handling indoors provide mechanical exhaust ventilation. Burn or destroy containers, never re-use. Stay out of smoke or fumes! Bury spillage, clean up area with strong lye solution. Bathe promptly with soap and water after using or handling. Wash clothing with soap and hot water before re-use.

This product will kill wildlife.

Apply this product only as specified on this label.

CAUTION: Before applying Methyl Parathion remove unprotected persons and domestic animals from operational and adjoining areas where insecticide may drift, prohibit re-entry until drift and vapor dissipate. **WORKERS ENTERING COTTON FIELDS WITHIN 24 HOURS OF APPLICATION SHOULD WEAR PROTECTIVE CLOTHING.**

HOW TO HANDLE

Do not reuse empty containers. Decontaminate by thoroughly rinsing with solution of water and caustic soda (household lye). Bury rinse solution 18 inches deep in isolated area away from water surface. Crush container and bury with waste. In case of spillage, cover with absorbent material such as lime, clay or sawdust. Sweep up and bury with waste. Then wash area with strong lye solution. Either pour concentrate carefully into partially filled spray tank with agitator running or preferably

1. Pour required amount of concentrate into bucket or other suitable container.
2. Add equal amount of water.
3. Stir thoroughly with paddle until mixture is creamy white.
4. Pour creamy mixture into nearly filled spray tank. Complete filling of tank. Run agitator for several minutes before spraying.

DIRECTIONS

COTTON: For the control of boll weevil, cotton aphid, two spotted spider mite, and cotton leaf-worm, use 1/2 pint in sufficient water to obtain coverage on one acre. When boll weevils begin to migrate, increase dosage to one pint per acre. Use a minimum of 1 gallon of water per acre consistent with crop growth and good coverage.

Do not apply within five days of handpicking

COMBUSTIBLE MIXTURE—KEEP AWAY FROM OPEN FLAME

EPA Reg. No. 2217-471
EPA Est. No. 2217-KS 1