


**GORDON'S**



**RATE OF DILUTION AND COMMENTS:**

**How to Use:** For each 1,000 square feet of lawn, mix as follows:

**Hose-end Lawn Sprayers:** Add 5 ounces concentrate to sprayer bottle. Fill bottle with water to 15 gallon level. Apply to the pre-measured area of 1,000 square feet. Spray until bottle is empty. Repeat for each 1,000 square feet of lawn.

**Pressure Sprayer:** Mix 5 ounces with each 1 gallon of water and spray on 1,000 square feet.

ACCEPTED  
11/3/72  
Pesticide Act  
REGISTERED  
11/3/72

"76"

**sod webworm  
spray**

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place. Large doses of this compound will inhibit cholinesterase. If misuse results in poisoning, obtain prompt medical aid.

**SYMPTOMS OF POISONING:** A sense of "tightness" in

MANUFACTURED BY  
**PBI - GORDON CORPORATION**  
KANSAS CITY, KANSAS

### DIRECTIONS FOR USE

'76' Sod Webworm Spray is offered especially for the control of the Lawn Sod Webworms found in Blue Grass Turf. Read directions carefully before using.

LAWN AND TURF PESTS—Sod Webworm (Blue Grass lawns)

For more information, see page 672-41

For more information, see page 672-41

When to Use: Make two applications, the first near April 15th and second June 1. Spray in early evening as lawns feed at this time. In late summer, if lawn has been attacked and turf begins to die, rake the thatch from the surface of the entire area being treated. Water heavily water lawn 3 to 4 days after treatment. Use a good lawn fertilizer to rejuvenate turf.

Guarantee: Seller warrants that this product conforms to the statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, seller makes no claims other than those stated on the label.

EPA Reg. No. 2217-595

# '76' sod webworm spray

### FOR CONTROL OF SOD WEBWORM

Active Ingredients:	Contains DYLOX® and PYRETHRINS	
Dimethyl (2,2,2-trichloro-1-hydroxyethyl) phosphonate	.....	23.08%
Pyrethrin	.....	0.19%
Petroleum distillate	.....	0.76%
Inert Ingredients:	.....	75.97%
Total	.....	100.00%

U.S. Patent No. 2,701,225      Can. Patent No. 529,379  
DYLOX is Reg. TM in U.S. and Canadian Pat. Offs. by Farben  
fabriken Bayer A.G., Chemagro Corporation licensee.  
Guarantee: Contains 2.0 lbs. Dimethyl (2,2,2-trichloro-1-hydroxyethyl) phosphonate and 0.0087 lbs. pyrethrins per gallon.

**WARNING: Keep Out of Reach of Children**  
See Side Panels for Additional Warnings  
NET CONTENTS: 1 GALLON

### WARNING

May be poisonous if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Do not breathe spray mist. If spilled on skin, wash immediately with soap and warm water. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse.

Do not contaminate feed or food. Keep out of reach of children.

Symptoms: sweating, prostration, vomiting, diarrhea.


**TREATMENT:** In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 5 minutes.

### TO PHYSICIAN:

**ANTIDOTE**—Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of oleoance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

672-41

USE  
 especially for the  
 found in Blue Grass  
 e using.  
 bworm (Blue Grass



the first near April  
 n early evening, as  
 summer, if lawn has  
 lie, rake the thatch  
 area being treated  
 ys after treatment  
 to rejuvenate turf  
 product conforms to  
 el. Since conditions  
 ty with other chemi-  
 quipment, will vary  
 hose stated on this

# "76" sod webworm spray

## FOR CONTROL OF SOD WEBWORM

Active Ingredients: Contains **DYLOX®** and **PYRETHRINS**

*Dimethyl (2,2,2-trichloro-1-hydroxyethyl) phosphonate .....	23.08%
Pyrethrins .....	0.19%
Petroleum distillate .....	0.76%
Inert Ingredients: .....	75.97%
<b>Total .....</b>	<b>100.00%</b>

U.S. Patent No. 2,701,225. Can. Patent No. 529,379  
 DYLOX is Reg. TM in U.S. and Canadian Pat. Offs. by Farben  
 fabriken Bayer A.G., Chemagro Corporation licensee.  
 Guarantee: Contains 2.0 lbs. Dimethyl (2,2,2-trichloro-  
 1-hydroxyethyl) phosphonate and 0.0087 lbs. pyrethrins  
 per gallon.

**WARNING: Keep Out of Reach of Children**  
 See Side Panels for Additional Warnings  
 NET CONTENTS: 1 GALLON

672-471

672-471

### WARNING

May be poisonous if swallowed through the skin. Do not get clothing. Do not breathe spray. Wash immediately with soap thoroughly with soap and water. Wash contaminated clothing before reuse.

Do not contaminate feed or for children

the chest. Sweating. Contracted Vomiting and diarrhea.

**TREATMENT:** In case of poison immediately. Have patient lie c swallowed, induce vomiting b of salt in a glass of warm w water freely and again induce is clear. If on skin, remove c wash skin immediately with s eyes are contaminated, wash least 5 minutes.

### TO PHYSICIAN:

**ANTIDOTE**—Administer atro therapeutic doses. Repeat as of tolerance. 2-PAM is also administered in conjunction