

United States Environmental Protection Agency Washington, DC 20460	Registration Amendment Other	OPP Identifier Number 231983
---	------------------------------------	--

Application for Pesticide Section I

1. Company/Product Number 2217-734	2. EPA Product Manager Joanne I Miller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Trimec® M 905 Lawn Weed Killer	PM# (PM 23)	
5. Name and Address of Applicant (Include ZIP Code) PBI/Gordon Corporation P.O. Box 014090 1217 West 12th Street Kansas City, MO 64101 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.
--	---

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
NOTIFICATION of Minor label revisions according to PRN 95-2. We intend to add several advertising claims and expand the listing of weeds that supplemental registrants may present on their labeling. One (1) copy of the proposed label is enclosed for your review. (Please refer to the Appendix.) This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Other <input type="checkbox"/> Stenciled					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Craig Martens	Title Manager, Regulatory Services	Telephone No. (Include Area Code) (816) 421-4070
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Manager, Regulatory Services	
4. Typed Name Craig Martens	5. Date September 10, 1997	

2066
NOTIFICATION

23 1997

TRIMEC® M 905 LAWN WEED KILLER

THIS HERBICIDE IS INTENDED ONLY FOR USE ON RESIDENTIAL
LAWNS WITH APPLICATIONS BY HOMEOWNERS.

ACTIVE INGREDIENTS:

*Dimethylamine Salt of 2-methyl-4-chlorophenoxyacetic acid	9.432%
**Dimethylamine Salt of 2-(2-methyl-4-chlorophenoxy)propionic acid.....	4.465%
***Dimethylamine Salt of Dicamba: 3,6-dichloro-o-anisic acid.....	1.047%
INERT INGREDIENTS.....	85.056%
TOTAL	100.000%

THIS PRODUCT CONTAINS:

- *0.668 lbs 2-methyl-4-chlorophenoxyacetic acid equivalent per gallon or 7.70%.
 - **0.320 lbs 2-(2-methyl-4-chlorophenoxy)propionic acid equivalent per gallon or 3.69%.
 - ***0.075 lbs 3,6-dichloro-o-anisic acid equivalent per gallon or 0.87%
- TRIMEC® is a registered trademark of PBI/GORDON CORPORATION

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for Precautionary Statements
and Statement of Practical Treatment.

NET CONTENTS ONE QUART

7071 AP091097
EPA REG NO 2217-734
EPA EST NO 2217-KS-1
MANUFACTURED BY:





READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW LABEL DIRECTIONS CAREFULLY.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye injury. Harmful if swallowed, or absorbed through the skin, or inhaled. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Statement of Practical Treatment

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.

ENVIRONMENTAL HAZARDS:

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area. Do not contaminate domestic or irrigation waters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not reenter or permit others to reenter treated area until sprays have dried.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

STORAGE & DISPOSAL

STORAGE: Keep from freezing. Store in original container in a locked storage area inaccessible to children. Do not store near food or feedstuffs. Avoid contamination of food or feedstuff.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse container. Rinse thoroughly before discarding in trash.

USE PRECAUTIONS:

Avoid drift of spray mist to vegetables, flowers, ornamental plants, shrubs, trees, and other desirable plants. Do not pour spray solutions near desirable plants. Do not use on carpetgrass, dichondra, nor on lawns or turf where desirable clovers are present. Do not spray roots of ornamentals and trees. Do not exceed specified dosages for any area. Be particularly careful within dripline of trees and other ornamental species. Use only lawn type sprayers. Coarse sprays are less likely to drift from target area. This product may be injurious to St. Augustinegrass and centipedegrass under conditions of high temperatures (85°F) and drought. Do not apply this product to 'Floritam' St. Augustinegrass in Florida.

WHERE TO USE:

Trimec® M 905 Lawn Weed Killer may be used on bluegrass, bermudagrass, bahiagrass, fescue, ryegrass, zbyasiagrass, St. Augustinegrass, and centipedegrass. Lawns, vacant lots, and playgrounds may be treated.

It is especially effective on all types of hard-to-kill weeds such as henbit, lespedeza, morningglory, poison ivy and poison oak, spotted spurge and oxalis. In addition to these, Trimec® M 905 controls most other broadleaf lawn weeds including such sensitive species as black medic, chickweed, dandelion, and plantain. A partial list is given on the side panel.

4076

WHEN TO USE:

Spray at any time during the growing season when weeds are actively growing. Do not apply this product when air temperatures exceed 90°F. On new lawns, wait until the grass has been mowed three (3) times before making an overall spray treatment. Spot spraying may be made at any time with a pressure sprayer. Wait 3 weeks before putting new grass seed or stolons down in the bare spots. Poor weed control may result if spray is applied during drought or just before rain. For best results mow before treating. Do not water lawn within 24 hours after treatment.

FOR BERMUDAGRASS, BAHIAGRASS, KENTUCKY BLUEGRASS, FESCUES, AND PERENNIAL RYEGRASS:

Tank or Pressure Sprayers - Mix 1 - 1½ fluid ounces (2 - 3 tablespoons) of product with 1.0 gallon of water to cover 300 square feet of turf. Use the higher rate for large weeds or dense weed stands.

Hose End Sprayers - Put 3½ fluid ounces (6½ tablespoons) of product into the sprayer jar for every 1,000 square feet of turf. Fill the sprayer jar with water to the proper level and spray to cover 1,000 square feet of turf. For example, to spray 3,000 square feet of lawns, measure 10 fluid ounces (20 tablespoons) of product into the sprayer jar. Fill the jar with water to the 10 gallon mark and spray evenly to cover 3,000 square feet of lawn.

FOR ST. AUGUSTINEGRASS, BENTGRASS, BUFFALOGRASS, AND CENTIPEDEGRASS:

Tank or Pressure Sprayers - Mix ½ fluid ounce (1 teaspoon) of product with 1.0 gallon of water to cover 300 square feet of turf. If hard-to-control weeds persist repeat the application at the same rate in three (3) weeks.

Hose End Sprayers - Put 1½ fluid ounces (3½ tablespoons) of product into the sprayer jar for every 1,000 square feet of turf. Fill the sprayer jar with water to the proper level and spray to cover 1,000 square feet of turf. For example, to spray 3,000 square feet of lawns, measure 5 fluid ounces (10 tablespoons) of product into the sprayer jar. Fill the jar with water to the 10 gallon mark and spray evenly to cover 3,000 square feet of lawn.

TABULAR FORMAT FOR HOSE END SPRAYERS

Area to Treat, Square Feet	Fill bottle to, Gallons	Amount Trimec® M905 Lawn Weed Killer, Fluid Ounces	
		St. Augustinegrass, Bentgrass, Buffalograss, Centipedeagrass	Bermudagrass, Bluegrass, Bahigrass, Fescues, Perennial Ryegrass
300	1	½	1
600	2	1	2
1,500	5	2½	5
3,000	10	5	10

Spot Spraying: To spray small areas or individual weeds, do not use hose end sprayers. Mix 2 fluid ounces (4 tablespoons) in ½ gallon of water and spray as required being certain to wet each weed.

CONTROLS:

HARD-TO-KILL WEEDS		
Chicory	Mallow	Speedwell
Dock	Morningglory	Spurge
Ground Ivy	Pigweed	Wild Carrot
Healall	Poison Ivy	Wild Onion
Henbit	Poison Oak	Yarrow
Lespedeza		

5076

SENSITIVE WEEDS		
Bedstraw	Dandelion	Purslane
Black Medic	Knotweed	Ragweed
Buckhorn	Lambsquarters	Shepherdspurse
Chickweed	Peppergrass	Wild Lettuce
Clover	Plantains	

LIMITED WARRANTY AND DISCLAIMER.

The manufacturer warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE EXPRESSLY DISCLAIMED. This limited warranty does not extend to the use of the product inconsistent with label instructions, warnings or cautions, or to use of the product under abnormal conditions such as drought, excessive rainfall, tornadoes, hurricanes, etc. These factors are beyond the control of the manufacturer or the seller. Any damages arising from a breach of the manufacturer's warranty shall be limited to direct damages, and shall not include indirect or consequential damages such as loss of profits or values, except as otherwise provided by law.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

6076

APPENDIX

I. Advertising claims that may be presented on the retail containers of supplemental registrants:

- ◆ One quart covers up to _____ square feet.
- ◆ One pint covers up to _____ square feet.
- ◆ One gallon covers up to _____ square feet.
- ◆ Controls Dandelion, Knotweed, Henbit, Plantains, Spurge, Poison Ivy and many other broadleaf lawn weeds, some of which are shown on the side panel.
- ◆ Won't harm your lawn when used according to label directions.
- ◆ Kills broadleaf weeds down to the root without harming the lawn when used according to instructions.
- ◆ Water based formula.
- ◆ Eliminates over (XX number) broadleaf lawn weeds without harming lawn grasses.
- ◆ Kills weeds in bluegrass, fescue, ryegrass, bermudagrass, bahiagrass, bentgrass, centipedegrass, St. Augustinegrass, and zoysiagrass. Not for use on kikiyugrass, dichondra or carpetgrass.
- ◆ Kills over (XX number) weeds.
- ◆ Treats northern and southern grasses.
- ◆ Excellent for use in hand held tank and pump sprayers.
- ◆ Covers up to 9,600 square feet.
- ◆ Contains MCPA, MCPP, and dicamba.
- ◆ Contains Trimec® herbicide.

II. Weed List:

- ◆ Controls (Number) weeds! (Listing of weeds may include the following.)

- WEEDS -		
Aster	False dandelion	Poison oak
Bedstraw	Frenchweed	Prickly lettuce
Bindweed	Galinsoga	Prostrate vervain
Black medic	Ground ivy	Puncturevine
Brassbuttons	Hairy fleabane	Purslane
Buckhorn	Hawkweed	Ragweed
Burdock	Healall	Red sorrel
Buttercup	Hemp	Rough cinquefoil
Chickweed, common	Henbit	Scarlet pimpernel
Chickweed, mouseear	Knotweed, prostrate	Shepherdspurse
Chicory	Lespedeza	Speedwell
Clover, crimson	Mallow	Spotted catsear
Clover, hop	Matchweed	Spurge, prostrate
Clover, red	Morningglory	Spurge, spotted
Clover, white	Oxalis	Tansy mustard
Cockle	Pennywort	Thistle
Cudweed	Peppergrass	Vetchleaf
Daisy, English	Pigweed	Virginia buttonweed*
Daisy, oxeye	Pigweed, prostrate	Wild carrot
Dandelion	Plantain, blackseed	Wild garlic
Dock, broadleaf	Plantain, bracted	Wild lettuce
Dock, curly	Plantain, broadleaf	Wild onion
Dollarweed	Plantain, narrowleaf	Xarrow
Elderberry	Poison ivy	and many other broadleaf weeds