

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only those uses covered by the Certified Applicator's certifications.

STOP READ THE LABEL BEFORE USING!

by lot

liquid goes

into soil

water

air

surface

skin

hair

food

water

air

surface

skin

hair

food

water

air

surface

skin

hair

food

water

air

surface

POISON

See side panels
for antidote
and precautions



DANGER

Keep out of reach
of children

NEW TOBACCO BUG BLASTER

(Thiodan 2 Parathion 1 EC)

ACTIVE INGREDIENTS

*Parathion	1.0 lb.
**Thiodan (Methyl Parathion)	2.0 lbs.
***4-tert-butyl-phthalimide	0.01 lb.
*****Xylooligosaccharide (XOS)	0.001 lb.
*****Sorbitol	0.001 lb.

Contains 10 lb. of actual Parathion and 20 lbs. of actual Thiodan per gallon



NEVER USE ON CHILDREN

DO NOT USE ON PETS OR ANIMALS
NEVER USE ON HUMANS

Manufactured by
GOLD KIST INC
Atlanta, Georgia

25-5-78

AMENDEI

JUL 6 1978

Use
Fungicide, also, had at the Air
Agri Service, Inc., the pesticide
supplied under
DIA Reg. No. 20731

WE ONLY WANT YOU TO WEAR
PROTECTIVE EQUIPMENT AND CLOTHING
(1) Wear water-proof pants, coat, hat, rubber boots or
rubber overshoes (2) Wear safety goggles (3) Wear
mask or respirator approved by the U.S. Bureau of
Mines for parathion protection (4) Wear heavy duty
natural rubber gloves

WORK SAFETY RULES

Keep all unprotected persons and children away from
treated area or where there is danger of drift.
Do not rub eyes or mouth with hands. If you feel sick
in any way, STOP work and get help right away. Call
a doctor, physician, clinic or hospital immediately.
Explain that the victim has been exposed to para-
thion and describe his condition. After first aid is
given, see First Aid Treatment Section and if
necessary, take victim to a medical facility.

IMPORTANT: If you are handling clothes, wash them with
soapy water. Wash face and hands, face and arms
with soap and water before eating, drinking, or
smoking.

IF YOU ARE SPRAYING, WEAR A PELMETTE
MASK OR RESPIRATOR. WEAR A WATER-PROOF
COAT, WATER-PROOF PANTS, WATER-PROOF
HAT, WATER-PROOF BOOTS OR RUBBER
OVERSHEES. WEAR SAFETY GOGGLES AND
PROTECTIVE MASK OR RESPIRATOR AFTER EACH USE. Res-
pirator must be checked periodically and
replaced when damaged or ineffective.

POISON SIGNS (Symptoms)

SYMPTOMS OF PARATHION POISONING: Rapidly
progressive paralysis of the skin surfaces and
nerves. Death can occur. Persons must receive
immediate medical treatment. Unprotected persons must receive
immediate medical treatment. If poisoning
is suspected, call your physician. If symptoms of poisoning are
manifested, remove the stains, weakness
or pain, loss of appetite and a tightness in chest.

Symptoms: breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake, consider making him vomit quickly. Induce vomiting by sticking finger down throat or by giving sips of strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. If he is unconscious, keep quiet. See doctor immediately.

In case of contact - immediately flush eyes with plenty of water for at least 15 minutes while holding eyelids open. If contact with skin occurs, wash skin with plenty of water.

NOTE TO PHYSICIAN

Induce vomiting if symptoms of acute poisoning occur. If patient is unconscious, do not induce vomiting. If patient shows signs of convulsions, administer sedatives. If patient has difficulty breathing, administer oxygen. If patient has difficulty urinating, catheterize. If patient has difficulty defecating, enema. If patient has convulsions, give phenothiazine or tranquilizers. Parathion is a central nervous system depressant. If patient becomes less alert or depressed, give stimulants. If patient has eczema, the patient should be given supplemental calcium and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

DISPOSAL WARNING: Do not reuse the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Burn the empty container completely. Exercise caution and stay away from the smoke.

**WARNING--FLAMMABLE
KEEP AWAY FROM HEAT AND OPEN FLAME.**

KEEP CONTAINER CLOSED.

**LEAVING PACKAGES SHOULD BE REMOVED TO A
SAFE PLACE.**

DESTROY CONTAINERS WHEN EMPTY.

**CANTON DO NOT USE IN UNDILUTED FORM.
DO NOT STORE AT TEMPERATURES BELOW 20° F.
DEALERS SHOULD SELL IN ORIGINAL PACKAGES ONLY.
SALES CAUTION: DO NOT ALLOW THIS MATERIAL TO
GET INTO NEIGHBORING CROP OR NON-CROP AREAS OR
A FIELD MANNER OR AT A TIME OTHER THAN IN ACCORD
WITH INSTRUCTIONS. BE AWARE THAT INJURY, EXCESSIVE
EXPOSURE, OR OTHER UNINTENDED RESULTS MAY OCCUR.**

4010066 - 1 GAL
4010067 - 5 GAL

For
their
ator's



DANGER-Poison PRECAUTIONS
POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. If you feel or taste it may be fatal if swallowed.

POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilted or splashed on skin, in eyes or on clothing. Liquid goes through clothes.



POISONOUS IF BREATHED

Breathing vapors, steam or dust may be fatal.
POISONOUS TO FISH AND WILDLIFE



EPA Reg. No. 2299-126
EPA Est. No. 2299-GA-1