

ACTIVE INGREDIENTS: Pine Oil, Soap, Ortho-benzyl-para-chloro INERT INGREDIENTS: Water, Hexylene Glycol, Isopropanol To

GALLONS **CONTENTS** 1

Manufactured by

1 -

National Chemical Laboratories OF I CUNSYLVANIA TENTH and CALLOWHILL STREETS PHILADE PHIA, FA. 19123


CAUTION Keep Out of The Reach of Children

.....

phenol	30.3%
otal	-

Sea Other Precautions Cn Back Panel





ACTIVE INGREDIENTS: Pine Oil, Soap, Ortho-benzyl-para-chloroph INERT INGREDIENTS: Water, Hexylene Glycol, Isopropanol

Tot

Manufactured by

National Chemical Laboratories OF I ENNSYLVANIA TENTH and CALLOWHILL STREETS PHILADE PHIA, FA. 19123

CAUTION Keep Out of The Reach of Children Sea Other Precautions Cn Back Panel

....

henol	30.3%
tai	69.7% 100%

CONTENTS 1 GALLONS



ANT DEODORANT GERMICIDE CLEANER

JL, PLEASANT DISINFECTANT, GERMICIDE AND STRONGER THAN THE STANDARD 5% PHENOL SOLUTION WHEN TESTED AGAINST S.TYPHOSA BY THE A.O.A.C. PHENOL COEFFICIENT METHOD.

THIS PRODUCT IS ESPECIALLY RECOMMENDED FOR USE IN APARTMENT BUILDINGS, HOUSEHOLD, SCHOOLS, OFFICE BUILDINGS & INDUSTRIAL PLANTS FOR DISINFECTING OF FLOORS, WALLS, SINKS, BATHROOMS, TOILETS, URINALS AND OUTHOUSES. CAN BE USED AS A DEODORANT WHICH IS NOTICEABLE FROM 1 TO 3 HOURS AFTER USE.

It is instantly soluble in water forming a milky white emulsion which does not separate on standing. When mixed with water in recommended dilutions does not stain the walls, floors, or clothes, and leaves a pleasant and fragrant odor of Pine.

DIRECTIONS FOR USE:

FOR DISINFECTING PREMISES: Remove gross filth from surfaces prior to disinfecting. Prepare a solution of 3½ tablespoons of disinfectant to one gallon of water. Wet surface thoroughly with the disinfecting solution and allow to remain for 10 minutes.

FLOORS: When mopping or scrubbing, use 3½ tablespoons disinfectant to each gallon of water in the bucket.

TOILET ROOMS, WATER CLOSETS and URINALS: Wash the closet and urinal bowls regularly, with a solution of 3½ tablespoons of disinfectant in each gallon of water, leaving the solution in the bowl as long as possible. Scrub the floor and seat frequently with this solution. Remove residual bowl water from toilet before application of disinfectant. GARBAGE RECEPTACLES: To aid in deodorization, sprinkle with the solution in the proportion of 4 tablespoons of disinfectant to a gallon of water. Rinse the empty can with some of the solution and leave

the wash in the can.

TYPHOID SICKROOM: In the disinfecting of bed frames, floors, walls, bed pans, clothing, bed clothes, utensils, use 6 tablespoons per gallon. Soak clothing and bed clothes in recommended use dilution before laundering. For utensils and bed pans follow with a rinse of potable water.

CAUTION: Harmful if swallowed. May cause skin or eya irritation. In case of contact, flush with plenty of water. For eyes get medical attention! Avoid breathing spray mist. Avoid contamination of feed and foodstuffs.

Rinse empty container thoroughly with water and discard it. FIRST AID: If swallowed, give raw egg white, milk, mucilage, gruel or P.O.D. cornstarch. Call Physician immediately.

