

20-10-5

kills weeds & feeds grass

CAUTION: "Keep out of the reach of children"

(See Other Warnings on Back Panel)

U. S. D. A. Reg. No. 2491-137

ACTIVE INGREDIENT:

2, 4-Dichlorophenoxyacetic acid 1.00%

INERT INGREDIENTS:

..... 99.00%

TOTAL 100.00%

ACCEPTED

2/4/69

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRY
LISTED UNDER NO. 2491-137

WEED & FEED

Coverage 5000 sq. ft. (50'x100')

TO OPEN

**PULL NARROW TAPE
WHILE HOLDING
WIDE TAPE**

Professional



**WEED
& FEED**

NET WEIGHT 18 LBS.

WEED & FEED

20-10-5

MINIMUM GUARANTEED ANALYSIS

TOTAL NITROGEN (N) -----	20%
2% AMMONIACAL, 18% DERIVED FROM UREA	
AVAILABLE PHOSPHORIC ACID (P ₂ O ₅)-----	10%
DERIVED FROM 75% PHOSPHORIC ACID	
SOLUBLE POTASH (K ₂ O) -----	5%
DERIVED FROM MURIATE OF POTASH	
(POTENTIAL ACIDITY EQUIVALENT TO 500 POUNDS OF CALCIUM CARBONATE PER TON)	
ACTIVE INGREDIENT:	
2, 4-Dichlorophenoxyacetic acid -----	1.00%
INERT INGREDIENTS: -----	99.00%

ACCEPTED

Total 100.00%

GRIP-N-RIP

ACTIVE INGREDIENT:
(2, 4D) 2, 4, Dichlorophenoxyacetic Acid 1.00%
INERT INGREDIENTS (RELATIVE TO HERBICIDAL CONTENT) 99.00%

CAUTION: KEEP OUT OF REACH OF CHILDREN
(SEE BACK PANEL FOR ADDITIONAL CAUTIONS)
U. S. D. A. Reg. No. 2491-137



kills weeds & feeds grass

Controls Dandelions, Plantain, Buckhorn and other Broadleaf Weeds

INSTRUCTIONS

1. Apply to moist grass near May 30th, July 4th, and Labor Day. Weeds are easiest to kill when in active growth and the temperature is 70° or higher. Lawn should be mowed a day or two prior to application.
2. Do not spread on new lawns until after two mowings. Do not apply on Dichondra, Ivy or similar Broadleaf ground covers. Do not apply to bent grass or clover as injury may result.
3. Rain within 24 hours will wash off the weed Killer and require a second application a week or two later.

CAUTION: Avoid contact with skin, eyes or clothing.

~~Do not~~ Do not contaminate waters used for domestic or irrigational purposes.


Store away from seeds, fungicides, insecticides and other fertilizers.

In applications, avoid drift onto desirable plants, shrubs and flowers.

Clean spreader thoroughly after application.

Excessive applications are wasteful and could be harmful.

SPREADER SETTINGS

Scott's		5½
Carousel		3
Jackson		6
Cyclone		4.5
Modern		8½
Central		7½
Lawn Beauty		6¼

Manufactured By

N. S. KOOS & SON COMPANY
Kenosha, Wisconsin

Wurf-gro

NET WEIGHT 18 LBS.

WEED and FEED

20-10-5

GUARANTEED ANALYSIS

THE FERTILIZER
MANUFACTURING
COMPANY

INSTRUCTIONS

1. Apply this product to lawns when weeds are present. For best results, apply to a well-watered lawn.
2. Apply this product to lawns when weeds are present. For best results, apply to a well-watered lawn. In areas where weeds are heavy, a second application may be necessary.
3. Keep within 20 feet of the lawn edge when applying. A second application may be necessary.

CAUTION

Do not apply to lawns where children or animals play. Do not apply to lawns where ornamental plants, shrubs, trees, or flowers are present. Do not apply to lawns where children or animals play. Do not apply to lawns where ornamental plants, shrubs, trees, or flowers are present. Do not apply to lawns where children or animals play. Do not apply to lawns where ornamental plants, shrubs, trees, or flowers are present.

SPREADER SETTINGS	
Rate	1/2 lb
Speed	1/2 mph
Pressure	1/2 psi
Extension	1/2 ft
WTF	1/2 in
en	1/2 in
Low Point	1/2 in

N. S. KOOS & SON COMPANY
Kenosha, Wisconsin

MADE IN U.S.A.
© 1957 KOOS & SON COMPANY
Kenosha, Wisconsin