PRINTED IN U.S.A.

DIRECTIONS: Buckle collar around dog's neck loosely. Any collar, when buckled too tightly, may cause skin irritation. Attach collar so two or three fingers may be inserted easily between collar and dog's neck. Cut off any excess and dispose of it. The collar starts killing fleas as soon as it is placed around dog's neck. Fleas conthe dog will be killed and new ones which may temporarily appear on the dog will also be killed during the 3 months collar is worn. Ticks are tough and are killed slowly. They will usually be dead in 1-5 days. Collar will continue to kill ticks for 8 weeks. Dead ticks may occasionally remain in the dog's coat but are easily detached. Ticks inside ears are hardest to kill-for best results remove these ticks when collar is put on. Use in addition to regular collar. When bathing dog remove collar until dog is dry. Replace collar when effectiveness diminishes.

CAUTION: Do not open protective pouch until ready to use. Do not allow children to play with this collar. Collar is intended for use only as an insecticide generator and is not to be taken internally by man or animals. Animals should not be allowed to chew on the collar. Do not use on cats, whippets and greyhounds. Some dogs may be sensitive to this collar. When collar is first worn, observe neck area for irritation every few days. Remove collar at first sign of irritation or adverse reaction. Do not use on sick or convalescing dogs. Do not use any other pesticide on dog while collar is worn.

ACTIVE INGREDIENTS: 2, 2-dichlorovinyl dimethyl phosphate 8.37% Related compounds 0.63% TOTAL 100.00%

© THE HARTZ MOUNTAIN CORPORATION Harrison, N.J. 07029 and St. Thomas, Ontario N5P 1G4, Canada

EPA Reg. No. 2596-34-ZA

U.S. PATENT NOS. 2,956,073; 3,116,201; 3,318,769

05650

CONTENTS: 1 DOG COLLAR-NET WT. 0.66 OZ. CAUTION: Do not allow children to play with this collar-See back panel for additional cautions

FLEA KILLINC COLLAR



"teg

FLEA KILLING COLLAR





FLEA KILLING COLLAR

MINTED IN U.S.A.

Additional of the second states of the second decision of the second states are second states and the second states are second states of the second states are second are secon

where collier actual one like in addition to regular collier. When both interdistication collier when both the decision of the second collier when effect to a second collier when effect to a second collier when effect

CALLERIN: Do not open protective pouch until ready to use. Do not allow childred to play with this collar. Collar is intended for use only as do instricticide generator and is not to be taken internally by man or anumule. Animals should not be allowed to chew on the collar. Do not use on certs, whippeds and greyhounds. Some dogs may be seasifive to this collar. When collar is first worn, observe neck area for inflation every few days. Remove collar at first sign of irritation or adverse function. Do not use on sick or convalescing dogs. Do not use any other publicide on dog while collar is worn.

A CONTRACTOR OF THE PROSPHERE S.37% O.83%

OTHE HARTZ MOUNTAIN CORPORATION Harrison, N.J. 02029 and St. Thomas, Ontario NSP 164, Canada

EPA Reg. No. 2596-34-ZA

U.S. PATENT NOS. 2,066,073; 3,116,201; 3,318,769

•

05650

, 1 1

