

ir - 1 1990

Ms. Pat Bieler Hartz Mountain Corporation 700 Frank B. Rodgers Blvd. Harrison, N.J. 07029

Dear Ms. Bieler:

Subject: Revised Labeling; Efficacy Claim Versus Ixodes dammini

Hartz Blockade for Dogs

EPA Registration No. 2596-115

Hartz Blockade for Cats

EPA Registration No. 2596-114

Your Submission Dated September 13, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable since you have agreed in writing to submit the following data:

The subject data presented in EPA Accession (MRID) Numbers 412382-01, -02, and -03 are adequate to demonstrate the effectiveness of the subject products in repelling and killing the deer tick, Ixodes dammini, the carrier of Lyme disease, when applied according to label directions;

However, additional data which demonstrates a 21-day duration of effectiveness of the subject products must be submitted to the Agency in support of the following label claim:

> In laboratory and field tests, animals treated with this spray repelled fleas and ticks up to 21 days.

A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca

Product Manager 15

Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure

LE MASTER / 2/28/90

BEST AVAILABLE COPY

HARTZ

FOR DOGS

REPELS LΕΔ

ACTIVE INGREDIENTS: N.N-Diethyl-m-tolugmide Of her isomers Cyano (3-phenoxyphenyl)
methyl-4-chloro-alpha(1-methylethyl) benzeneacetate 0.09%
INERT INGREDIENTS: 90.91% 100.00%

EPA Reg.No.2596-115. EPA Est.No.(M)13891-IN-1; (MR)11715-TN-1; (MV)33764-CA-1 See code on bottom of can. US Parent Nos. 4-062,968 RIc. Sumitomo Chem. Cc.); 1,547,360

Keep cut of reach Net Wt. 707 198 g

CAUTION:

Sée back pariel for cautions. 87224 4

Hariz Blockade Flea and Tick Repellent prevents these pests from studiy twing on your dog. In laboratory and field tests, animals treated with this spray repelled fleas and ficks for up to 24 days. In areas of extremely heavy intestations, it may be necessary to spray more frequently. This spray may also be used on by This spray may also be used on pets infested with fleas or ficks in order to kill these parasites within several hours.

DIRECTIONS FOR USE It is a violation of federal law to use this product in a manner inconsistent

this product in a manner inconsistent with its labeling. To repel fleas and ticks, hold container 6 to 10 In-hes from animal and spray over entire body, including feet and tail. Do not spray in eyes. Apply lightly, Do not saturate animal's coat. Spray approximately two seconds for each pound of pet's body weight. For best results, direct spray against the natural lay of the fur to cause flutting of the coat. Do not apply more often than every seven days, in periods of

e repels and kills fleas e repels and kills fleks including the Deer Tick, carrier of Lyme Disease e repels mosquitoes e helps erfectively reduce flea and tick infestations which reduces fluning. Independent and tick infestations which reduces fluning. Independent prevents flea and Tick Repellent prevents flees pests from Independent pose your dog to other pet, house of gorden insecticides when using the product.

STORAGE AND DISPOSAL—Wrap empl container and put in trash.

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic

Animals
CAUTION: Apply spray in a well vent
fated area. Avoid inholation of spray
Avoid spraying in eyes. Do not poanimal until spray has dried. It is goo
practice to wash hands after use. D proctice to wash names arrer use. D not confuminate water or food. D not use on young (less than three months old) pupples. Do not use the or any other pesticide on sick, old debilitated pests. Some animals me be sensitive to ingredients in this to other pesticide products. Pets should be observed following freetment. be observed following freatment, any unusual symptoms occur, in mediately bathe pet with a not pesticidal shampoo, if symptoms a not subside within one hour, consumptions of the period your veterinarion.

Physical or Chemical Hazards Contents under pressure. Do not us or store near heat or open flame. D not puncture or incinerate contains Exposure to temperatures above 130°F may cause bursting.

STATEMENT OF PRACTICAL TREATMEN If in eyes: Pinse eyes with plenty of water. Call a physician if irritation pe sists.

0000

Unconditional money-back guarantee by HAR

Distributed by The Hartz Mountain Corp Harrison, N.J. 07029 Made and printed in U.S.A

ile Blockfrt

te 87224 11 ate 6/89 ont AVG Je 30