

International



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye irritation and skin burns. When painting, wear full protective clothing, rubber gloves, goggles, face shield or other approved eye protection. May be fatal if swallowed or inhaled. Harmful if absorbed through skin. This product may be a dermal sensitizer. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing before reuse. Avoid breathing vapor, spray mist, dust or chips from sanding or blasting. Wash thoroughly with soap and water after handling and before eating or smoking. Use with adequate ventilation.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention immediately. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

If on skin, wash with plenty of soap and water. Get medical attention. If in eyes, flush with water for at least 15 minutes. Get medical attention immediately.

If inhaled, remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention immediately.

ENVIRONMENTAL HAZARDS: This material is toxic to fish. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill.

PHYSICAL OR CHEMICAL HAZARDS: FLAMMABLE! Keep away from heat or open flame.

Intersmooth



Self polishing copolymer
antifouling

GREEN BFA043

ACTIVE INGREDIENTS AS REPORTED
ATTACHED SHEET.

MAR 24 1983

2693-109

CONTAINS PETROLEUM DISTILLATES
KEEP OUT OF REACH OF CHILDREN

DANGER

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET 5 U. S. GALLONS

International Paint Company, Inc.

NEW YORK, N. Y. 10001 • SAN FRANCISCO, CALIF. 94102 • NEW ORLEANS, LA 70108

Reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

COMMERCIAL USE ONLY

ACTIVE INGREDIENTS
TRIBUTYLTIN METHACRYLATE
(AS PART OF A POLYMER)
✓ BIS (TRIBUTYLTIN) OXIDE
CUPROUS THIOCYANATE

13.4%
0.2%
17.2%

2693-109

INERT INGREDIENTS

69.2%

100%

ELEMENTAL TIN 4.4%
ELEMENTAL COPPER 8.9%

THIS PRODUCT CONTAINS 1.3 LBS. TRIBUTYLTIN METHACRYLATE (AS PART OF A POLYMER), 0.02 LBS. BIS (TRIBUTYLTIN) OXIDE AND 1.6 LBS. CUPROUS THIOCYANATE PER GALLON.