

**ARTHITROL®  
GRANULAR ANT, ROACH AND CRICKET BAIT**

BAIT WHICH KILLS ANTS, ROACHES, PALMETTO BUGS, WATERBUGS, AND CRICKETS

**ACTIVE INGREDIENT:**

Chlorpyrifos (CAS #2921-88-2)..... 0.5%

**OTHER INGREDIENTS:**..... 99.5%

Total 100.0%

**KEEP OUT OF REACH OF CHILDREN**

Do not apply to areas accessible to children or pets.

**CAUTION**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**


May be harmful if swallowed. Do not take internally. Avoid inhaling dust. Avoid eye contact. Wash thoroughly after handling. Wash contaminated clothing before reuse. Keep away from food, feedstuffs, and domestic water supplies.

See side panel for additional Precautionary Statements and Directions For Use

Wellmark International  
Bensenville, IL 60106

EPA Reg. No. 2724-486

Lot No.  
Net Weight:



EPA Est. No. 2724-TX-1

0 7 4

## FIRST AID

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED:** Remove victim to fresh air if symptoms of cholinesterase inhibition appear and get medical attention immediately.

**IF ON SKIN:** Wash thoroughly with soap and water.

**IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists.

**NOTE TO PHYSICIAN:** Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine, by injection only, is antidotal.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

**STORAGE and DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal.

**Storage:** Store in original container out of reach of children and pets. Do not store above 100° F for extended periods of time. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of according to use directions or at an approved waste disposal facility.

**Container Disposal:** Do not reuse container, Rinse thoroughly before discarding in trash.

**DIRECTIONS FOR USE:** It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Arthitol Granular Bait is an insecticidal product that works on contact or as a bait. Product may be applied indoors as a crack, crevice, or spot application or outdoors as a broadcast or bait application.

**FOR USE INDOORS:** IN DWELLINGS, BOTH HOMES AND APARTMENT BUILDINGS; COMMERCIAL FACILITIES INCLUDING OFFICE BUILDINGS, MANUFACTURING FACILITIES, RETAIL/WHOLESALE STORES, AND WAREHOUSES (including warehouses that store canned, bottled, or packaged food items); HOSPITALS; NURSING HOMES; RESTAURANTS; AND FOOD PROCESSING PLANTS. Not for use in federally inspected meat and poultry plants.

Inspect intended application sites to determine locations frequented by pest(s). (Monitoring of the infestation using the Zoecon Monitoring Trap may be helpful.) Place bait where inspection indicates the pests frequent, and only in areas inaccessible to children or pets. For indoor use, may only be applied in cracks, crevices, or as a spot treatment. Not for broadcast use indoors.

Apply to locations such as under and behind files, storage cabinets, and equipment; under refrigerators and sinks; in, under, and behind cabinets; in closets; in void spaces; in attics; under water heaters and industrial mixers; in electrical boxes (use caution when applying to electrical boxes); and in pantries and food storage areas.

Use of a bulb duster may facilitate application. For crack and crevice applications, apply ¼ to ½ teaspoon of product per linear foot at infested area. For spot applications, apply ¼ teaspoon of product per 1 square foot at infested area. Replace bait as necessary. For infestations of German cockroaches, use the higher rate and at more locations than for American cockroaches.

DO NOT APPLY TO AREAS WHERE EXPOSED FOOD IS HANDLED. Keep exposed product away from open food and food contact surfaces. Do not treat food preparation surfaces or locations where routine operations, such as cleaning, may transfer product to food or to food preparation surfaces. In case of accidental exposure to food preparation surfaces, clean the surface with a detergent.

Use [Brand Name] only in areas that are not accessible to children or pets. Bait may be used in animal receiving and retention areas PROVIDED IT IS PLACED SUCH THAT IT IS NOT ACCESSIBLE TO THE ANIMALS.

**EXCLUSIONARY STATEMENT**

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

**FOR USE OUTDOORS:** AROUND STRUCTURES, ON LAWNS, AND OTHER NON-FOOD-BEARING AREAS, INCLUDING RESIDENTIAL, TURF, AND SOD, AND NURSERY STOCK, FOR THE CONTROL OF COCKROACHES, PILLBUGS, EARWIGS, SPIDERS, MILLIPEDS, ANTS (INCLUDING BUT NOT LIMITED TO HARVESTER, BIG-HEADED AND FIRE ANTS), AND CRICKETS

Types of Outdoor Treatment	Application Rate	Technique
Individual Ant Mound (Fire, Big-Headed, Harvester)	2 to 8 Level Tablespoons (Tbsp) (1-4 oz) per mound	Sprinkle gently and evenly over surface of mound and out approximately two feet surrounding the mound. Avoid disturbing ants. For best results, apply when ants are active, in early morning or late evening. Treat new mounds as they appear.
Broadcast Ants, Crickets, Pillbugs, Spiders, Millipeds, Earwigs	Do not exceed 2 lb/1000 sq ft To control fire ants, do not exceed 5 lb/1000 sq ft	Broadcast bait evenly by hand or with ground equipment.
Ant Trails	Light Dusting (Do not exceed 1 Tbsp/200 sq ft)	Where trails are to be baited, dust the bait lightly along the trails.
Perimeter For Roaches, Ants, Crickets, Pillbugs, Spiders, Millipeds, Earwigs	8 level tablespoons (4 oz)/1000 sq ft	Apply bait evenly in a strip 6 to 10 feet wide around structures such as foundations, sidewalks, driveways and patios treating all cracks and crevices.

When baiting for ants, apply [brand name] around trails and foraging areas. Foraging workers will transport the product into the colony and down to the brood and queen(s). Colony kill times may vary from a few days to six weeks. Retreatment is desirable for large mounds and in the event of rains.

For information or in case of an emergency, call [phone number].

Seller makes no warranty, express or implied, concerning the use and handling of this product other than indicated on the label. Buyer assumes all risks of use and handling of this material when such use and handling are not in accordance with directions.