
NIX-SCALD FRUIT SPRAY

NET CONTENTS ____ EPA REG. NO. 2749-87

2749-81



GROWTH REGULATOR FOR COMMON APPLE AND PEAR SCALD.

APPLY AS POST-HARVEST TREATMENT FOR ANJOU PEARS AND AS A PRE-HARVEST OR POST-HARVEST TREATMENT TO CONTROL COMMON SCALD OF SUSCEPTIBLE APPLE VARIETIES IN STORAGE.

NIX-SCALD (6-ETHOXY-1,2-DIHYDRO-2,2,4-TRIMET	HYL-	
QUINOLINE)*		
	TOTAL	100.0%

^{*}Equivalent to 6 lbs. of Ethoxyquin per gallon.

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.

KEEP OUT OF DRINKING WATER AND WATER USED FOR DOMESTIC PURPOSES.

THIS PRODUCT MAY BE TOXIC TO FISH. KEEP OUT OF LAKES, STREAMS OR PONDS.

MAY BE HARMFUL IF INHALED OR SWALLOWED. DO NOT BREATHE

VAPOR. AVOID CONTACT WITH EYES, SKIN OR CLAIM G. IN CASE OF CONTACT, FLUSH WITH PLENTY OF WATER. FOR EYES, GET MEDICAL ATTENTION. DO NOT REUSE EMPTY CONTAINER. DESTROY EMPTY CONTAINER BY PERFORATING OR CRUSHING AND BURYING IN A SAFE PLACE.

USE NIX-SCALD TO CONTROL SCALD OF ANJOU PEARS AND COMMON SCALD OF SUSCEPTIBLE APPLE VARIETIES. ADD NIX-SCALD TO THE SPRAY TANK OR DIP TANK WHILE FILLING WITH WATER AND MIX THOROUGHLY.

DIRECTIONS FOR USE:

PRE-HARVEST APPLICATION – APPLES – Use 3 pints in 100 gallons of water and spray within 2 days of harvest. Apply as a full cover spray using standard hydraulic spraying equipment or a speed sprayer or other air blast equipment. DO NOT USE ON GOLD DELICIOUS APPLES BECAUSE OF POSSIBLE STAIN DISCOLORATION.

POST-HARVEST TREATMENT — APPLES AND ANJOU PEARS — Use 2 to 3 pints in 100 gallons of water. For pears, use a 15 second dip. For apples, use a 15 second dip or spray prior to or as the fruit passes over the grading line. Apply no later than one week after harvest to help insure adequate control of scald. Change solution daily' DO NOT USE ON GOLDEN DELICIOUS APPLES BECAUSE OF POSSIBLE STAIN DISCOLORATION.



Manufactured for:

ACETO CHEMICAL CO., INC.

AGRICULTURAL CHEMICALS DIVISION

126-02 NORTHERN BOULEVARD, FLUSHING N.Y 11368