CADET LIQUID CADMIUM FUNGICIDE FOR CONTROL OF COPPER SPOT AND DOLLAR SPOT

For use on non-pastured bluegrass, tescues and 20ysta			ANTIDOTE repeat until v or Milk of Ma immediately.	
DO NOT USE OR STORE IN OR AROUND THE HOME.				
ACTIVE INGREDIENT: Cadmium Chloride*		20.1 %	This product ponds. Do no water by clea	
INERT INGREDIENTS:	TOTAL	<u>79.9%</u> 100.0%	May be fatal	
*Total Cadmium (Cd) 12.3%			eyes, on skin after handlin	
NET CONTENTS			medical atten	
EPA REG. NO. 2749-127			Do not reuse or crushing a	
DANGER: KEEP OUT OF THE REAC	HOFCHILDR	REN.		
KEEP AWAY FROM DOMESTIC ANIMALS AND FOODSTUFFS.			DIRECTION	
ANGL ANGL			CADET is a and thorough	
			For preventiounce of CA every 10 days	
	i i i i i i i i i i i i i i i i i i i		Do not graze	
TED				
Manufactured for				
	ACETO	ACETO CHEMICAL		
		126-02 NORTHERN B	OULEVARD FL	

E - Give a tablespoonful of salt in a glass of warm water and it vomit fluid is clear. Then give 2 tablespoonsful of Epsom Salt Magnesia in water and plenty of milk or water. Call a physician y.

not apply where runoff is likely to occur. Do not contaminate leaning of equipment or disposal of water.

ital if swallowed or absorbed through the skin. Do not get in kin or on clothing. Do not breathe spray mist. Wash thoroughly ling. In case of contact, flush with plenty of water. For eyes, get tention.

euse empty container. Destroy empty container by perforating gand burying in a safe place.

ONS FOR USE:

s a liquid Cadmium solution which mixes with water quickly ughly.

ntion and control of Copper Spot and Dollar Spot, use 1 fluid CADET in 5 gallons of water per 1000 square feet of turf. Repeat ays throughout turf disease season.

aze treated areas. Do not feed clippings to livestock.

LCO., INC. LS DIVISION LUSHING N.Y. 11368