

[2993-8]

Brayton

DIRECTIONS FOR USE

DIRECTIONS FOR USE

INDUSTRIAL PYRENONE SPRAY

For Insect Control In Food Plants

For control of accessible stages of weevils, flour beetles, meal moth larvae, cadelle, sawtoothed grain beetle, roaches, silverfish, ants, spiders, carpet beetles, cheese and flour mites, flies and flying moths.

As A Contact Spray: For the control of crawling insects listed above, apply directly onto walls, partitions, floors, in cracks, crevices, under skids, equipment, scales, motor mounts, on ledges, in conveyors, proofers, behind switch boxes, sinks, storage cabinets, floor drains, locker and lunch rooms and all places where insects may harbor and multiply.

Food products should be removed from the area during treatment or placed in closed containers or adequately covered to protect food against spray drift.

Food handling, processing equipment or surfaces over which food products are handled should be cleaned after treatment of the area and before production is started.

As A Space Spray: For Control Of And Flying Moths: For use in fogging installations in Food Plants, Warehouse and Meatside Areas. Apply with compressed air sprayer or fogging devices such as Microsol Units, Dina Fog Insecticide Applicators, Electric Foggers, Steam Atomizing Units and Insectoff Nozzles.

Close all windows, doors and openings during fogging operation. Keep closed for 10-20 minutes after application. Repeat treatment when necessary.

Food products should be removed from the area during treatment or placed in closed containers or adequately covered to protect food against spray drift.

Food handling, processing equipment or surfaces over which food products are handled should be cleaned after treatment of the area and before production is started.

Apply the product as a space spray in food processing plants only when the plants are not in operation.


Do not remain in treated area and ventilate the area after treatment is completed.

ACTIVE INGREDIENTS

*Technical piperonyl butoxide	1.53%
Pyrethrins	0.30%
Petroleum Solvent	98.17%
	<hr/>
	100.00%

*Equivalent to 1.224% of (butylcarbityl) (6-propylpiperonyl) and 0.306 of related compounds.

USDA REC. No. 2993-8



- WARNING -

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not spray near or toward open flame. Do not pour, spill or store near fire or flame. Direct application on food products can cause contamination.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

FLUID CONTENTS

GALLONS

Brayton Chemicals, Inc.

BURLINGTON, IOWA