

• NON-FUMING

- CONTAINS BLEACH
- PLEASANT ODOR


PHENOL COEFFICIENT 6  
 Procedure A.O.A.C.  
 7th Edition 1950 organism  
 salmonella typhosa  
 A.T.C.C. 6539

ACTIVE INGREDIENTS:  
 Hydrogen Chloride 23%  
 INERT INGREDIENTS: 77%

**DANGER**  
 **POISON**

KEEP OUT OF REACH OF CHILDREN  
**NATIONAL RESEARCH**  
**ASSOCIATES**

COLUMBIA S C



SEE REVERSE SIDE FOR ANTIDOTE

SHAKE WELL BEFORE USE  
 INSTRUCTIONS: KEEP...  
 DIRECTIONS:...

...WATER...  
 ...TOILET...  
 ...DRAIN...  
 ...PIPE...  
 ...SYSTEMS...  
 ...PLUMBING...  
 ...RINSE...  
 ...DISCARD...  
 ...WATER...

USDA REG. NO. 3040 - 20

Made especially for Industrial and Institutional Use.  
 No. 45

CONTENTS: 1 Quart

...RISK...  
 ...INTERNAL...  
 ...EXTERNAL...  
 ...EYES...  
 ...MEDICAL...  
 ...ATTENTION...

INTERNAL:  
 ANTIDOTE: CALL PHYSICIAN.  
 Drink teaspoon of mag-  
 nesia, chalk, whiting or  
 wall plaster or small  
 pieces of soap softened  
 with water in milk, muc-  
 ilage or raw egg whites.

EXTERNAL: Immediately  
 flood surface with water,  
 using soap freely. Then  
 cover with moist baking  
 soda or magnesia.

EYES: Wash with water for  
 15 minutes. Get prompt  
 medical attention.