

MATACL

Base Reg. (4755)

U.S. LABEL

Reason to Issue: To delete milk from emesis statement; to delete U.S. Patent No; to modify front panel use statement.

Date of Draft: 2/4/83 (S)
Supersedes Draft Dated: 4/26/78

To Be Printed As A Single Panel Label

Ⓜ MATACIL

TECHNICAL

FOR USE ONLY IN THE MANUFACTURE OF INSECTICIDES

INSECTICIDE

MAY 12 1983

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 3125-206

This drum is dangerous if evidence of leakage is present. Read warning instructions and handle with extreme care, observing all precautions recommended.

ACTIVE INGREDIENT:
1-(Dimethylamino)-3-methylphenol methylcarbamate (ester) 96%
INERT INGREDIENTS: 4%
100%

D A N G E R  P O I S O N

EPA Reg. No. 3125-206


KEEP OUT OF REACH OF CHILDREN

STOP - READ THE LABEL BEFORE USE

NET CONTENTS POUNDS

IMPORTED BY

MOBAY CHEMICAL CORPORATION
AGRICULTURAL CHEMICALS DIVISION
Box 4913, Kansas City, Missouri 64120



MATACIL Technical

DANGER  POISON

POISONOUS BY SKIN CONTACT OR IF INHALED OR SWALLOWED.

Do not breathe fumes. Wear a mask or respirator effective for protection against MATACIL. Information as to suitable types of masks or respirators is available from the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

Do not get in eyes or on skin. Wear clean, heavy, natural rubber gloves and clean, waterproof, or freshly laundered protective clothing (coveralls, rubber boots, cap, etc.). Destroy and replace gloves frequently. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before reuse.

In case of contact, immediately remove contaminated clothing and wash thoroughly with soap and warm water. For eyes, flush with water for 15 minutes.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, administer water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml.) of syrup of ipecac. If vomiting does not occur within 30 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Professional medical assistance should be secured immediately. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

TO PHYSICIAN:

ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

CONTAINER DISPOSAL

DO NOT REUSE THE CONTAINER - Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

Burn the empty container completely. Exercise extreme caution and stay well away from the smoke.

Do not use container in any connection with feed, food, or drinking water.

In case of spillage, cover with an absorbent such as soda ash, clay, or sawdust. Sweep up and bury. Wash area thoroughly with strong lye solution.

This product is toxic to fish and wildlife. Keep out of any body of water.

MATACIL is a Reg. TM of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen.