

# TRU-KLOR®

LIQUID  
DISINFECTANT

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### DANGER: Corrosive

May be harmful if swallowed. Avoid contact with skin and eyes. Irritating to lungs. Do not use acid, detergents, ammonia or bowl cleaners with this product. To do so will release hazardous gases. Use dilute solution only as directed on the label.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

### PROPORTIONS TO BE USED FOR VARIOUS PPM RATINGS


**For 400 ppm:** add 2 ounces (4 Tbs) of TRU-KLOR® to each 1½ gallons of water.

**For 300 ppm:** Add 1 ounce (2 Tbs) of TRU-KLOR® to each gallon of water.

**For 200 ppm:** Add 1 ounce (2 Tbs) of TRU-KLOR® to each 1½ gallon of water.

**For 100 ppm:** Add 1 ounce (2 Tbs) of TRU-KLOR® to each 3 gallons of water.

**NOTE:** "PPM" means parts per million. Thus, a chlorine solution rated at 100 ppm contains 100 pounds of available chlorine in one million pounds of water.



Manufactured By  
**MID AMERICA Chemical Inc.**  
207 S. Compress  
Oklahoma City, OK 73129

EPA EST NO. 03131 OK 01

EPA REG NO. 3131-12

Active Ingredient  
Sodium Hypochlorite

Inert Ingredients

ACCEPTED

13 OCT 1981

3131-12

84

91

NET CONTENTS: 55 GALLONS

KEEP OUT OF REACH OF CHILDREN

### DANGER

**FIRST AID: EXTERNAL:** In case of contact with skin or eyes, flush with plenty of water.  
**INTERNAL:** Drink mucilage, raw egg white, milk or rice gruel. Follow with emetic (tablespoon of mustard in glass of water).  
CALL A PHYSICIAN

### DIRECTIONS FOR GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its label.

#### FOR SWIMMING POOLS

At start of season add 1 quart per 5000 gallons of water to 1.0 to 1.5 ppm chlorine residual show 1 to 2 pints per day or as needed to maintain residual. KEEP PH at 7.4 to 7.6 For Salt Chlorine 1 gallon per 5000 gallons.

#### FOR WATER TREATMENT COOLING TOWERS

For farm or small municipal water chlorination 1.0 to 1.5 ppm of available chlorine. Use chlorine determination of proper concentration and residual chlorine.

Use as Algicide in cooling tower treatment.

Where local or state regulations are in effect, follow their authorities.

#### For Food Processing and Milk Equipment

Clean all surfaces thoroughly with proper detergent and water. Just prior to use, sanitize with 200 ppm available chlorine. All surfaces to be sanitized should be in contact with the sanitizing solution for a period of not less than 10 minutes. Food contact surfaces and equipment must be rinsed with potable water before reuse. Do not soak overnight.

**NOTE:** This product degrades chlorine. Test Kit and increase necessary to obtain the required chlorine.

#### STORAGE and DISPOSAL

Store in a cool, dry area away from heat and sunlight. In case of spill, flood area with large amounts of water. Rinse empty container with water and either return to manufacturer or place in trash collection. Do not use on approved land fill. Product or rinse water should be diluted and disposed of in a sanitary manner. Do not contaminate food or feed by storing or cleaning of equipment.