DANGER:

KEEP OUT OF REACH OF CHILDREN.

CORROSIVE:

Causes eye damage. May produce severe burns.


Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful or fatal if swallowed, inhaled or absorbed through the country of the country of

FIRST AID: If swallowed, induce vomiting by sticking finger down throat or by giving an emetic such as 2 tablespoonful of salt in a glass of warm water. Repeat until vomit is clear. Call a physician. Never give anything by mouth to an unconscious person. In case of eye contact, flush eyes immediately with water for at least 15 minutes and get medical attention. In case of skin contact, wash with soap and plenty of water. Wash contaminated clothing before re-use.

NOTE TO PHYSICIAN: This product is a metabolic stimulant. Causes hyperthermia. Treat symptomatically.

ACCEPTED

DEC TO THE



ALGAE-BAN "N"

TO CONTROL ALGAL, FUNGAL AND BAC-TERIAL SLIMES IN INDUSTRIAL RECIR-CULATING WATER-COOLING SYSTEMS.

ACTIVE INGREDIENTS* 90.0%
Sodium Pentachlorophenate 79.0 %
Sodium salts of other chlorophenols 11.0%
INERT INGREDIENTS 10.0%

100.0%

* Calculated as sodium pentachlorophenate (Molecular weight 288.3).

DANGER:

Keep Out Of Reach Of Children.

See side panels for additional precautious and first aid.

PRECAUTION:

Do not re-use empty container. Dispose of it by burying it with waste, or by burning it. Stay away from smoke or fumes.

PRECAUTION:

This product is toxic to fish and wildlife. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or publication. Apply this product only as specified on label.

DIRECTIONS:

Add as a concentrated aqueous solution to the water system after general cleanup (0,2-0,7 lb. per 1,000 gallons of water in the system). Add in additional 0,2-0,4 lb. per 1,000 gallons water ekly as needed.

manually, then treated with 0.4-0.7 lb. per 1,000 gallons of water in the system. This dose may be repeated as needed to obtain control, then apply 0.2-0.4 lb. per 1,000 gallons of water in the system weekly or as needed.

Apply at a point in the system where the product will be uniformly mixed.


Sold by PARKE-HILL CHEMICAL CORPORATION.

CORROSIVE:

Causes eye damage. May produce severe burns. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful or fatal if swallowed, inhaled or absorbed through skin. Do not breathe dust.

FIRST AID: If swallowed, induce vomiting by sticking finger down throat or by giving an emetic such as 2 tablespoonful of salt in a glass of warm water. Repeat until vomit is clear. Call a physician. Never give anything by mouth to an unconscious person. In case of eye contact, flush eyes immediately with water for at least 15 minutes and get medical attention. In case of skin contact, wash with soap and plenty of water. Wash contaminated clothing before re-use.

NOTE TO PHYSICIAN: This product is a





TO CONTROL ALGAL, FUNGAL AND BAC-TERIAL SLIMES IN INDUSTRIAL RECIR-**CULATING WATER-COOLING SYSTEMS.**

ACTIVE INGREDIENTS* 90.0%
Sodium Pentachlorophenate 79.0 %
Sodium salts of other chlorophenols 11.0%
INERT INGREDIENTS 10.0%
100.0%

* Calculated as sodium pentachlorophenate (Molecular weight 288.3).

DANGER:

Keep Out Of Reach Of Children.

See side panels for additional precautious and first aid.

> EPA Reg. No. 3339-16 EPA Est No. 3339-NY-1

Do not re-use empty container. Dispose of it by burying it with waste, or by burning it. Stay away from smoke or fumes.

PRECAUTION:

This product is toxic to fish and wildlife. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Apply this product only as specified on this label.

DIRECTIONS:

Add as a concentrated aqueous solution to the water system after general cleanup (0.2-0.7 lb. per 1,000 gallons of water in the system). Add an additional 0.2-0.4 lb. per 1,000 gallons water weekly as needed.

Heavily contaminated systems must be cleaned manually, then treated with 0.4-0.7 lb. per 1,000 gallons of water in the system. This dose may be repeated as needed to obtain control, then apply 0.2-0.4 lb. per 1,000 gallons of water in the system weekly or as needed.

Apply at a point in the system where the product will be uniformly mixed.

Sold by PARKE-HILL CHEMICAL CORPORATION.

