

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification. DEET DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABILITY

1% PARATHION DUSTED

ACTIVE INGREDIENTS

ACTIVE INGREDIENTS

PARATHION (*O,O-diethyl O,p-nitrophenyl thiophosphate.)

PARATHION-¹⁰000 INERT INGREDIENTS

CAUTION: Read Entire Label. Use in Strict Accordance With Label Directions and Cautionary Statements.

CAUTION Dealers must sell in original packages only. **SUPPLY FOR USE**

CAUTION: Teachers must sell in original packages only

STRAWBERRIES. For 100 lbs. and less, scatter 25-30 lbs. per acre; repeat every 10 days until harvest. **TOBACCO** SED BEDS. Parathion-Dust should be applied to seed beds as 1 lb. rotary hand clusters only. For the control of Flea beetles and Aphids. Use

TOBACCO SKEDDING. When the plants are applied to seed beds in rotary hand husters only. For the control of the beet leaf and aphids use 3 to 4 to 1 lb. per 100 sq. yds. When beetles or Aphids first appear dust plants as early and as severe infestations may require 2 or 3 treatments.

FIELD - Parathion dust should be applied to the field by power dusting equipment only for the control of Aphids, sick-ties and splitworm use 10 to 25

Repeat if necessary. Extreme caution should be exercised when applying this product to prevent damage to other plants.

tobacco. Do not apply within 5 days of plowing or 15 days of cutting. Avoid plant residues coming in contact with the skin of those engaged in cutting or pruning the crop.

NOTICE: Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the result to be obtained if not used in accordance with

CAUTION: This product is not a toy. It is a precision instrument. Do not drop it or expose it to water.

CAUTION: This product contains herbicides which may cause damage to other crops if not used according to directions. Technical information and recommendations for use of this product may be obtained from your Cooperative Agricultural Extension Service.

ROISON

PUNSON

WARNING: KEEP OUT OF REACH OF CHILDREN.

CAUTION: Rapidly absorbed through skin. If swallowed, do not induce vomiting. Wash skin with soap and water before removing clothes. In case of contact with eyes, wash eyes with large amounts of water. If irritation persists, seek medical advice. Wash hands after handling. Wash laundry items and fabrics separately after use.

soap and water after hand washing. The carboxylic acid may be neutralized by the addition of a base, followed by the U.S. Bureau of Reclamation's standard method for neutralizing acids. Base susceptibility to carboxylic acids is discussed in the following section. Highly concentrated carboxylic acids are extremely dangerous.

FIRST AID TREATMENT An anticholinesterase drug such as atropine or physostigmine should be given as soon as possible. All cases of Salicylate Poisoning, Warning symptoms of life threatening hypotension, respiratory depression, convulsions, vomiting, tachypnoea and/or cyanosis should be treated with oxygen. If you suspect salicylate poisoning, don't wait for a toxicologist's report. If you suspect organophosphate poisoning, wash the skin clear with 1% sodium thiosulphate solution. If you suspect organophosphate poisoning, wash the skin clear with 1% sodium thiosulphate solution.

CAUTION To prevent damage to the aircraft, do not use water to extinguish fires when weather conditions may cause water spray to enter the aircraft. If water is used, turn off equipment or

DESTRUCTIVE INFLUENCES. To the extent that the U.S. has been unable to meet its obligations to the world community, it has been destructive.

APPENDIX B
EPA Reg. No. 1342-71