

CAUTION: Read Entire Label. Use in Strict Accordance With Label Directions and Cautions.

**DIRECTIONS FOR USE**

**TOBACCO:** For control of Aphids, Grasshoppers, hornworms and flea beetles use at rate of 2 to 3 quarts per acre. For Budworms use 3 quarts per acre. Apply specified dosage per acre by air or ground equipment in sufficient water for complete coverage but not less than 5 gallons per acre. Treat hornworms as soon as egg masses or worms are first found. Repeat as necessary but not within 6 days of harvest. Prime before treating.

**NOTICE:** Our recommendation for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

**DANGER** "This product is highly toxic to bees exposed to direct treatment or residue on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service."

DEALERS MUST SELL IN ORIGINAL PACKAGES ONLY

**CONTAINER DISPOSAL**

Do Not Re-Use The Container. Completely Empty The Contents and Bury the Unused Chemical at least 18 inches deep in an isolated location away from water supplies. Break the container and bury the pieces at least 18 inches deep in an isolated location from water supplies.

EPA Reg. No. 3342-1

EPA EST NO. 3342-NC-1

**RESTRICTED USE PESTICIDE**

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

ACCEPTED  
PR 15 1978  
No. 3342-12



**TIGER**

**BRAND**

**DEATH BLOW TOBACCO SPRAY**

(Contains 1 lb. Guthion per gallon)

ACTIVE INGREDIENTS:	
O,O-Dimethyl S (4-oxo-1,2,3-benzotriazin-3 (4-H)-ylmethyl) phosphorodithioate	12.05%
Xylene	82.95%
INERT INGREDIENTS	5.00%
	100.00%



**POISON**

**DANGER—KEEP OUT OF REACH OF CHILDREN AND ANIMALS**

NOT FOR USE OR STORAGE IN OR AROUND THE HOME  
See Antidote Statement And Other Warnings On Side Panels

Manufactured By

**CAPE FEAR CHEMICALS INC.**

ELIZABETHTOWN, NORTH CAROLINA

NET CONTENTS - ONE GALLON

3342-72  
PM 12 1971



Do not use container in any connection with feed, food, and drinking water.

**DANGER**

Poisonous if swallowed, inhaled, or absorbed through the skin. Do not get in eyes or on skin. Do not breathe fumes or spray mist. Spray operator should work to windward to stay out of drift or mist.

When loading spray tank or handling the concentrate at any other time, wear protective clothing, natural rubber gloves and goggles. A mask or respirator recommended by the U.S. Department of Agriculture for protection against GUTHION should also be worn when handling the concentrate.

"Keep all unprotected persons out of the operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered for at least 2 days. Do not store near feed and food products. Wash hands, arms and face thoroughly with soap and water before eating and smoking. Wash all contaminated clothing with soap and hot water before reuse.

**"NOTE TO PHYSICIAN"**

"Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine."

**DANGER:** "This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label."

**DANGER**

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

6289

