records.

Submit one copy of the final printed labeling before releasing the product in channels of trade with the revised labeling.

ATTACHMENT IS APPLICABLE	
SIGNATURE OF APPROVING OFFICIAL	DATE

0 9 5

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Ruth G. Douglas

Product Manager 32

Ruth D. Lduy lis

Antimicrobial Program Branch Registration Division (7505C)

Enclosure

On Guard

Maxi-Clor

Super

Chlorinating Sticks

Concentrate Stabilized
Slow Dissolve Chlorinating Sticks
For Pool Water Disinfection
24-Hr. Chlorine Residual For Round The Clock Activity

Active ingredients:

: 3

Trichloro-s-Triazinetrione....99% Inert Ingredient1%

Approximately 90% available chlorine

KEEP OUT OF REACH OF CHILDREN DANGER

See additional precautions on side panel.
EPA Reg. No. 3432-51
EPA Est. No. 3432-PA-1
Net Wt lbs.
Mfg. by N. Jonas & Co., Inc. / Bensalem, PA 19020

ACCEPTED
with COMMENTS
in ITA Letter Dated:

ALIG 7 1995

Under the enteral insecticide, Functione, and Both nicide Act as amended for the pesticide registered under EPA Reg. No.

3432-51

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. harmful if swallowed. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED: Drink promptly large quantities of water. Do not induce vomiting. Avoid alcohol. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicated the use of gastric lavage

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction, with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventileted area. Flood with large volumes of water, if necessary.

This product is meant to help keep bacteria and algae under control in swimming pools.

Directions for use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- 1. Before using this product make sure there is sufficient chlorine residual (3.5-5.0 ppm) in the swimming pool by superchlorination. Next day add 1 lb. Chlorine Stabilizer (Booster) for each 4,000 gallons of water.
- 2 Place 1 stick for each 22,500 gallons of pool water either into a dispenser into a skimmer basket. In no case should this product be thrown directly into or on a vinyl liner as bleaching will result.
- 3. A good pool water test kit should be used at least once a day to check both pH and chlorine levels. pH should be between 7.2-7.6 and adjusted as necessary. Chlorine should be between 1-2 ppm. If chlorine level is too low add more sticks until there is enough to maintain the 1-2 ppm

This product should not be mixed with any other kind of chlorine as an explosion could result.

NOTE: During heavy bathing loads, very hot weather, rain, etc., and at least once a week, chlorine residual should be raised to 3.5-5.0 ppm with granular chlorine (superchlorinated). It is preferable to do this after swimming day so that pool will have a chance to come back to the 1-2 ppm before swimmers go back in next day.

Reentry into treated swimming pools is prohibited above levels of 3 ppm of chlorine

This product will last approximately 5-7 days depending upon temperature and amount of water flow. Since each stick weighs 1 1/2 lbs., a 25 lb. pail will last a 22,500 gal pool approximately 17 weeks, a 45,000 gal. pool approximately 8 weeks.

STORAGE AND DISPOSAL: Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.