



**Nova**

## NOVASPRAY 25

### ACTIVE INGREDIENTS: 100%

|  |        |
|--|--------|
| Technical Piperonyl Butoxide*  | 0.20%  |
| Pyrethrins   | 0.25%  |
| Petroleum Distillate   | 99.55% |
| *Equivalent to 0.16% of (butylcarboxy) (bispropylpiperonyl) ether and 0.04% of related compounds |        |

### KEEP OUT OF THE REACH OF CHILDREN

#### CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician immediately. DO NOT INDUCE vomiting without the advise of a physician. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply respiration if indicated.

If on skin - Wash immediately with soap and water.

If in eyes - Flush eyes for at least 15 minutes with water. Call a physician immediately. See side/back panels for additional precautionary statements.

#### NET CONTENTS

GAL

ENR TEST NO. 3624 MD 1

MANUFACTURED BY

EPA Reg. No. 3624-43

## NOVA PRODUCTS, INC.

800 HICKORY • KANSAS CITY, MISSOURI 64101

### DIRECTIONS FOR USE (continued)

#### FLYING INSECTS

**FLEAS, MOSQUITOES, CHATS:** Direct the spray toward the upper portions of the enclosure and to the atmosphere with mist using 2 to 3 ounces of the product to each 1000 cubic feet of space. It is possible keep the doors and windows closed for 10 minutes after applying the spray.

#### CRAWLING INSECTS

(Exposed or accessible stages)

**BOACHED, SEVERE SPIDER SPIDERS:** Spray interior areas thoroughly and direct the liquid behind baseboards, moldings, cabinets, shelves, walls, door and window frames and paper toward dressers and dark corners, and into cracks, crevices, recesses and similar hiding places. Repeat as needed.

**ANTS:** Treat shelves, cabinets and storage areas. Spray around trash, baseboards, thresholds and other pieces of emoji and from nests liberally.

**DELLS, TICKS:** Direct the spray toward lower wall portions, baseboards, rugs, carpets and floors of infested areas. Spray exterior corners, beams and the bedding of pets and other domestic animals.

**BEDBUGS:** Apply liberally to top, ends, sides and bottom of mattresses, spraying of both sides and folds. Spray springs and frame, directing the liquid into cracks, crevices and tank ports. Spray walls, baseboards, moldings, floors, dressers and bedroom furniture with special attention to protected bedding, hiding and breeding places.

**CLOTHES MOTHS AND CARPET BEETLES:** Remove infested articles from storage, brush them thoroughly and, if possible, or several hours in direct sunlight. Apply spray liberally to all surfaces of empty chest, dresser, bureau and storage, directing the liquid into cracks, joints and crevices. After drying, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the liquid lightly to avoid the possibility of staining. Treat both sides of rugs, carpets and pads and all exposed and accessible surfaces of over-stuffed furniture. Repeat application in 30 days for susceptible articles not stored in sunlight or otherwise.

**STORED FOOD PESTS:** If a poised stages of flour beetles, weevils, codlings, grain beetles, meal worms, meal moths, shippers' grain and cheese mites. To avoid sources of re-infestation, weevils, grain and insects should be destroyed before treatment. Spray thoroughly all surfaces of shelves, bins, cupboards, cabinets, pantries, lockers and similar storage with special attention to cracks, crevices and other hiding places.

**PRECAUTIONARY STATEMENTS**  
**HAZARDOUS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. Avoid breathing vapors or spray mist. Contains petroleum distillates. If swallowed do not induce vomiting. Get medical attention. Avoid contact with skin. In case of contact immediately flush eyes or skin with plenty of water. Obtain medical assistance if irritation persists. Do not apply directly to food. Cover or remove all food processing surfaces. Thoroughly wash and rinse with potable water all food processing surfaces before reuse. After spraying in manufacturing plants, breakwaters and the food processing plants, wash and rinse with potable water all equipment, branches, shovels, etc. where exposed food will be handled. Food processing operations have to be stopped while applying a wet spray with care and in accordance with the directions and cautions given above. Do not use in serving areas while food is exposed. Remove pots, bowls and covers from exposure before spraying. Do not remain in treated areas and ventilate the area after treatment is completed.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by discharging of equipment or disposal of wastes. Apply the product only as specified on the label. Keep out of lakes, streams or ponds. Do not apply where runoff may be to occur.

**PHYSICAL OR CHEMICAL HAZARDS**

DO NOT spray into or near fire or open flames. DO NOT smoke while spraying. DO NOT use power sprays or store near heat or open flame.

**DIRECTIONS FOR USE**

If a violation of law to use the product in a manner inconsistent with labeling.

**STORAGE AND DISPOSAL**

Pesticides. Do not contaminate water, food or feed by storage or disposal. Proper damping is prohibited.

Storage. Store in a cool, dry place. Keep container closed.

Pesticide Disposal. Do not resulting from the use of the product after its disposal or by sale or at an approved waste disposal facility.

CA. Containers—Triple rinse (or equivalent). Then dispose of in a sanitary landfill or by other approved state and local procedure.

Mixed Containers—Triple rinse (or equivalent). Then either for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

Household—Triple rinse (or equivalent). Then either for recycling or reconditioning or puncture and dispose of in a sanitary landfill or in moderation in a manner permitted by state and local authorities, by burning. If burned, stay out of smoke.

General. Consult Federal, State or Local disposal authority for approved alternative procedures.



## NOVASPRAY 25

**ACTIVE INGREDIENTS: 100%**

|                               |        |
|-------------------------------|--------|
| Technical Piperonyl Butoxide* | 0.20%  |
| Pyrethrins                    | 0.25%  |
| Petroleum Distillate          | 99.55% |

\*Equivalent to 0.16% of (butylcarboxyl) (6-propylphenyl) ether and 0.04% of related compounds.

**KEEP OUT OF THE REACH OF CHILDREN**

**CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**

If swallowed—Call a physician immediately. DO NOT INDUCE VOMITING without the advice of a physician. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting give victim one or two glasses of water and insert finger in back of throat. Repeat until vomited fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled—Remove victim to fresh air. Apply respiration if indicated.

If on skin—Wash immediately with soap and water.

If in eyes—Rush eyes for at least 15 minutes with water. Call a physician immediately. See side/back panels for additional precautionary statements.

**NET CONTENTS**

**GAL**

MANUFACTURED BY

EPA EST. No. 3624 MO-1

EPA Reg. No. 3624 43

## NOVA PRODUCTS, INC.

800 HICKORY • KANSAS CITY, MISSOURI 64101

**DIRECTIONS FOR USE (continued)**

**BATING INSECTS**

FLIES, MOSQUITOES, GNATS—Drench the spray toward the upper portion of the enclosure and fill the atmosphere with mist using 2 to 3 ounces of the product to each 1000 cubic feet of space. If possible keep the doors and windows closed for 10 minutes after applying the spray.

**CRAWLING INSECTS**

ROACHES, SILVERFISH, SPIDERS—Soften infected areas thoroughly and direct the liquid toward baseboards, moldings, cabinets, shelves, sinks, drain and windows frames and pipes toward drains and dark corners and into cracks, crevices, recesses and similar hiding places. Repeat as needed.

ANTs—Treat shelves, cabinets and storage areas. Spray and turn over baseboards, masonry and other places of entry and treat nests liberally.

PEAS, TICKS—Direct the spray toward lower wall persons, baseboards, rugs, carpets and floors of infested areas. Spray animal quarters, kennels and the bedding of pets and other domestic animals.

BEDBUGS—Apply liberally to top, ends, sides and bottom of mattress, spraying all tufts, seams and folds. Spray springs and frame, directing the liquid into all cracks, crevices and tent points. Spray walls, baseboards, moldings, floors, closets and bedroom furniture with special attention to protected bedding, hats and breeding places.

CLOTHES MOTHS AND CARMET BEETLES—Remove infested articles from storage, brush thoroughly and, if possible, air several hours in direct sunlight. Apply spray liberally to all surfaces of empty chests, closets, bureaus and storages, directing the liquid into cracks, joints and crevices. After spraying, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the liquid lightly to avoid the possibility of staining. Treat both sides of rugs, carpets and pads and all exposed and accessible surfaces of overstuffed furniture. Repeat application in 30 days for susceptible articles not stored in mothproof containers.

STORED FOOD PESTS (Eggs/powdery scale, flour beetles, weevils, codlings, green beetles, meal worms, meal moths, drosophilas, grain and cheese moths): To avoid sources of contamination, worms, flour, grain and cereals should be destroyed before treatment. Soak thoroughly all surfaces of shelves, bins, cupboards, cabinets, pantries, larders and similar storage with liberal attention to cracks, nooks, crevices and other hiding places.