



M-T BIN SPRAY with Knockdown

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Do not swallow. Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash hands after using and before eating or smoking. Wash thoroughly after handling. Use fumigation masks during spraying operations. Do not spray directly on food, or feedstuffs or on sacks containing these products.

PHYSICAL OR CHEMICAL HAZARDS

Do NOT store or spray near open flames. DO NOT smoke while spraying. FLASH POINT 140°F (TCC)

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur.

DIRECTIONS FOR USE

See a variety of other laws to use this product in a manner consistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the nearest waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by other means approved by state and local authorities.

See the manufacturer's label for disposal instructions for approved containers.

ACTIVE INGREDIENTS: 100%

*Methoxychlor, Technical	3.0%
Pyrethrins	0.025%
Technical Piperonyl Butoxide**	0.063%
Aromatic Petroleum Derivative Solvent	20.0%
Petroleum Distillate	76.912%

*EQUIVALENT TO 2.64% of 2,2-bis(p-methoxy-phenyl)-1,1,1-trichloroethane and .36% other isomers and related compounds.
**EQUIVALENT TO 0.05% of (butylcyclohexyl) (6-propylpiperonyl) ether and 0.013% of related compounds.

**KEEP OUT OF THE REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Remove victim to fresh air. Apply respiration if indicated.

If on skin — Wash immediately with soap and water.

If in eyes — Flush eyes for at least 15 minutes with water. Call a physician immediately.

See side panels for additional precautionary statements.

EPA Reg. No. 3624-84 MANUFACTURED BY EPA Est. No. 3624-MO-1
NOVA PRODUCTS, INC.
800 HICKORY • KANSAS CITY, MISSOURI 64101

DIRECTIONS (Continued)

APPLICATION TO GRAIN BINS; This spray may be used either inside the bins or outside the bins before filling the bins with grain. It may also be used to aid in the control of insects infesting floors and walls of box cars, flour mills, feed mills and handling machinery such as conveyors and mixers.

When used according to directions this spray aids in the control of insects in grain bins. It is effective against insects in grain, such as the redlegged grain beetle, sawtoothed grain beetle, and other insects. It is also effective against insects in flour, such as the flour beetle, and many types of grain mites and weevils, black carpet beetle, flies, meal worms and scavenger beetles. This product will not control the khapra beetle.

The knockdown action of the pyrethrin ingredients may be enhanced by the addition of a small amount of a fast-acting insecticide. This product is not intended for use on humans or animals. It is not intended for use on food or feedstuffs.

BEFORE SPRAYING — Clean thoroughly the surfaces to be sprayed. Sweep and remove as completely as possible all accumulated grain residues, dust and other forms of dirt from bin walls and floors. Pay special attention to corners and hard-to-get-at places where insects may breed.

APPLICATION: Apply this spray as a coarse wet spray to the surfaces to be treated at the rate of 1 gallon to 750 square feet of surface. If walls and floors are sprayed just to the point where the spray begins to run off the correct dosage will be applied. Naturally the amount required for this will depend somewhat on the character of the surface being sprayed.

NET CONTENTS

GALLONS

ACCEPTED

OCT 16 1984

EPA REG. NO. 3624-84