

ACCEPTED

MAR 11 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the pesticide registered under EPA Reg. No. 3624-113



NOVASPRAY 13

**PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Hazard if swallowed. Avoid breathing vapors or spray mist. Contains petroleum distillates. If swallowed do not induce vomiting. Get medical attention. Avoid contact with eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Do not apply directly to food. Cover or remove all food processing surfaces. Thoroughly wash and rinse with potable water all food processing surfaces before reuse. After spraying in meatpacking plants, butcher and the food processing plants, wash and rinse with potable water all equipment, benches, flooring, etc. where animal food will be handled. Food processing operations have to be stopped while applying a wet spray with care and in accordance with the directions and cautions given above. Do not use in serving areas while food is exposed. Remove pets, birds and livestock equipment before spraying. Do not remain in treated areas and vacate the area after treatment is completed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply the product only as specified on this label. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT spray into or near fire or open flames. DO NOT smoke while spraying. DO NOT eat, drink, or use any tobacco products while spraying.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Restrictions: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Storage: Store in a cool, dry place. Keep container closed.

Residue Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Glass Containers: Triple rinse (or equivalent). Then dispose of in a sanitary landfill, or by other approved state and local procedures.

Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ACTIVE INGREDIENTS: 100%

Technical Piperonyl Butoxide*	1.30%
Pyrethrins	0.13%
Petroleum Distillate	98.57%
*Equivalent to 1.04% (bifenthrin) (6-propylpiperonyl) ether and .26% of related compounds	

**KEEP OUT OF THE REACH OF CHILDREN
CAUTION
STATEMENT OF PRACTICAL TREATMENT**

If swallowed—Call a physician immediately. DO NOT INDUCE vomiting without the advice of a physician. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. If inhaled—Remove victim to fresh air. Apply respiration if indicated. If on skin—Wash immediately with soap and water. If in eyes—Flush eyes for at least 15 minutes with water. Call a physician immediately. See side/back panels for additional precautionary statements.

NET CONTENTS _____ GAL

MANUFACTURED BY:

EPA EST. No. 3624-MO-1

EPA Reg. No. 3624-113

NOVA PRODUCTS, INC.

888 HICKORY • KANSAS CITY, MISSOURI 64101

**DIRECTIONS FOR USE (continued)
REPEAT AS OFTEN AS NECESSARY
KILLING INSECTS**

FLIES, HOUSEFLIES, GNATS: Direct the spray toward the upper portions of the enclosure and fill the enclosure with mist, using 2 to 3 ounces of the product to each 1000 cubic feet of space. If possible, keep the doors and windows closed for 10 minutes after applying the spray.

CRAWLING INSECTS
(Exposed or accessible stages)

ROACHES, SILVERFISH, SPIDERS: Spray infested areas thoroughly and direct the liquid toward baseboards, moldings, cabinets, shelves, desks, and under lamps and plug and outlet covers, and into cracks, crevices, recesses and similar hiding places. Repeat as required.

ANTS: Treat shelves, cabinets and storage areas. Spray ant nests, trails, baseboards, thresholds and other places of entry, and treat nests liberally.

BEES, TICKS: Direct the spray toward lower wall portions, baseboards, rugs, carpets and floors of infested areas. Spray animal quarters, kennels and the bedding of pets and other domestic animals.

BEEDS: Apply liberally to top, ends, sides and bottom of mattresses, spraying all tuft seams and folds. Spray springs and frame directing the liquid into all cracks, crevices and bed joints. Spray walls, baseboards, moldings, doors, closets and bedroom furniture with special attention to protected bedding, hanging and breeding places.

CLOTHES MOTHS and CARPET BEETLES: Remove infested articles from storage, brush thoroughly and, if possible, air several hours in direct sunlight. Apply spray liberally to all surfaces of empty chests, closets, bureaus and trunks, directing the liquid into cracks, joints and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 2 feet away from the fabric and applying the liquid lightly to avoid the possibility of staining. Treat both sides of rug, carpets and pads and all exposed and accessible surfaces of over-stuffed furniture. Repeat application in 30 days for susceptible articles not stored in mothproof containers. For Carpet Beetles repeated liberal applications should be made to baseboards, corners and under furniture where these insects tend to congregate and cause damage.

STORED FOOD PESTS (Exposed stages of flour beetles, weevils, codmoths, grain beetles, meal moths, meal moths, skipper, grain and cheese moths): To avoid source of reinfestation, worms, pupae, grain and cereal should be destroyed before treatment. Spray thoroughly all surfaces of shelves, bins, baseboards, cabinets, pantries, larders and similar storage, with special attention to cracks, niches, crevices and other hiding places.

BEST AVAILABLE COPY

11/11/84 EPA # 3624-113