

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Avoid contact with eyes, skin or clothing. Avoid inhalation of vapors. Do not use while using and before using or smoking. Do not consume food or drink, do not use while using and before using or smoking. Do not consume food or drink, do not use while using and before using or smoking. Do not consume food or drink, do not use while using and before using or smoking. Do not consume food or drink, do not use while using and before using or smoking.

Do not use in food areas and remove the area after treatment is completed.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT spray into or near the eye. Do NOT smoke while spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label. Keep out of water streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

DIRECTIONS FOR USE

A complete list of Federal laws to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

- Do not consume water, food or food by storage or disposal.
- Open dumping is prohibited.
- Storage: Store in a cool, dry place. Keep container closed.
- PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on land or in water in accordance with Federal laws.
- Container disposal: If pesticide is empty, then dispose of in a secondary landfill or by other approved state and local process.
- Container disposal: If pesticide is not empty, then offer for recycling or reconditioning, or dispose of in a secondary landfill or by other approved state and local process.
- Container disposal: If pesticide is not empty, then offer for recycling or reconditioning, or dispose of in a secondary landfill or by other approved state and local process.
- Container disposal: If pesticide is not empty, then offer for recycling or reconditioning, or dispose of in a secondary landfill or by other approved state and local process.

This product is residual in action. Apply it only to surfaces specified herein. Do not use as a space spray. Application to generating surfaces or to surfaces which may become food zone surfaces must be avoided.

Before spraying this product clear all surfaces to be sprayed. Remove all food and ingredient debris from the area. Good sanitation is most important for good insect control.

ACCEPTED

SEP 04 1984



NOPROKILL-B

Contains 1% BAYGON

Will exposed stages of Roaches, Silverfish, Grocery Weevils, Rice Weevils, Corn Weevils, Flour Weevils, Flat Grain beetles, Indian Meal Moths, Confused Flour Beetle, Caddis.

Ready To Use Residual in Action For Baiting and Other Food Processing Plants

ACTIVE INGREDIENTS	
1-(piperonyl) methylcarbamate	1%
Petroleum Distillate	84%
INERT INGREDIENTS	
100%	15%

EPA Reg No. 311530
This label is used under license from Chemagro Corporation.
BAYGON is the registered trademark of FMC Technologies, Inc. a Chemical Corporation licensee.

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- If swallowed: Get a physician immediately. Gastric lavage is indicated if material was taken in large quantity. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat to repeat until vomit fluid is clear. Do not induce vomiting anything by mouth to an unconscious person.
- If on skin: Remove victim to fresh air. Apply respiration if indicated.
- If on skin: Wash immediately with soap and water.
- If in eyes: Flush eyes for at least 15 minutes with water. Get a physician immediately.
- If poisoning occurs: get prompt medical aid. Antagonists are none.

NET CONTENTS _____ GALLONS _____

EPA Reg No. 3624-133 MANUFACTURED BY
NOVA PRODUCTS, INC.
800 HICKORY • KANSAS CITY, MISSOURI 64101

PM12 1 of 1
3624-133

DIRECTIONS FOR USE (Continued)

Use a low pressure tank type sprayer. After filling the tank pump the pressure to 50 lbs. and reapply pressure when it falls to 32 lbs. Application should be made with an even up and down motion so that a film of liquid covers the desired surface to such an extent that the surface when freshly covered glistens but does not run. This practice will deposit approximately one gallon per 1000 square feet. A rough check should be made to determine the number of square feet covered by each application so that a correction may be made if the spray is being applied too lightly or too heavily. The nozzle should usually be held about 18 inches from the surface but experience will dictate the exact distance desirable.

Spray coverage should not extend more than 5 feet up the walls and about 18 inches out on the floor. In some basement areas it is desirable to spray the wall ceiling junction and the top surfaces of the station walls. The operator must apply the solution so that it does not come in contact with any of the ingredients or product zones or equipment features that may later become product zones should these be sprayed.

In addition to the wall floor areas indicated above, spray up the wall and 18 inches out on the floor. It is well to use an oil can or a jet if such an adjustment is available on the sprayer, to squirt insecticide behind cabinets and other wall obstructions where insects may hide or breed and into cracks and crevices and behind power outlets and switchboxes.

Repeat applications if necessary when plant is in operation.

Food processing plants which have pipe tunnels through which grain and other utilities enter the building facilities should have this tunnel sprayed through the top, bottom walls and pipes. Insulated pipes are a favorable hiding place for roaches.