PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful it swallowed. Food should be removed an covered during treatment. All food processing surface, should be covered during treatment or thoroughly created before use. When using the product in these areas, apply only when the facility is not in operation. Do not breathe spray mist war mask for respirator of a type recommended by the U.S. Bireau of Mines to give adequate station against this mater. Wear protective cirching. Mask hands arms and face with soap and water after handling and before eating or still y. Mosh as containing with soap and water before the use.

Remove petr, birds and cover fish aquar un's before spraying.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE POUR SPILL OR STORE NEAR HEAT OR OPEN FLAME

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Reep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal or wastes. Apply this product any as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food, or feed by storage or disputal

Open dumping is prehibited

Storage Store in a cool dry place Keep container closed

PESTICIDE DISPOSAL Wastes resulting from the use of this product may be a sposed of on site or or on incroved waste disposal facility.

Containers - Triple rinse or equivalent. Then dispose of in a sonitary and fill or by other approved and local pracedures.

Metal Containers—Triple rinse for equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a society landfill or by other approved state and local procedures.

Plastic Containers—Triple rinse or equivalent. Then after far recycling or reconditioning, or puncture and dispose of in a sanitary landfull, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smale

General Consult Federal, State or Local disposal cuthorities for approved attenuative procedures

Fogging Concentrate

FOR APPLICATION BY TRAINED PERSONNEL ONLY

For Use in Homes, Restaurants, Food Processing Plants, Warehouses, and Industrial Installations.

CTIVE INGREDIEN . 5:	, 100	Υ,							2
Pyrethrins		٠.	٠.	•	 •			• •	3
*Dinezonul historide, technical							• •	٠.	_
*N-petvi bicycloheptene dicarboximic	de .	•	•		 ٠.	•	٠.	• •	••
Petroleum distillate					 ٠.				81
• •									

*Equivalent to 4.8% (butylcarbityl) (6-propylpiperonyl) ether and 1.2% related compounds.

*MGK 264, Insecticide Synergist.

KEEP OUT OF THE REACH OF CHILDREN CAUTION

See side panels for additional precoutionary statements

EPA Reg. No. 3624-164

EPA Est No 3624-MO-1

MANUFACTURED BY

NOVA PRODUCTS, INC.

Reg no: 3624-164

PM-17

** ** ** DIRECTIONS FOR USE (Continued)

General: This Concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size, such as the LECO Mini ULV or Micro-Gen Micron Generator. It can be diluted with refined kerosenes withcit meet Food Additive Regulation 121,1182 and care be applied in fogging equipment that gives larger than aerosol pasticle with oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

Mix well in drum before sampling and each use.

Space Spray - Undiluted in Aerosol Generators - to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment, Apply at the rate of 1 oz of undiluted Concentrate per 1000 cu, ft, of space. Direct output from aerosol generator upward towards upper corners of room and ceiling. Leave room closed for 5 hour, Ventilate room thoroughly before re-entry. Do not apply this undiluted spray in facilities operating under USDA poultry, meat, rabbit and egg products inspection program.

Space Spray - Diluted for Ordinary Mechanical Fogging Equipment to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Apply at the rate of 50 fl. oz. dilute spray (0.4 gal.) per 25,000 cu. It of space. Direct fog upward towards upper corners of room and ceiling area. Leave room closed for 1/2 hour. Ventilate room thoroughly before re-entry

DIRECTIONS FOR USE (Continued)

Contact Spray - Diluted for Use with Sprayers that Wetting Spray Particles to Kill Cockroaches and Accop of Granary Insects. Granary Weevils, Rice Weevils, Cor Beetles, Red Flour Beetles, Meal Moth Larvae and Adu Grain Mites and Saw-Toothed Grain Beetles: Cover exposed food and close room as described above. Dilities with oil at the rate of 1 part Concentrate plus 29 parmix well. Spray outside walls of grain bins, flooring, a milling machinery walls and baseboards, areas flehi around pipes and other insect harbourages using—1 gi 1000 sq. ft. of space. Force spray into all cracks and creading accounts on as necessary.

Contact and Space Spray - Undiluted - to Kill (
Silverfish, Earwigs, Ants, Spiders, in Sheltered Situ.
ULV spraying device, apply the spray into all cracks
in woodwork, walls, floors, underneath sinks, behind
all places where these insects shelter. Contact as mai
possible. Do not allow spray to contact stored for
dosage rate of approximately '5 fl. oz, per 1000 cu.
space. Bepeat dosage as necessary for control. Leaclosed for one hour. Do not remain in treated areas
area before rejentry. Do not apply this undiluted spra
operating under USDA poultry, melit, rabbit and
inspection program.

Note: This spiny when diluted properly as described per the directions and cautions given above, conform Additive Regulations 121 1074, 121 1075 and 121 1 food additive tolerances established thereunder

ACCEPTED

Net Contents		Gallon
--------------	--	--------