

EPN-PA

0-1-81

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION**

Harmful if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Do not contaminate food or feedstuffs. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock. Do not permit children or pets to go onto the sprayed grass until spray has completely dried.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to water (lakes, streams or ponds). Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use, pour, spill, or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

**Prohibitions:** Do not contaminate water, food, or feed by storage or disposal. **Pesticide Disposal:** Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

**Container Disposal:** Metal (all sizes)—Triple rinse (or equivalent) and offer for recycling, recond (4 oz), or dispose of in a sanitary landfill, or by other approved State and local procedures.

Glass (all sizes)—Rinse (or equivalent) and offer for recycling, or dispose of in a sanitary landfill, or by other approved State and local procedures.

**General:** Consult Federal, State or local机关 of authorities for applicable alternative procedures.

ACTIVE INGREDIENTS	2,2-bis (o-methoxyphenyl)-1,1,1-trichloroethane	25.0%
by weight		21.0%
INERT INGREDIENTS		4.9%
		100.0%

\*Equivalent to 22% 2,2-bis (o-methoxyphenyl)-1,1,1-trichloroethane and 23% other isomers and related compounds.

3624-170

DATE ISSUED	EXPIRATION DATE
UNLAWFUL, FEDERAL, STATE, LOCAL, AND LOCAL GOVERNMENT USE	GOVERNMENT USE
IF SWALLOWED, DO NOT INDUCE VOMITING; IF IN EYES, RINSE WITH WATER AND THEN INJURE TO BACK OF EYE. IF ON SKIN, WASH WITH SOAP AND WATER. IF INHALED, DO NOT TRY TO REBREATHE THE AIR. IF BY ACCIDENT, DO NOT TRY TO REBREATHE THE AIR.	
IF IN EYES—WASH WITH WATER AND RINSE THOROUGHLY. IF ON SKIN—WASH WITH SOAP AND WATER. IF INHALED—DO NOT TRY TO REBREATHE THE AIR.	
IF IN EYES—WASH WITH WATER AND RINSE THOROUGHLY. IF ON SKIN—WASH WITH SOAP AND WATER. IF INHALED—DO NOT TRY TO REBREATHE THE AIR.	

BEST DOCUMENT AVAILABLE

**3. Mitteiungen — 213, F. 125.**

Editor, Technical	25.0%
Editor, General	71.0%
Editor, Special	4.0%
Total	100.0%

**22% 2,2-bis (p-methoxyphenyl)-1,1,1-trichloroethane  
other isomers and related compounds.**

~~2 OUT OF REACH OR CROWN?~~

## AMENT OF PRACTICAL TREATMENT

**Caution:** Gastric lavage is indicated if vomit is black.  
DO NOT INDUCE vomiting unless there is no sign of aspiration  
by cause of irritation present. If it is necessary to induce vomiting,  
one or two glasses of water and then finger in tube at first  
if very fluid is eaten. Do not induce vomiting on the suspicion by  
a nurse of food poison.  
to fresh air. Apply respiration if indicated.  
stomach with soap and water. If  
at least 10 minutes with.  $\frac{1}{2}$  oz. Cellulose phosphate  
soak paraffin for one hour prior to administration.

22. 9. 2011 10:45 AM  
23. 9. 2011 10:45 AM  
24. 9. 2011 10:45 AM

**SECOND STAY:** In dairy barns, milk houses, and stable floors, the entire surface of the floor, beams, joists, floor boards, and ceiling, should be painted with a water and soap mixture of one part water to one part soap. This mixture should be applied with a brush or roller, and dried by the sun or by a fire. If the floor is made of wood, it should be planed down to a thickness of one-half inch. The floor should be washed with a strong soap solution, and dried by the sun or by a fire. The floor should be painted with a water and soap mixture of one part water to one part soap. This mixture should be applied with a brush or roller, and dried by the sun or by a fire. The floor should be washed with a strong soap solution, and dried by the sun or by a fire.

DO NOT APPLY UNTIL 2000 HRS ON DAY OF  
THE SPRAY OR ON THE PREVIOUS DAY. If the control  
of weeds by spraying is unsatisfactory, repeat application, at least, after 10 days.  
Leave a 4-foot buffer zone between treated areas and untreated areas.  
The application of other herbicides or insecticides  
while application is in progress or 10 days of application  
are prohibited. Repeat application in 10 days if  
needed. If no alternate crop rotations are needed,  
allow 14 days between for application and  
harvest.

**FOR CONTROL OF ELA DARK BEETLES  
(CARRIERS OF CUCURBITA DISEASE)**

**BONNAN'S RECOMMENDATION:** Apply Methoxychlor at 1/2 lb./100 gallons of water, when using a mist blower or apply Methoxy-chlor, spray (1/2 lb./100 gallons) with 100 gallons of water, when using a hydraulic force sprayer, or by hand spraying the leaves, drop by drop, to insure the appearance of a fine spray, up to the disappearance of the leaves, usually about 1 month, or from late June through November, spraying all back surfaces of the leaves and the upper surface, 2 to 3喷射s or sprayings when using a mist blower, and spraying 2 to 3 times if each spray is applied with a hand sprayer. Sprays are also to be applied during periods of favorable rainfall.

25. 26. 27. 28. 29. 30. 31. 32. 33. 34.

**BEST DOCUMENT AVAILABLE**