

OXFORD STERI-PHENE

Disinfectant - Deodorant - Cleaner
Bactericidal • Fungicidal

DESCRIPTION

STERI-PHENE is a versatile multiple-phenolic disinfectant and cleaner for complete area sanitation, including surgery, patient rooms, clinics, laboratories, washrooms, dispensary, rest rooms, and all general areas.

STERI-PHENE is recommended for all types of floors, walls, woodwork, porcelain, tile, marble, metal and painted surfaces not injured by water.

A.O.A.C. USE DILUTION CONFIRMATION TESTS, ELEVENTH EDITION

Staphylococcus aureus	1:100
Salmonella choleraesuis	1:100
Pseudomonas aeruginosa (PRD-10)	1:100

A.O.A.C. OFFICIAL FUNGICIDAL TEST, ELEVENTH EDITION

Trichophyton interdigitale 1:100

ACTIVE INGREDIENTS26.43%
 Isopropanol, 12.00%; Potassium, Laurate, Myristate and related compounds, 6.58%; 4 and 6 Chloro - 2 Phenylphenol, 2.70%; Triethanolamine Laurate, Myristate and related compounds, 2.42%; Ortho-Phenylphenol, 1.90%; 4-Chloro - 2 - Cyclopentylphenol, 0.48%; Tetrapotassiummethylenediaminetetraacetate, 0.40%
INERT INGREDIENTS73.52%

EPA Reg. No. 3635-118

CAUTION

Keep Out Of Reach Of Children

Harmful if taken internally. Avoid contact with eyes and contact with skin. In case of contact with eyes, flush with water for 15 minutes and get medical attention if irritation persists. Wash after using. Avoid contamination of food.

Do not reuse empty drums. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

DIRECTIONS

1. For disinfecting and deodorizing floors, walls, woodwork, equipment, nurseries, rest rooms, toilet seats, urinals and bedpans: Clean surfaces to be disinfected with a suitable detergent and rinse with potable water. Mop, swab, brush or spray a solution of 1¼ oz. STERI-PHENE per gallon of water onto surfaces. Cover surfaces thoroughly with solution and allow to remain in contact with surfaces 10 minutes. For porous surfaces, increase concentration to 2½ oz. per gallon of water.

2. Disinfecting of kitchen tables, drainboards, tile, linoleum, soda fountains, refrigerator cars, and garbage cans: Clean surfaces to be disinfected with a suitable detergent and rinse with water. Mop, swab, brush, or spray a solution of 1¼ oz. of STERI-PHENE per gallon of water onto surface. Allow to remain in contact with surfaces 10 minutes. For porous surfaces, increase concentration to 2½ oz. per gallon of water. Rinse all surfaces coming in contact with food with potable water before re-use.

3. Prophylactic agent in preventing transmission of athlete's foot fungi: Prepare a solution of 1¼ oz. of STERI-PHENE per gallon of water. Mop or swab this solution onto floors and other surfaces normally contacted by the feet in locker rooms, shower stalls, and around swimming pools.

OXFORD

CHEMICALS



OXFORD CHEMICALS COMPANY
NEW YORK, N.Y. 10013

ACCEPTED

8-4-72

3635-118

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO.

Comment

3635-118

OXFORD STERI-PHENE DISINFECTANT – DEODORANT

PURPOSE

An effective disinfectant and deodorant with a clean, antiseptic fragrance to kill and control most pathogenic microorganisms on environmental surfaces. Destroys many odor producing bacteria and aids in preventing transmission of athlete's foot fungi on inanimate surfaces.

WHERE USED

Institutions, industrial plants, hospitals, nursing homes, athletic departments, animal care centers, rest rooms, public buildings, laboratories, schools, hotels, motels and wherever economical disinfection and surface odor control is desired.

SURFACES APPLICABLE

All types of floors, walls, woodwork, porcelain, composition and ceramic tile, metals and painted surfaces not harmed by water.

CHEMICAL PROPERTIES

Contains isopropanol, potassium laurate and myristate, 4 and 6 chloro - 2-phenyl phenol, triethanolamine laurate and myristate, ortho-phenylphenol, 4-chloro-2-cyclopentylphenol, tetrapotassiummethylenediaminetetraacetate, sodium sulfite and water.

PHYSICAL PROPERTIES

Color Straw
 Odor Phenolic, alcoholic
 Specific Gravity 8.34 lbs/gal at 77° F.
 Stability Clear & Single phase between
 32° and 120° F.
 Viscosity Thin
 pH Concentrate 10.0–10.5
 Flash Point (COC) 105° F. Minimum

BIOCIDAL PROPERTIES

A.O.A.C. Use Dilution Confirmation Test, 11th Edition
 Staphylococcus Aureus 1:100
 Salmonella Choleraesuis 1:100
 Pseudomonas Aeruginosa (PRD-10) 1:100
 A.O.A.C. Official Fungicidal Test, 11th Edition
 Trichophyton Interdigitale 1:100

DIRECTIONS

1. For disinfecting and deodorizing floors, walls, woodwork, equipment, nurseries, rest rooms, toilet seats, urinals and bedpans: Clean surfaces to be disinfected with a suitable detergent and rinse with potable water. Mop, swab, brush or spray a solution of 1¼ oz. Steri-Phene per gallon of water onto surfaces. Cover surfaces thoroughly with solution and allow to remain in contact with surfaces 10 minutes. For porous surfaces, increase concentration to 2½ oz. per gallon of water.
2. Disinfecting of kitchen tables, drainboards, tile, linoleum, soda fountains, refrigerator cars, and garbage cans: Clean surfaces to be disinfected with a suitable detergent and rinse with water. Mop, swab, brush, or spray a solution of 1¼ oz. of Steri-Phene per gallon of water onto surface. Allow to remain in contact with surfaces 10 minutes. For porous surfaces, increase concentration to 2½ oz. per gallon of water. Rinse all surfaces coming in contact with food with potable water before re-use.
3. Prophylactic agent in preventing transmission of athlete's foot fungi: Prepare a solution of 1¼ oz. of Steri-Phene per gallon of water. Mop or swab this solution onto floors and other surfaces normally contacted by the feet in locker rooms, shower stalls, and around swimming pools.

HANDLING

See Product Label

ADVANTAGES

- Effective Disinfectant–Deodorant
- Kills And Controls Many Disease Producing Organisms, Including Athlete's Foot Fungi
- Safe For All Types Of Surfaces Not Harmed By Water
- Economical