

OPHENE 15 is recommended for use in fogging operations to reduce airborne bacteria. Fogging with 2 ounces of OPHENE 15 to 1 gallon of water 6 minutes per 1000 cubic feet of space will effectively reduce bacteria. Allow a minimum of two hours after fogging has stopped before room can be occupied.

DIRECTIONS

- 1. For disinfecting and cleaning in meat and poultry production, such as in processing of meat, poultry, turkeys, and equipment, dilute OPHENE 15.1 ounce to 1 gallon of water (1:128). Wipe, mop or swab all surfaces with solution. Leave in contact 10 minutes. Rinse all surfaces coming in contact with food with potable water before re-use.
- 2. For non-food disinfection of laying and broiler houses and hatcheries: Do not use in milking stalls, milking parlors or milk houses. Bernove all animals, poultry and feeds from the premises. Remove all litter and manure from floors and other surfaces. Empty all feeding and watering troughs and appliances. Saturate all surfaces with a 1:128 solution. Ventilate buildings and other closed spaces. Do not house poultry, livestock or employ equipment until treatment has been absorbed or dried. All treated feed racks, waterers and fountains must be thoroughly scrubbed with detergents and rinsed with potable water prior to reuse.
- 3. For general cleanup in food processing plants, patient rooms, surgery, nursing homes, all animal facilities, on walls, floors, equipment, use 1 ounce per 1 gallon of water (1:128). Cover surfaces thoroughly with solution and allow to remain in contact 10 minutes. For porous surfaces, increase concentration to 2 ounces per gallon. Rinse all surfaces coming in contact with food with potable water before re-use.
- 4. For disinfecting and deodorizing garbage and trash receptacles, carts and sick room equipment, use 1 ounce of OPHENE 15 to 1 gallon of water (1 part to 128 of water).
- 5. OPHENE 15 is a prophylactic agent in preventing transmission of athlete's foot fungi. Prepare a solution of 1 ounce per 1 gallon of water;

OPHENE 15

BACTERICIDAL DETERGENT

A concentrated one-step cleaner and powerful disinfectant-deodorant of proven effectiveness. The combination of multiple germicides and high active ingredients provides an effective one-step method of disinfecting and cleaning at a dilution of 1 ounce to 1 gallon of water (1:128).

FOR USE IN SANITATION IN MEAT AND POULTRY PRODUCTION — FOOD PROCESSING — HOSPITALS — ANIMAL AND POULTRY CARE — VETERINARY.

VIRICIDAL - SALMONELLACIDAL - STAPHYLOCIDAL - TUDER CULOCIDAL - FUNGICIDAL - PSEUDOMONACIDAL - CONDUCTIVE

ACTIVE INGREDIENTS: Isopropanol, 12.00°; Potassium laurate, 11.15 tate and related compounds, 11.80%; Paratertiary butylphenol, 3.45%; ortho-phenylphenol, 3.45%; 4-Chloro 2-cyclopentylphenol, 1.87%; Tetrasodium ethylenediaminetetraacetate, 1.0%; Essential oils, 0.40%.

INERT INGREDIENTS: 66.03%.

USDA Reg. No. 3635-129

DANGER

Keep Out Of Reach Of Children

Harmful if swallowed. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. In case of contact, flush with water for 15 mintues and get medical attention if irritation persists. For eyes, flush thoroughly and get medical attention. Wash after using. Avoid contamination of food. Avoid inhalation of fogging mist.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

Net Contents _____ Gallons

otassium laurate, m, ms
rybutylphenol, 3.45%;
rlphenol, 1.87%; Tetral oils, 0.40%.

ildren
irritation. Do not get in
flush with water for 15
ersists. For eyes, flush
h after using. Avoid
mist.
inditioner or destroy by

mo

arn

A.C Sta

Salı

Pse

A.C

Tric

OPI

her

1:1

OPI

cau

A.O

Salı

Salı

Sali

Salr

OPI

 Δ Ω

Pro

Stre

Esc

A O

Myc

OPF

OP

uue

pro

Nat

E 7:

OPHENE 15

BACTERICIDAL DETERGENT

A concentrated one-step cleaner and powerful disinfectant-deodorant of proven effectiveness. The combination of multiple germicides and high active ingredients provides an effective one-step method of disinfecting and cleaning at a dilution of 1 ounce to 1 gallon of water (1:128).

FOR USE IN SANITATION IN MEAT AND POULTRY PRODUCTION — FOOD PROCESSING — HOSPITALS — ANIMAL AND POULTRY CARE — VETERINARY.

VIRICIDAL - SALMONELLACIDAL - STAPHYLOCIDAL - TUBER CULOCIDAL - FUNGICIDAL - PSEUDOMONACIDAL - CONDUCTIVE

ACTIVE INGREDIENTS: Isopropanol, 12.00°c; Potassium Qurate, 11, 13 tate and related compounds, 11.80%; Paratertiarybutylphenol, 3.45%; ortho-phenylphenol, 3.45%; 4-Chloro 2-cyclopentylphenol, 1.87%; Tetrasodium ethylenediaminetetraacetate, 1.0%; Essential oils, 0.40%. INERT INGREDIENTS: 66.03%.

USDA Reg. No. 3635-129

DANGER

Keep Out Of Reach Of Children

Harmful if swallowed. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. In case of contact, flush with water for 15 mintues and get medical attention if irritation persists. For eyes, flush thoroughly and get medical attention. Wash after using. Avoid contamination of food. Avoid inhalation of fogging mist.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

| Net | Contents | G | allons |
|-----|----------|---|--------|
| | | | |

PTED

mop or swab this solution onto floors and other surfaces normally contacted by the feet in locker rooms, shower stalls, bathrooms around swimming pools.

| Wild Standing Pools. | | | | | |
|---|-----------|--|--|--|--|
| A.O.A.C. USE DILUTION METHOD, 11th EDITION | | | | | |
| Staphylococcus aureus | 1:128 | | | | |
| Salmonella chole: aesuis | 1:128 | | | | |
| Pseudomonas aeruginosa (PRD-10) | 1:128 | | | | |
| • | 1.120 | | | | |
| A.O.A.C. OFFIC AL FUNGICIDAL TEST, 11th EDITION | 4 400 | | | | |
| Trichophyton interdigitale | 1:128 | | | | |
| OPHENE 15 is a viricidal agent against lipophilic viruses, | such as | | | | |
| herpesviruses (strain HF) and influenza A2/Aichi/2/68 (Hong | Konn) at | | | | |
| 1:128 dilution. | itong, ut | | | | |
| OPHENE 15 is Salmonellacidal - effective against the organism | me which | | | | |
| cause pullorum disease, fowl typhoid, and paratyphoid. | | | | | |
| | | | | | |
| A.O.A.C. USE-D-LUTION METHOD, 11th EDITION | | | | | |
| Salmonella pullo: um | 1:128 | | | | |
| Salmonella typhi nurium | 1:128 | | | | |
| Salmonella typhrisa | 1:128 | | | | |
| Salmonella choleraesuis | 1:128 | | | | |
| OPHENE 15 is also effective against the following organisms | using the | | | | |
| A O A.C. USE-D'LUTION METHOD, 11th EDITION: | using the | | | | |
| | 1.100 | | | | |
| Proteus vulgaris | 1:128 | | | | |
| Streptococcus mitis | 1:128 | | | | |
| Escherichia coli | 1:128 | | | | |
| A G.A.C. TUBERCULOCIDAL TEST | | | | | |
| Mycobacterium tuberculosis | 1:128 | | | | |
| , | 20 | | | | |

OPHENE 15 removes mildew stains from hard surfaces.

OPHENE 15 is conductive — may be used on conductive floorings as it uses not interfere with electrical conductivity, as specified in the procedures in accordance with Paragraph 252, "Conductive Flooring of the National Board of Fire Underwriters," Specification No. 56.

MANUFACTURED BY

E 72

THD BA

