

OXFORD WK-70

WATER EMULSIFIABLE WEED KILLER

Contains ¼ pound of Monuron Trichloroacetate per Gallon
For General Weed Control on Non-Crop Lands and Paved Areas

DIRECTIONS

NON-CROP AREAS

For use on Non-crop land such as Right-of-Ways, Industrial Plants, Lumber Yards, Tank Farms, Storage Areas, and Parking Lots for control of most annual and perennial grasses and broadleaved weeds. The effectiveness and length of time that control will last will depend on type of soil, amount of rain and other conditions.

RATE: Under ordinary conditions use at the rate of 2 to 4 gallons per 1000 square feet (1-3/5 to 3-1/5 pints per 100 square feet). Under conditions where the weeds are difficult to control, use at the rate of 6 gallons per 1000 square feet (4-4/5 pints per 100 square feet).

HOW TO APPLY: May be diluted with water in order to obtain even distribution over treated area. Once diluted with water apply within a reasonable length of time. Use a sprayer which will distribute the required amount evenly over the area to be treated. Use a coarse spray to reduce drift.

Application may be made when top growth is dense, but better control will be obtained when weeds are short or when excess growth is mowed and removed before applying.

ACTIVE INGREDIENTS: Monuron Trichloroacetate (3-(p-chlorophenyl)-1, 1-dimethylurea trichloroacetate) 3.19%
Aromatic Petroleum Derivative91.76%
INERT INGREDIENTS 5.14%

EPA Reg. No. 3635-135

CAUTION

KEEP OUT OF REACH OF CHILDREN

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME

HARMFUL IF SWALLOWED IRRITATING TO SKIN AND EYES

WHEN TO APPLY: Best results will be obtained if applied shortly before or at the time plant growth begins. Rain or thorough watering after application will cause the material to move to the root zone and thus speed up control.


NOTE: Do Not apply to drift or drain or flush equipment onto or near croplands, lawns, trees or other desirable plants or to areas where their roots may extend. Do Not Contaminate irrigation ditches or water used for domestic purposes. Do Not allow contact with fertilizers, insecticides, fungicides or seeds. Application equipment should be thoroughly cleaned with a detergent and water to prevent corrosion. Equipment which had been used to apply this product should not be used for applying insecticides, fungicides, fertilizers or other agricultural chemicals as plant injury may result.

DESTROY CONTAINER WHEN EMPTY

Flush out thoroughly with water and drain where flush water can be run off without harm. Destroy container so that it may not be used again for any purpose and dispose of it at some location where no attempt to salvage will be made.

Do not get on skin, in eyes or on clothing. In case of contact, immediately wash skin with plenty of water; for eyes, wash with water for at least 15 minutes and get medical attention.

C72



U.S. Patents No. 2,782,112 and 2,801,911

WK-5

OXFORD WK-70

WATER EMULSIFIABLE WEED KILLER

Contains 1/2 pound of Monuron Dichloroacetate per Gallon
For General Weed Control on Non-Crop Lands and Paved Areas

DIRECTIONS

NON-CROP AREAS
For use on Non-crop land such as Right-of-Ways, Industrial Plants, Lumber Yards, Tank Farms, Storage Areas, and Parking Lots. For control of weeds, grasses, and other plants that control will last for 3 to 4 weeks. Control will last longer in rain and other conditions.

RATE: Other conditions: 1/2 gallon per 1000 square feet. For control of weeds, grasses, and other plants that control will last for 3 to 4 weeks. Control will last longer in rain and other conditions.

HOW TO APPLY: Apply to the soil surface. Obtain even distribution over the area. Water thoroughly after application. Water will distribute the material over the area. For the treatment of weeds, grasses, and other plants. Application may be made by hand or with a sprayer. Better control will be obtained if the material is applied to the soil surface.

BEST DOCUMENT AVAILABLE

Patent No. 2635-135

CAUTION

KEEP OUT OF REACH OF CHILDREN

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME

HARMFUL IF SWALLOWED. IRRITATING TO SKIN AND EYES

WHEN TO APPLY: Best results will be obtained if applied shortly before or at the time plant growth begins. Rain or thorough watering after application will cause the material to move to the root zone and thus speed up control.

NOTE: Do Not apply to drift or drain or flush equipment. Do not apply to areas where their roots may extend. Do Not contaminate irrigation systems or water used for domestic purposes. Do Not allow contact with fertilizers, insecticides, fungicides, herbicides, or other agricultural chemicals as plant injury may result.

DESTROY CONTAINER WHEN EMPTY
Flush out thoroughly with water and drain where flush water can be run off to the ground. Destroy container so that it cannot be reused for any purpose and dispose of it at an approved location where it is to be salvaged.

Do not get on face, eyes, or clothing. If contact occurs, wash with plenty of water. For eye contact, wash with water for at least 15 minutes and get medical attention.

C72

ACCEPTED

Apr. 26, 1972

231-731

Patent Nos. 2,752,112 and 2,801,411

WK-5