

Duocide

AQUEOUS PRESSURIZED SPRAY INSECTICIDE 0.50

A new synthetic pyrethroid for controlling the following household flying and crawling insects: housefly, mosquito, gnats, wasps, roaches, ants, earwigs, spiders, grain mites, sowbugs and centipedes.

ACTIVE INGREDIENTS

*† 5-Benzy(3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	0.500%	w/w
Related Compounds	0.068%	
Aromatic petroleum hydrocarbons	0.664%	

INERT INGREDIENTS 98.768%

*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.

EPA Reg. No. 3635-170

CAUTION

KEEP OUT OF REACH OF CHILDREN


See Back Panel for Additional Cautions

Net Weight 16.5 oz. (1 lb. 0.5 oz.)

OXFORD

CHEMICALS

P.O. BOX 80202
ATLANTA, GEORGIA 30341

 A CONSOLIDATED FOODS COMPANY
RESPONSIVE TO CONSUMER NEEDS

0771

SHAKE WELL BEFORE EACH USE. Aim spray opening away from person.

FOR HOUSEFLIES, MOSQUITOES, AND GNATS: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

WASPS: Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

FOR CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

WARNING—CONTENTS UNDER PRESSURE

Do not remain in treated areas and ventilate the area after treatment is completed. Contents under pressure. Do not puncture. Do not store near heat or open flame. Exposure to temperatures above 130° Fahrenheit may cause bursting. Never throw container into fire or incinerator.

AVOID CONTAMINATION OF FEED AND FOOD-STUFFS.

Foods in food processing plants should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when plant is not in operation.

ACCEPTED

SEP 30 1971

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. SUBJECT
TO ATTACHED COMMENTS.

3635-170