



ACTIVE INGREDIENTS:

*+(5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate ... 0.250%;
Related compounds ... 0.034%; Pyrethrins ... 0.150%;
**Piperonyl butoxide technical ... 0.600%; Aromatic petroleum hydrocarbons ... 0.331%; Petroleum distillate ... 18.625%.

INERT INGREDIENTS: 80.510%

*Cis trans isomers ratio: max 30% (+) cis and min. 70% (+) trans.

U.S. Patent No. 3,465,007.

**Equivalent to 0.48% (Butylcarbityl) (6-propylpiperonyl) ether and 0.12% related compounds

EPA Reg. No. 3635-194
EPA Est 3635-GA-1

CAUTION

Harmful if swallowed. Remove fish, birds and other pets from area to be sprayed. Avoid contamination of feed and foodstuffs. Use in food processing plants only when plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Avoid breathing vapor.

**KEEP OUT OF REACH OF CHILDREN
READ CAREFULLY ADDITIONAL
CAUTIONS ON REAR PANEL**

NET CONTENTS 1 LB. 0.5 OZ.



PO BOX 80202 • ATLANTA GEORGIA 30344

A CONSOLIDATED FOODS COMPANY • RESPONSIVE TO CONSUMER NEEDS

especially recommended for use in industrial plants, offices, hotels and motels, apartment houses, hospitals and transportation facilities. It is also recommended for areas where food is processed or handled: meat packing plants, poultry plants, canneries, breweries, food processing plants and eating establishments.

DIRECTIONS FOR USE

Remove protective cap. Aim spray opening away from person. Push button to spray.

For houseflies, mosquitoes, and gnats: Close all doors and windows. Point nozzle upward, direct spray mist to all parts of room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

Wasps: Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

For crawling insects: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insect where possible.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Fleas: Protect dogs and cats from fleas by spraying their resting areas. Hold spray nozzle about 18 inches from area to be treated. Apply spray at the rate of two seconds per linear foot. Direct spray on resting areas and floor around these areas. Treat bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F. may cause bursting. Never throw container into fire or incinerator.

KEEP OUT OF REACH OF CHILDREN

174

ISC-73

