

20  
GENT

pseudomonacidal -  
Conductive.

50%, Tetrasodium  
dium xylene sulfo-  
prophenate, 4.67%,  
%; Sodium ortho-

74.13%

**CHILDREN**

uses eye and skin  
not get in eyes, on  
ber gloves when  
void inhalation of  
tact, immediately  
r for at least 15  
ve and wash con-  
swallowed, drink  
hites, gelatin solu-  
large quantity of  
ian immediately.  
damage may con-  
res against circula-  
onsulsion may be

NEAR HEAT OR

water and discard it

GALLONS

1220 at two (2) ounces per one (1) gallon of water and follow the non-food use directions in No. 2.

5. Oxford 1220 is a prophylactic agent in preventing transmission of athlete's foot fungi on environmental surfaces: Prepare a solution of one (1) ounce per one (1) gallon of water, mop or swab this solution onto floors and other similar hard surfaces normally contacted by the feet in locker rooms, shower stalls, bathrooms and around swimming pools.

For use in Sanitation in Meat and Poultry Production - Food Processing Hospitals Animal and Poultry Care Veterinary.

A concentrated one step cleaner and disinfectant deodorant of proven effectiveness. The combination of multiple germicides and high active ingredients provides an effective one-step method of disinfecting and cleaning at a dilution of one (1) ounce to one (1) gallon of water (1:128).

OXFORD 1220 is conductive may be used on conductive flooring as it does not interfere with electrical conductivity, as specified in the procedures with Paragraph 252, "Conductive Flooring of the National Board of Fire Underwriters", Specification No. 56.

OXFORD 1220 effectively cleans, disinfects and deodorizes equipment, walls, floors, and similar hard surfaces not harmed by water.

OXFORD 1220 is virucidal against Influenza A2 (Aichi) virus on inanimate environmental surfaces at 1:128 dilution.

**A.O.A.C. TUBERCULOCIDAL TEST, TWELFTH EDITION**

Mycobacterium tuberculosis 1:128

**A.O.A.C. FUNGICIDAL TEST, TWELFTH EDITION**

Trichophyton interdigitale 1:128

OXFORD 1220 is germicidal in the AOAC Use Dilution Method, 12th Edition at 1:128 against the following organisms: Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa (PRD 10), Salmonella pullorum, Salmonella typhimurium, Salmonella typhosa, Proteus vulgaris, Streptococcus mitis, Escherichia coli.



D.C.T.: CORROSIVE MATERIAL  
I.C.C.: LIQUID CLEANING COMPOUND

Staphylocidal — Pseudomonacidal — Fungicidal

**DIRECTIONS**

1. For disinfecting, cleaning, and deodorizing hard surfaces and equipment in hospitals and food processing plants, use a solution 1/2 oz. per gallon (1:256). Mop, wipe or swab this solution on surfaces. Leave in contact 10 minutes. All surfaces coming into contact with food must be thoroughly scrubbed with detergent and rinsed with potable water before reuse.
2. For disinfecting and cleaning empty garbage and trash receptacles, sick room equipment, floors and walls in patient rooms, use 1/2 oz. of 1217 to 1 gallon of water (1:256) dilution. For porous surfaces, increase concentration to 1 oz. per gallon of water. Treated food contact surfaces must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse.
3. For non-food disinfection in animal and poultry houses, hatcheries, stockyards, zoos and veterinary animal hospitals. Do not use in milking stalls, milk parlors or milk houses. Remove all poultry, animals and feeds from the premises. Remove water troughs and feed racks. Saturate all surfaces with a solution of 1/2 oz. of 1217 per gallon (1:256). Ventilate buildings and other closed spaces. Do not house poultry, livestock or use equipment until treatment has been absorbed or dried. All treated feeders, fountains and waterers must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse.
4. 1217 is recommended for sanitizing surfaces in fogging operations as an adjunct to acceptable manual cleaning and disinfecting of room surfaces. Fogging with 1 oz. to 1 gallon at 6 minutes per 1000 cubic feet of closed space prior to manual cleaning and disinfecting aids in reducing cross-contamination from environmental surfaces. Wait two hours before entering areas which have been fogged. Before fogging in food processing areas, all food and food packaging items must be removed or carefully protected. Treated food contact surfaces must be thoroughly scrubbed with detergent and rinsed with potable water prior to reuse. For fogging in poultry or livestock areas, refer to the non food use directions in No. 3.

# OXFORD 1217

## Disinfectant — Detergent

**ACTIVE INGREDIENTS:** Isopropanol, 11.30%; Sodium xylene sulfonate, 4.40%; Sodium ortho-benzylpara-chlorophenate, 4.54%; Sodium parateritary butylphenate, 8.98%; Tetrasodium ethylenediaminetetraacetate, 3.80%; Sodium ortho-phenylphenate, 4.20%.

**INERT INGREDIENTS:** 62.78%

### DANGER

#### KEEP OUT OF REACH OF CHILDREN

**CORROSIVE:** Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of foods.

#### FIRST AID


In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. **AVOID ALCOHOL.** Call a physician immediately. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

EPA Reg. No. 3635-211  
EPA Est. 3635-GA-1

NET CONTENTS \_\_\_\_\_ GALLONS  
0C76 \_\_\_\_\_ PHD 27



Salmonellacidal—Tuberculocidal — Conductive

5. 1217 is a prophylactic agent in preventing transmission of athlete's foot fungi on environmental surfaces. Prepare a solution of 1/2 oz. per gallon of water (1:256), mop or swab this solution onto floors and other surfaces normally contacted by the feet in locker rooms, shower stalls, bathrooms and around swimming pools.

6. 1217 is conductive — may be used on conductive flooring, as it does not interfere with electrical conductivity, as specified in the procedures in accordance with Paragraph 252, "Conductive Flooring of the National Board of Fire Underwriters", Specification No. 56.

OXFORD 1217 is recommended for use in hospitals, nursing homes, food processing plants, animal and poultry houses, hatcheries, and veterinary animal hospitals. At 1/2 oz. per gallon of water 1217 can be used to disinfect equipment, walls, floors and any hard inanimate surfaces not harmed by water.

1217 is virucidal against Newcastle Disease virus, Influenza A<sub>2</sub> (Aichi) and Herpes Simplex virus at 1:256 dilution on inanimate environmental surfaces.

In the AOAC Use Dilution Method, 12th Edition, Oxford 1217 will kill the following organisms at 1:256 dilution (1/2 oz. per gallon of water): Staphylococcus aureus; Salmonella choleraesuis; Pseudomonas aeruginosa (PRD-10); Salmonella pullorum; Salmonella typhimurium; Salmonella typhosa; Proteus vulgaris; Streptococcus mitis; Escherichia coli.

#### A.O.A.C. TUBERCULOCIDAL TEST, TWELFTH EDITION

Mycobacterium tuberculosis 1:256

#### A.O.A.C. FUNGICIDAL TEST, TWELFTH EDITION

Trichophyton interdigitale 1:256

**ACCEPTED**  
6-17-76  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR THE YEAR 1975  
REGISTERED  
UNDER NO. 3635-211

D.O.T. CORROSIVE MATERIAL  
I.C.C. LIQUID CLEANING