

...AGRICULTURAL CHEMICALS, INC., KINGSTREE, S. C. 29556

101 BRAND
TRADE MARK REGISTERED
NET WEIGHT 5 LBS.

TOMATO DUST

RECOMMENDED AS A CONTROL FOR
EARLY AND LATE BLIGHT OF TOMATOES AND
POTATOES, AND DOWNEY MILDEW OF CUCUMBERS
AND CANTALoupES

DIRECTIONS: Dust plants thoroughly, covering upper
and lower leaf surfaces, every week to ten days de-
pending on the weather. Repeat applications immedi-
ately after heavy rains. Make 25 to 50 pounds per acre
applications, depending on the size of the plants.

ACTIVE INGREDIENTS:

Copper (in basic copper sulfate) expressed as metallic.....	7.00%
INERT INGREDIENTS.....	93.00%
	100.00%

CAUTION: Avoid breathing dust. Avoid contamination
of food stuffs. Keep away from children and domestic
animals.

NON WARRANTY: Seller makes no warranty expressed
or implied, concerning the use of this material. Buy-
er assumes all risk and liability for results obtained
from use or handling of this material whether in ac-
cordance with directions or claimed so to be.

MIKE, Inc.
Newland, N. C.

Division of Southern Agricultural Chemicals, Inc.
Kingstree, South Carolina

The Sign of Quality



Southern
AGRICULTURAL CHEMICALS, INC.

POST OFFICE DRAWING NO. 17
Kingstree, S. C. 29556

101 BRAND
 TRADE MARK REGISTERED
 NET WEIGHT 5 LBS.

TOMATO DUST

RECOMMENDED FOR EARLY AND LATE POTATOES AND OTHER VEGETABLES. CONTROL FOR TOMATO AND CUCUMBER BEECHMOTH AND OTHER PESTS.

DIRECTIONS: Dust plants thoroughly, covering upper and lower surfaces, weekly, week to ten days depending on weather. If rain occurs immediately after application, re-apply. Use 50 pounds per acre depending on the size of the plants.

ACTIVE INGREDIENT	basic copper carbonate	7.00%
INERT INGREDIENTS	93.00%
		<u>100.00%</u>

CAUTION: Avoid breathing dust. Avoid contact with eyes.

W. H. ...
 Raleigh, N. C.