


Southern

AGRICULTURAL CHEMICALS, INC.



The Sign of Quality



POST OFFICE DRAWER 527

Kingstree, S. C. 29556

101 BRAND INSECT CONTROL:

These recommendations are expressed in terms of actual endrin per acre, use the following table to determine the amount of this product required: Use 10 to 20 gallons of water per acre.

Thrips, Cotton Flea Hopper, Rapid Plant Bug, Tarnished Plant Bug

Recommended dosage:	Amount of this product Required:
Early season control 1/2 pint/acre	1 gallon in sufficient water to cover 24 acres
Mid-season control 2/3 pint/acre	1 gallon in sufficient water to cover 12 acres
Late season control 1 pint/acre	1 gallon in sufficient water to cover 8 acres

Boll Weevil and Bollworm (Does not include Pink Bollworm)

Early season control — 0.2 lbs. (1 pt.) Actual Endrin per acre

Mid-season and late season control 0.2 to 0.5 lbs. (1 - 2 1/2 pts.) actual Endrin per acre

Leaf Worm — 0.2 lbs. (1 pt.) actual Endrin per acre when necessary

For Grasshopper control, use 0.25 lbs. (1 1/4 pts.) per acre when necessary

DANGER: KEEP OUT OF REACH OF CHILDREN

NOTICE: Follow directions carefully. Timing and method of application, weather and crop condition, mixtures with other chemicals is not specifically recommended, and other influencing factors in the use of this product

are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

101 BRAND ENDRIN EMULSIFIABLE CONCENTRATE

Contains 1.6 LBS. Technical Sendrin Per Gallon

ACTIVE INGREDIENTS:	By Weight
Endrin (Hexachloro-epoxy-cyclohexane)	19.5%
Petroleum Hydrocarbons	70.0%
INERT INGREDIENTS:	10.5%
TOTAL	100.0%

Danger: Keep out of reach of children



POISON



GENERAL DIRECTIONS

101 Brand Endrin Emulsifiable Concentrate contains 1.6 pounds of Endrin per gallon. 101 Brand Emulsifiable Concentrate may be used in conventional hydraulic sprayers, low volume ground applicators, and airplane sprayers.

DANGER: Do not spray into or near fire or open flame. Do not smoke while spraying. Keep away from children and domestic animals. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Endrin protection. Do not get in eyes, on skin or clothing. Do not breathe spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Clean up spillage. Do not use indoors. Use clean clothing daily and wear clean, synthetic rubber gloves. In case of contact immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes. For eyes, get medical attention. Wash clothing before reuse. Treatment should not be made or allowed to drift to areas

See a label statement and other warnings on the side panels.

while occupied by unprotected humans or beneficial animals. When workers must enter fields within 5 days of a spray application, they should be protected. They should be kept out of such treated areas for at least one hour after treatment.

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Do not reuse empty drum. Return to drum conditioner or destroy it by perforating or crushing and burying in a safe place away from water supplies.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

MIKE, Inc.

Division of Southern Agricultural Chemicals, Inc., Kingstree, S. C.

NEWLAND, N. C.

ORCH
160 ga
100 ga
670 fe
460 ga
ply 11
15 1/2 g
ground
tins
specif
be ob
d sturl
spray
more c
spray.

ANTI
cide is
a glas
fluid i
Exteri

NOTE
case
DANG
Rapidl
ous. 1

Mix
trate
up th
back i
th h

LS. INC.

POST OFFICE DRAWER 527

Kingstree, S. C. 29556

101 BRAND *ENDRIN EMULSIFIABLE* CONCENTRATE

Contains 1.6 LBS. Technical Sendrin Per Gallon

ACTIVE INGREDIENTS:

Endrin (Hexachloro-cyclohexa-1,3-diene, endo, endo-1,4-dimethanonaphthalene)

Petroleum Hydrocarbons

INERT INGREDIENTS:

By Weight

19.5%

70.0%

10.5%

TOTAL

100.0%

Danger: Keep out of reach of children



POISON



GENERAL DIRECTIONS

101 Brand Endrin Emulsifiable Concentrate contains 1.6 pounds of Endrin per gallon. 101 Brand Emulsible Concentrate may be used by conventional hydraulic sprayers, low volume ground applicators, and airplane sprayers.

DANGER: Do not spray into or near fire or open flame. Do not smoke while spraying. Keep away from children and domestic animals. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for Endrin protection. Do not get in eyes, on skin or clothing. Do not breathe spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Clean up spillage. Do not use indoors. Use clean clothing daily and wear clean, synthetic rubber gloves. In case of contact immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes. For eyes, get medical attention. Wash clothing before reuse. Treatment should not be made or allowed to drift to areas

See antidote statement and other warnings on the side panels.

while occupied by unprotected humans or beneficial animals. When workers must enter fields within 5 days of a spray application, they should be protected. They should be kept out of such treated areas for at least one hour after treatment.

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty drum. Return to drum conditioner or destroy it by perforating or crushing and burying in a safe place away from water supplies.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

ORCHARDS: Pine Mice: 0.6 lb. actual per 100 gals. of water. Boom application: Apply 100 gals. of spray in a band 11 feet wide and 670 feet long on each side of a tree row (350-400 gals. acre). Hand-gun Application: Apply 11 gals. of spray to each under-tree area (5½ gals. per side). In order to penetrate ground cover to reach pine mice trail systems apply all sprays at 500 psi pressure. Specific directions concerning nozzles should be obtained from local authorities. Do not disturb trail systems by cultivation before spraying. Allow a minimum of 2 months before cultivating or mowing after applying spray. Make post-harvest application only.

Meadow Mice. 0.4 lb. actual per 100 gals. of water. Apply 300 to 350 gals. of spray per acre as directed for pine mice control using hand gun or boom sprayers to wet ground cover under trees. Make post-harvest application saturate ground cover under trees only.

DANGER: Post treated areas. Do not treat areas where runoff will contaminate water used for domestic purposes or contaminate lakes, streams or ponds containing fish. Do not graze orchards, cut for hay, or allow livestock to clean up drops. Applications may produce some injury to birds and other small animals.

ANTIDOTE—Internal: If any of the insecticide is swallowed, give a tablespoon of salt in a glass of warm water. Repeat until vomit fluid is clear. Keep victim prone and quiet. **External:** If skin is contacted, wash immedi-

ately with soap and water. Call a physician immediately. **Note to Physician:** In case of poisoning, administer barbiturates as for anti-convulsant therapy. Observe patient carefully since repeated treatment may be needed.

NOTE: A precipitate may deposit in cold water. In such case, warm gently and agitate until redissolved before using. **DANGER!** Poisonous by skin contact, inhaled or swallowing. Rapidly absorbed through skin. Spray mist extremely hazardous. Do not use, pour, spill or store near heat or open flame.

POISON



MIXING DIRECTIONS

Mix 101 Brand Endrin Emulsifiable concentrate with water by agitation or by circulating the mixture through the spray pump and back into the tank. A proper water mixture will have the appearance of a milky emul-

sion with no free oil on the surface. Agitate before use until a uniform mixture is formed. Agitation is also necessary when mixing with oil.

MIKE, Inc.

NEWLAND, N. C.

Division of Southern Agricultural Chemicals, Inc., Kingstree, S. C.

EPA Reg. No. 274-014