

40% Sodium Arsenite Solution

(COLORED)

Contains 4 Lbs. of Arsenic Trioxide (As₂O₃) Per Gal.

GENERAL WEED
CONTROL, TERMITE TREATMENT and
BARK TREATMENT

ACTIVE INGREDIENTS

Sodium Arsenite 40.0%

Total Arsenic expressed as metallic arsenic in water soluble form 24.2%

INERT INGREDIENTS

Water 60%

100%

POISON. KEEP OUT OF REACH OF CHILDREN. KEEP CHILDREN AND ANIMALS OFF TREATED AREA. DO NOT USE OR STORE IN OR AROUND THE HOME. SEE OTHER PRECAUTIONS ON SIDE PANEL.

DO NOT REUSE CONTAINER DESTROY WHEN EMPTY



DANGER



KEEP OUT OF REACH OF CHILDREN

ACCEPTED

UNDER THE FEDERAL INSECTICIDE, FUNGICIDE AND RODENTICIDE ACT OR ECONOMIC POISON REGISTERED UNDER NO. 41107-1-1

APPLICATION Dilute diluted 10% solution. Apply diluted solution to be applied to the exposed sapwood and the edge of the bark. If the exposed sapwood is seen as a cavity after the bark is removed. Coverage must be thorough since only bark above treated sapwood is affected. The addition of 1/2 cup of phenol to one gallon of the undiluted solution will help make a distasteful remedy. Application may be made with a sprayer or a brush with nylon bristles. Trees which bark treatment is usually effective include Red Pine, White Pine, Norway Spruce, Balsam, White Cedar, Aspen, Ironwood, Birch, Beech, Elm, Black Cherry, Hemlock, Hard Maple and Red Maple. Bark treatment is usually ineffective on White Ash.

SCIL TREATMENT FOR TERMITES

WARNING - WARNING
FOR INDUSTRIAL USE ONLY.
NOT TO BE USED AROUND HOMES


A dosage of 1 gallon of solution per linear foot of trench should be required for those trenches over 15 inches deep and a dosage of 2 gallons of solution per 5 linear foot of trench for trenches 8 to 15 inches deep should be required. This product is limited to use around industrial type structures only. Do not allow domestic animals to enter treated area.

ANTIDOTE: For all First Aid treatment. If skin should be washed with copious amount of water immediately. Treat as for cyanide. Ingested antidote. Call Physician at once. Give a tepid emetic. If not possible, give water until vomit is clear. If vomit is not clear, repeat emetic. If not clear, repeat emetic. If not clear, repeat emetic. If not clear, repeat emetic.

Do not use in residential areas. Do not use in residential areas. Do not use in residential areas.

DO NOT CONTAMINATE WATER BY LEAKAGE OR DISCHARGE OF EXCESSIVE WASTES. ONLY FOR INDUSTRIAL USE ONLY. DO NOT USE AROUND HOMES.

LPA Reg No 38624
ACCEPTED WITH COMMENTS



NET CONTENTS 1 U.S. GALLONS

CLEAN KILL SEASON LONG NON SELECTIVE WEED KILLER

ACTIVE INGREDIENTS:

Petroleum Oil	94.94%
2,4-Dichlorophenoxyacetic acid, isooctyl ester	*1.09%
Bromacil (5-bromo-3-sec-butyl-6-methyluracil)	0.98%
Pentachlorophenol	0.80%
Other chlorophenols	0.09%

INERT INGREDIENTS: 2.10%

TOTAL: 100.00%

*2,4-Dichlorophenoxyacetic acid equivalent 0.72%

WARNING

Keep Out Of Reach Of Children

See Rear Panel for Additional Warnings.

Distributed by

ACCEPTED

October 18, 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTR
ED UNDER NO. 4000-61

RECTIONS: To control most weeds and grasses for extended periods in non-cropland areas such as industrial plant sites, parking lots, loading ramps and around storage buildings and the like, apply 1 to 4 gallons of product per 1000 square feet after the most predominant weeds have emerged. No agitation is required. Can be applied with standard spray equipment. For treating small areas, a tank type hand sprayer or sprinkling can be used.

NOTE: Users should consult State Agricultural Experiment Stations or Extension Service Weed Specialists for recommendations as to use in their particular area, or contact your distributor.

IMPORTANT: Do not apply directly to, or otherwise permit this liquid to contact susceptible plants as this product may injure cotton, beans, peas, grapes, fruit trees, ornamentals or other desirable plants. Avoid spray drift to such susceptible plants (coarse sprays are less likely to drift.) Vapors from this product may injure susceptible plants in the immediate vicinity. Do not apply to areas underlaid by roots of desirable trees and shrubs. Do not store near fertilizers, seeds, insecticides or fungicides. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes (or do not use same equipment for other purposes.) Do not re-use this container.

This product is toxic to fish and wildlife., Keep out of lakes, streams, or ponds., Do not apply where runoff is likely to occur., Do not apply when weather conditions favor drift from areas treated., Do not contaminate water by cleaning of equipment, or disposal of wastes., and Apply this product only as specified on this label.

WARNING: KEEP OUT OF REACH OF CHILDREN. HARMFUL IF SWALLOWED. CAUSES SKIN IRRITATION. Do not use, store, spill or pour near heat or open flame. Avoid contact with skin, eyes, and clothing. Wash thoroughly after handling. In case of contact, flush with large amounts of water; for eyes, get medical attention. Remove and wash contaminated clothing before reuse.

EPA Reg. No. 4000-61

EPA Est. No. 4000-GA-1

SOUTHERN CHEMICAL PRODUCTS COMPANY
Macon, Georgia

REFINED WHITE ARSENIC

ARSENIC TRIOXIDE

(technical)

Minimum **94%** As_2O_3
lbs net

Active ingredient :

Arsenic trioxide (min.) %

Inert ingredients (max) %

Total 100%

Total arsenic all in water soluble form expressed as metallic minimum %

ACCEPTED
AUG 11, 1967
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO. 1000000000
TO ATTACHED



Distributed by : **American Firstoline Corporation**
220 EAST 42 ND STREET - NEW-YORK, N. Y. 10017 U. S. A.
U. S. D. A. Reg. N°



POISON
POISONOUS IF SWALLOWED

ANTIDOTE: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Then give 2 tablespoonful of Epsom Salt or Milk of Magnesia in water, and plenty of milk and water. Have victim lie down and keep quiet. Call a Physician immediately!

DANGER : CAUTION KEEP OUT OF REACH OF CHILDREN

Avoid contact with skin, eyes, or clothing. Wash thoroughly after using. Avoid breathing dust or spray mist.

FOR MANUFACTURING USE ONLY